.125" BLEED

.125" COPY FREE AREA

from the makers of
Expert care™

BAYER

Defense care™

flea & tick shampoo for cats and kittens

STATE OF HAWAII
Department of Agriculture
ACCEPTED
LICENSE NO.

9618.147

Kills fleas and ticks on cats and kittens over 12 weeks

ACTIVE INGREDIENTS:

Pyrethrins	0.150 %
*Piperonyl butoxide, Technical	0.300 %
**N-Octyl bicycloheptene dicarboximide	0.479 %
Other Ingredients	99.071 %
Total	100.000 %

*Equivalent to 0.240% (butylcarbityl) (6-propylpiperonyl) ether and 0.060% related compounds
**MGK® 264 Insecticide Synergist

KEEP OUT OF REACH OF CHILDREN

WARNING

See back panel for First Aid and additional Precautionary Statements

Net Contents: 12 fl oz (355 mL)

BAYER Defense care® flea & tick shampoo for cats and kittens

READ ENTIRE LABEL BEFORE EACH USE
FOR USE ON CATS ONLY
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes substantial but temporary eye injury. Causes skin irritation. Do not get in eyes, on skin, or clothing. Harmful if inhaled. Avoid breathing product vapor. If available, wear protective eyewear such as goggles or safety glasses. Wear gloves made out of any waterproof material. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance. Then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-855-886-7970.

HOW TO USE: Wet the animal's coat for 2-3 minutes with warm water. Apply shampoo on head and ears and lather. Then repeat procedure with neck, chest, and middle and hindquarters, finishing legs last and paying special attention to the footpads (between the toes) and underbody areas. Wash the head and ear areas carefully, making sure to keep the shampoo out of the animal's eyes. NOTE: A drop of glycerin in each eye before bathing may prevent or reduce irritation if the shampoo gets in the animal's eyes. Pay special attention to the base of the tail, as it is a place frequented by fleas. Fully lather animal and let lather remain on animal for 5 minutes before rinsing thoroughly with water. NOTE: This final step is an important part of grooming procedure.

For small cats less than 15 pounds, wrapping the animal in a towel for several minutes to absorb moisture is advised. This also will allow dying fleas and ticks to crawl off animal into the towel before drying animal with a towel or blow dryer.

Flea and tick control on the animal is only part of the solution to the problem. The inside of the house and the outdoor area used by the animal must also be treated for complete control.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.
Pesticide Storage
Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food.
Pesticide Disposal and Container Handling
Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARNING: This product contains a chemical known to the State of California to cause cancer.

Kills fleas and ticks on cats and kittens over 12 weeks

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON CATS.

Follow all precautions and directions. For use on Cats and Kittens over the age of 12 weeks for control of Fleas and Ticks. Do not repeat treatment for 7 days. Do not use on Kittens under 12 weeks. Consult a veterinarian before using this product on debilitated, aged, pregnant, or nursing animals. Sensitivities may occur using any pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

EPA Reg. No. 1021-1723-11556 EPA Est. No. 11623-GA-3
Distributed by Bayer HealthCare LLC, Animal Health Division, P.O. Box 390, Shawnee Mission, Kansas 66201 USA
For consumer questions, call 1-855-886-7970

©2014 Bayer HealthCare LLC. 81837511, R.0
Bayer (reg'd), the Bayer Cross (reg'd), DefenseCare™ and ExpertCare™ are trademarks of Bayer.
MGK is a registered trademark of McLaughlin Gormley King Company.

Bayer

7 24089 37511 7

.125" COPY FREE AREA

.125" BLEED

.125" COPY FREE AREA

.125" BLEED