Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2014-2016 LIC. NO.
9620.3

MAQUAT® MC1412-50%

For Manufacturing Use

ACTIVE INGREDIENT:
Alkyl (50% C14, 40% C12, 10% C16)
dimethyl benzyl ammonium chloride 50.00%
INERT INGREDIENTS: 50.00%
TOTAL: 100.00%
Weight Approx. 8 lbs/gal.

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

See side panel for additional precautionary statements.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further advice.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Mason
A Pilot Chemical Company

MASON CHEMICAL COMPANY
"THE QUATERNARY SPECIALISTS"
723 W. Algonquin Rd
Arlington Heights, IL 60005
847-290-1621
Toll Free: 1-800-362-1855

EPA Reg. No. 10324-6 EPA Est. No. ☐ 10324-GA-1
☐ 10324-GA-2

Net Contents: See Container

Batch No.:

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling. May be fatal if swallowed. Harmful is inhaled. Avoid breathing vapor or spray mist. Harmful if absorbed through skin. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, oysters and shrimp. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame. Do not mix with oxidizers, soap or other anionic materials.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
For use by manufacturers only for formulation into antimicrobial products for use in agricultural/farm premises, structures, buildings, and equipment; dairy farm milk handling facilities, equipment, houses and sheds; food processing plant, food handling, food distribution equipment and premises; eating establishment premises and equipment; commercial, institutional, and industrial premises and equipment (floors, walls, storage areas); domestic dwellings, food handling areas, bathroom premises (hard surfaces), indoor premises of domestic dwellings; and medical institutional critical care and noncritical premises and laundry. For use by manufacturers only for formulation into antimicrobial products for use in air conditioner/refrigeration condensate water systems, air washer and industrial scrubbing systems, once-through and recirculating industrial/commercial cooling water systems, pulp/paper mill water systems, auxiliary water and waste water systems, swimming pools, and decorative pool, fountains and water displays. Gas/oil drilling muds/packer fluids, mushroom houses/empty premises equipment, wood preservation, egg handling equipment and rooms, egg washing treatment poultry processing plant equipment/ premises, meat processing plant/equipment, gas oil recovery injection water systems, and oil field water flood/salt water disposal systems. Formulators using this product are responsible for providing data for the EPA registration of their formulated products.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
PESTICIDE STORAGE: Open dumping is prohibited. Store only in original container. Do not reuse empty container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. Keep from freezing.
PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.
SPILL OR LEAK PROCEDURES: Small spills may be mopped up, flushed away with water or absorbed on some absorbent material and incinerated. Large spills should be contained; the material then moved into containers and disposed of by approved methods for hazardous wastes.
CONTAINER DISPOSAL: Refillable container. Refill this container with this product only. Do not reuse this container for any other purpose.
RESIDUE REMOVAL INSTRUCTIONS: Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill or by incineration.