

VETO II™

DISINFECTANT TOILET BOWL CLEANER

DISINFECTS, CLEANS, DEODORIZES, *VIRUCIDAL

For Hospital, Institutional and Industrial Use • Clings to Surfaces • Does Not Damage Porcelain • Quickly Eliminates Rust, Lime and Uric Acid Deposits • Removes Stains and Hard Water Deposits

PROD. #1180
0712A
V.050312

NET CONTENTS:
55 Gallons
208.12 Liters

1234567

9901234567000000118085

#118085



LICENSED

PERIOD 2012-2014 LIC. NO.

ACTIVE INGREDIENTS:

Didecyl Dimethyl Ammonium Chloride	0.06%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride	0.04%
INERT INGREDIENTS:	99.90%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN
DANGER • PELIGRO

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Remove person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Keep out of reach of children. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed. Harmful if absorbed through the skin or inhaled. Avoid breathing spray mist. Do not get into eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

GENERAL PRECAUTION AND RESTRICTIONS: DO NOT MIX WITH CHLORINE, BLEACH, AMMONIA CLEANERS OR OTHER HOUSEHOLD CHEMICALS.

ENVIRONMENTAL HAZARD

This pesticide is toxic to fish, aquatic invertebrates, oysters, and shrimp. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not mix with oxidizers, anionic soaps and detergents.

NEVER USE WITH CHLORINE PRODUCTS. Can react to give chlorine gas. If this occurs, flush toilet to remove chemicals and leave the area. Do not return for half an hour. Ventilate if possible. Never use or mix with other cleaners or chemicals. Do not use on any surface that can be damaged by acidic materials. Many surfaces are not resistant to acid.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is not for use on Medical device surfaces. For all surfaces, test on a small area before use.

Disinfectant Performance: Using AOAC Use Dilution test for germicides under Good Laboratory Practices (GLP), in 5% serum and a 10 minute contact time this product kills the following:

<i>Escherichia coli</i>	<i>Community Acquired Methicillin resistant Staphylococcus aureus</i>
<i>Enterococcus faecalis</i> Vancomycin Resistant	<i>Serratia marcescens</i>
<i>Pseudomonas aeruginosa</i>	<i>Enterobacteriaceae</i> extended beta lactamase resistance
<i>Salmonella enterica</i>	<i>Shigella dysenteriae</i>
<i>Salmonella typhi</i>	<i>Staphylococcus aureus</i>
<i>Staphylococcus aureus</i> – MRSA	<i>Staphylococcus aureus</i> – VISA

Virucidal* Performance: This product was evaluated in the presence of 5% serum with a 10 minute contact time and found to be effective against the following viruses on hard, non-porous environmental surfaces of toilets and urinals:

<i>Hepatitis A virus (HAV)</i>	<i>Human Immunodeficiency Virus type 1</i>
<i>Herpes simplex virus type 1</i>	<i>Influenza A Virus</i>
<i>Herpes simplex virus type 2</i>	<i>Rotavirus</i>

To Disinfectant Toilet Bowls: Remove water from bowl. Apply 1 to 2 ounces of bowl cleaner onto bowl brush. Clean the entire unit especially under the rim at water outlets. Allow surface to remain wet 10 minutes. Flush and rinse out bowl brush with clean water. A preliminary cleaning step is required for the removal of heavy soil prior to disinfection.

To Clean and Disinfect Urinals: Remove gross filth and heavy soil deposits. Apply 1 to 2 ounces of this product directly to urinal surfaces including water outlets area for general cleaning. Then pour an additional 1 ounce of product on applicator. Scrub entire unit, especially under rim at water outlets, with applicator. Remove screen trap to deodorize drain and apply 1 ounce directly on edge and into drain. Wait 10 minutes, flush and rinse applicator.

To Remove Stubborn Stains, Porous Lime deposits on Toilets: Apply 1 to 2 ounces of this product directly on stain. Let it remain at least 15 minutes. Scrub then flush. Repeat if necessary.

***KILLS HIV ON PRECLEANED ENVIRONMENTAL TOILET BOWLS/URINALS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care setting or other settings in which there is an expected likelihood of soiling of inanimate toilet bowls/urinals with body fluids and in which the toilet bowls/urinals likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type I (HIV-1) associated with AIDS.

“SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON TOILET BOWLS/URINALS SOILED WITH BLOOD/BODY FLUIDS.”

Personal Protection: Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks, or eye coverings.

Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from toilet bowls and urinals before application of the disinfectant.

Disposal of Infectious Materials: Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

Contact Time: Leave surface wet for 10 minutes with undiluted solution. Remove gross filth prior to disinfection. Empty toilet bowl or urinal and apply solution of 1 to 2 ounces of this product to exposed surfaces including under the rim, with a cloth, mop, sponge or sprayer. Brush or swab thoroughly and allow to stand for 10 minutes and flush.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Open dumping is prohibited. Store only in original container. Do not reuse empty container. If a leaky container must be contained within another, mark the outer container to identify the contents. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING DISPOSAL: Non-refillable container. Do not reuse this container to hold materials other than pesticides or diluted pesticides. After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Offer for recycling if available or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities. If rinsate cannot be used, follow pesticide disposal instructions. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state and federal regulations.

RESIDUE REMOVAL INSTRUCTIONS: Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times.

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

DANGER: IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT.

EPA Reg. No. 10324-158-1270

EPA EST. NO. 72424-GA-1



LICENSED

PERIOD 2015-2017 LIC. NO.

9625.231

MADE IN USA
Sold by:
Zep Inc.
1310 Seaboard Ind. Blvd.
Atlanta, GA 30318

