

**APPLICATION INSTRUCTIONS FOR PEACHES AND NECTARINES, CONTINUED**

Use a pressure sprayer capable of delivering the spray at a minimum of 250 lb pressure per square inch through a hand-held single nozzle gun, or 150 lb pressure per square inch using an airblast sprayer. For best results with airblast sprayer, do not exceed 3 miles per hour ground speed or 100 miles per hour spray velocity.

Do not apply within 3 weeks of harvest.

Do not apply more than 12 lb product per acre per year.

CROP	DISEASES CONTROLLED	CONCENTRATION/USE RATE
Apples Pears	Fire Blight ( <i>Erwinia amylovora</i> )	<b>Ground Application:</b> 200 ppm Equivalent to: 1.0 lb Mycoshield/ 100 gal water  <b>Aerial Application:</b> 1.0 lb Mycoshield/ minimum 10 gal water

**APPLICATION INSTRUCTIONS**

**Ground Application:** Apply using airblast sprayer. Ensure good coverage of plant parts. Apply beginning with 10% bloom. For Apples, repeat applications at 3 to 6 day intervals or apply when blight favorable weather is expected during apple bloom. For Pears, repeat applications at 4 to 6 day intervals.

**Aerial Application:** Application by air is not a direct replacement for applications by ground. Use aerial application only in those orchards in which optimal coverage can be achieved by air. Even with optimal coverage, the extent of control may be reduced. Apply by ground within 3 to 6 days subsequent to an aerial application.

Begin spray application at 10% bloom. For Apples, repeat applications at 3 to 6 day intervals or apply when blight favorable weather is expected during apple bloom. For Pears, repeat applications at 4 to 6 day intervals.

Spray coverage of blossoms is essential.

**Restrictions:**

**For Apples:**

DO NOT apply more than 1.5 lb of product per acre per application.

DO NOT exceed a total of 6 applications per year using either ground or aerial methods of application.

DO NOT apply within 60 days of harvest.

**For Pears:**

DO NOT apply more than 1.0 lb of product per acre per application.

DO NOT exceed a total of 10 applications per year using either ground or aerial methods of application.

DO NOT apply within 60 days of harvest.

NOTE: Use of this product may cause phytotoxicity to the fruit and/or foliage of sensitive pear varieties, especially Asian varieties.

**WARRANTY DISCLAIMER**

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USE OF TRADE, STATUTORY OR OTHERWISE WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND BUYER, BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

**LIMITATION OF LIABILITY**

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER, BY SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of the directions for use, the warranty disclaimers, or limitations of liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

RV062112  
13232000

Mycoshield is a trademark of Nufarm Americas Inc.

Nufarm Americas Inc.  
- AGT Division

All other trademarks are the property of their respective owners.



U.S. DEPARTMENT OF AGRICULTURE  
**ACCEPTED**  
LICENSE NO. 9629.11

# Mycoshield®

*For the control of fire blight of pear and apple and bacterial spot of peach and nectarine*

**Active Ingredient:**  
Oxytetracycline Calcium Complex  
(Equivalent to 17% oxytetracycline) ..... 31.5%

**Other Ingredients:** ..... 68.5%

**Total:** ..... 100.0%

**KEEP OUT OF REACH OF CHILDREN.  
WARNING/AVISO**

*Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)*

**SEE PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE  
ON BACK OF BAG**

**For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300  
For Medical Emergencies Only, Call (877) 325-1840**

FIRST AID	
<b>IF IN EYES:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF ON SKIN OR CLOTHING:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF INHALED:</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>

**HOT LINE NUMBER**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal. Open dumping is prohibited.

**PESTICIDE STORAGE:** Store in a cool, dry area under lock and key. Post as a pesticide storage area. Always store pesticides in the original container. Store away from food, pet food, feed, seed, fertilizers, and veterinary supplies.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative of the nearest EPA Regional Office for guidance.

**CONTAINER HANDLING:**

Bags: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling, if available, or dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**MANUFACTURED FOR**  
**NUFARM AMERICAS INC.**  
**AGT DIVISION**  
**150 HARVESTER DRIVE**  
**BURR RIDGE, IL 60527**



Net Weight  
**2.0 pounds**

EPA Reg. No. 55146-97  
EPA Est. 67545-AZ-1

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**WARNING/AVISO**

Causes substantial but temporary eye injury. Harmful if absorbed through skin. Do not get in eyes, on skin, or on clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Do not breathe dust or spray mist.

**Personal Protective Equipment (PPE)**

**Applicators and other handlers must wear:**

- Long-sleeved shirt and long pants
- Chemical-resistant gloves made of any waterproof material
- Shoes plus socks
- Protective eyewear
- Dustmist filtering respirator (MSHA/NIOSH approval number prefix TC-21C) or a NIOSH approved respirator with any N, R, P or HE filter

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

**User Safety Recommendations**

**Users should:**

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
  - Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
  - Remove PPE immediately after handling this product.
- Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**Engineering Control Statement**

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240(d) (4-6)), the handler PPE requirements may be reduced or modified as specified in the WPS.

**Environmental Hazards**

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater.

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

**AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses that are covered by the Worker Protection Standard.

**Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.**

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, chemical-resistant gloves made of any waterproof material, shoes plus socks, and protective eyewear.

This product contains the antibiotic oxytetracycline. To reduce the development of drug resistant bacteria and maintain the effectiveness of this and other antibacterial products, this product should be used only to treat or prevent infections that are proven or strongly suspected to be caused by bacteria.

This material is not to be used for medical or veterinary purposes.

**CHEMIGATION**

Do not apply this product through any type of irrigation system.

**APPLICATION PROCEDURES**

For best results, apply this product using an airblast sprayer with enough water to provide full coverage. Thorough coverage is essential.

**MIXING PROCEDURES**

**MIXING:**  
To avoid possible pesticide contamination, use only clean metal or plastic containers in preparing all solutions.

CONCENTRATION			
DESIRED	QUANTITY MYCOSHIELD PER VOLUME OF WATER		
ppm*	50 gal	100 gal	500 gal
150	6 oz	12 oz	3-3/4 lb
200	8 oz (1/2 lb)	16 oz (1 lb)	5 lb

\*ppm = parts per million oxytetracycline base in prepared solution.

**CROP USE DIRECTIONS**

Use of predictive models for fire blight tree host treatment conditions will minimize the number of applications of this product. Thorough spray coverage is essential.

CROP	DISEASES CONTROLLED	CONCENTRATION/USE RATE
Peaches Nectarines	Bacterial Spot ( <i>Xanthomonas campestris pv. pruni</i> )	• 150 ppm Equivalent to: 12 oz Mycoshield/ 100 gal water

**APPLICATION INSTRUCTIONS**

**Ground Application:** Use 12 oz of Mycoshield/100 gallons of water (equivalent to 6 oz/50 gal or 24 oz/200 gal). Vary the total volume of solution per acre from 50 to 200 gallons depending on the size and foliar development of the trees. Smaller, less dense trees will require a lower volume and larger, more dense trees will require a higher volume of spray to obtain coverage to the point of runoff.

Apply at 7 day intervals beginning at petal fall (<5% shuck split) through first cover. After first cover, application interval can be extended to 7 to 10 days depending on weather conditions. Use the higher rate early in the season and during periods conducive for disease.