

cleanworks®

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2014-2016 LIC. NO.

9649.47



**MULTI-PURPOSE
DISINFECTANT**
ONE-STEP DISINFECTANT
GERMICIDAL DETERGENT
AND DEODORANT

Net Contents:
67.8 oz. (2 Liters)

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DILUTION: 1:256 1/2 OUNCE PER GALLON OF WATER

DILUTION CHART	
Correct Solution Strength - 0.39%	
PRODUCT	WATER
1/2 oz	1 gallon

This product is not for use on medical device surfaces.
DISINFECTION / CLEANING / DEODORIZING DIRECTIONS: Remove heavy soil deposits from surface. Then thoroughly wet surface with a use-solution of 1/2 ounce of the concentrate per gallon of water or equivalent. The use-solution can be applied with a cloth, mop, sponge, or coarse spray, or soaking. For sprayer applications, use a coarse spray device. Spray 6-8 inches from the surface, rub with a brush, cloth or sponge. Do not breathe spray. Let solution remain on surface for a minimum of 10 minutes. **For Human Coronavirus**, treated surfaces must remain wet for 1 minute. Wipe dry with a clean cloth, sponge or mop or allow to air dry. **For Influenza Virus Type A**, treated surfaces must remain wet for 2 minutes. Wipe dry with a clean cloth, sponge or mop or allow to air dry. Rinse or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. This product is not for use on food contact surfaces. Prepare a fresh solution daily or more often if the solution becomes visibly dirty or diluted.

TOILET BOWLS: Swab bowl with brush to remove heavy soil prior to cleaning or disinfecting. Clean by applying use-solution around the bowl and up under the rim. Stubborn stains may require brushing. To disinfect, first pre-clean to remove heavy soil, then remove or expel over the inner trap the residual bowl water. Pour in 3 oz. of the use-solution. Swab the bowl completely using a scrub brush or mop, making sure to get under rim. Let stand for 10 minutes or overnight, then flush.

FUNGICIDAL DIRECTIONS: For use in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities follow disinfection directions.
MILDEWSTATIC INSTRUCTIONS: Will effectively control the growth of mold and mildew plus the odors caused by them when applied to hard, nonporous surfaces such as walls, floors, and table tops. Apply use-solution of 1/2 oz. per gallon of water with a cloth, mop, sponge, or coarse spray. Make sure to wet all surfaces completely. Let air dry. Repeat application weekly or when growth reappears.

To control the growth of mold and mildew on large inflatable non-porous plastic and rubber structures (animals, promotional items, moonwalks, obstacle course play and exercise equipment): Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use solution of 1/2 oz. per gallon of water with a cloth, mop, sponge, or coarse spray. Make sure to wet all surfaces completely. Let air dry. Repeat application weekly or when growth reappears. Ventilate buildings and enclosed spaces. Do not use equipment until treatment has been absorbed, set or dried.

***KILLS HIV-1 (AIDS VIRUS) AND HBV (HEPATITIS B VIRUS) AND HCV (HEPATITIS C VIRUS) ON PRECLEANED, ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/body fluids, and in which the surfaces/objects likely to be soiled with blood/body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) associated with AIDS or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OR HBV OR HCV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS: Personal Protection: Disposable protective gloves, gowns, face masks, and eye coverings must be worn during all cleaning of blood/body fluids and during decontamination procedures. **Cleaning Procedures:** Blood/body fluids must be thoroughly cleaned from surfaces/objects before application of disinfectant. **Contact Time:** HIV-1 (AIDS virus) is inactivated after a contact time of 4 minutes at 25°C (77°F) (room temperature). HBV and HCV are inactivated after a 10 minute contact time. Use a 10-minute contact time for all other viruses, fungi, and bacteria listed. **Disposal of Infectious Materials:** Blood/body fluids must be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal.

CLEANSING OF BODY SURFACES AND BODY ORIFICES OF HUMAN REMAINS: This product removes body secretions, soil, and blood, along with their accompanying malodor, from the surfaces and orifices of human remains. Using a sponge or washcloth, bathe the entire body with a use-solution of 1/2 oz. per gallon of water. A soft hand brush may be employed on surfaces other than the face. Prepare a fresh solution for each cadaver remains or when solution becomes visibly dirty or diluted.

VETERINARY PRACTICE / ANIMAL CARE / ANIMAL LABORATORY / ZOOS / PET SHOP / KENNELS DISINFECTION DIRECTIONS: For cleaning and disinfecting hard nonporous surfaces: equipment used for animal food or water, utensils, instruments, cages, kennels, stables, catteries, etc. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use-solution of 1/2 oz. of this product per gallon of water for a period of 10 minutes. Wipe or allow to air dry. Ventilate buildings and other closed spaces. Thoroughly scrub all treated surfaces that come into contact with food, including equipment used for feeding or watering, with soap or detergent and rinse with potable water before reuse. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

A multi-purpose, neutral pH, germicidal detergent and deodorant effective in hard water up to 200 ppm (calculated as CaCO₃) in the presence of a moderate amount of soil (5% organic serum) according to the AOAC Use-dilution Test. Disinfects, cleans, and deodorizes in one labor-saving step. Kills 99.9% of Influenza A that causes the flu. Kills Pandemic 2009 H1N1 influenza A virus (formerly called swine flu).

For use in hospitals, nursing homes, schools, colleges, universities, commercial and industrial institutions, office buildings, veterinary clinics, animal life science

CONTINUED ON RIGHT PANEL

CONTINUED FROM LEFT PANEL

laboratories, zoos, federally inspected meat and poultry plants, tack shops, pet shops, airports, kennels, hotels, motels, breeding establishments, grooming establishments, and funeral homes.

Disinfects, cleans, and deodorizes the following hard nonporous inanimate surfaces: floors, walls, non-medical metal surfaces, non-medical stainless steel surfaces, glazed porcelain, plastic surfaces (such as polypropylene, polystyrene, etc.).

For use in: federally inspected meat and poultry plants on all hard, nonporous surfaces in inedible product processing areas, non-processing areas, and / or exterior areas. All surfaces must be thoroughly rinsed with potable water.

Effective against the following pathogens: **Bacteria:** Pseudomonas aeruginosa¹, Staphylococcus aureus¹, Salmonella enterica, Acinetobacter calcoaceticus, Bordetella bronchiseptica, Chlamydia psittaci, Community Associated Methicillin-Resistant Staphylococcus aureus - [CA-MRSA] (NRS384) (USA300), Community Associated Methicillin-Resistant Staphylococcus aureus - [CA-MRSA] (NRS123) (USA400), Enterobacter aerogenes, Enterobacter cloacae, Enterococcus faecalis - Vancomycin Resistant (VRE), Escherichia coli¹, Fusobacterium necrophorum, Klebsiella pneumoniae¹, Legionella pneumophila, Listeria monocytogenes, Pasteurella multocida, Proteus mirabilis, Proteus vulgaris, Salmonella enteritidis, Salmonella typhi, Salmonella typhimurium, Serratia marcescens, Shigella flexneri, Shigella sonnei, Staphylococcus aureus - Methicillin resistant (MRSA), Staphylococcus aureus - Vancomycin Intermediate Resistant (VISA), Staphylococcus epidermidis¹, Streptococcus faecalis¹, Streptococcus pyogenes [Strep].

Viruses: *Adenovirus type 4, *Hepatitis B Virus (HBV), *Hepatitis C Virus (HCV), *Herpes Simplex Virus Type 1, *Herpes Simplex Virus Type 2, *Human coronavirus, *HIV-1 (AIDS virus), *Influenza A Virus/Hong Kong, Influenza Virus** [* in association with the organism Influenza A/Hong Kong], *Respiratory syncytial virus (RSV), *Rotavirus, *Rubella (German Measles), *SARS Associated Coronavirus, *Vaccinia. **Animal Viruses:** *Avian Influenza (H5N1), *Avian polyomavirus, *Canine

cleanworks® is a registered trademark of
CARROLL COMPANY
2900 W Kingsley Rd., Garland, TX 75041
www.cleanworks.net • 800.527.5722

distemper, *Equine Herpes Virus Type 1, *Feline coronavirus, *Feline leukemia, *Feline panleukopenia virus, *Feline picornavirus, *Infectious bovine rhinotracheitis, *Infectious bronchitis (Avian IBV), *Newcastle Disease, *Porcine parvovirus, *Pseudorabies (PRV), *Rabies, *Transmissible gastroenteritis virus (TGE). **Fungi:** Aspergillus niger, Candida albicans, Trichophyton mentagrophytes (Athlete's Foot Fungus).

¹ ATCC & antibiotic-resistant strain
² antibiotic-resistant strain only

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE. Causes irreversible eye damage and skin burns. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and protective gloves (rubber or chemical resistant). Harmful if inhaled. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children.
Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Wrap empty container and put in trash.

EPA Reg. No. 47371-129-4313

EPA Est. No. 4313-TX-1



1PL9600L0961 rev 8-10-2012 G# 01-0422-2

cleanworks®

**MULTI-PURPOSE
DISINFECTANT**



**ONE-STEP DISINFECTANT
GERMICIDAL DETERGENT AND
DEODORANT**



**Disinfectant • Pseudomonacidal
Staphylocidal • Salmonefacidal
Bactericidal • Fungicidal
Mildewstatic • *Virucidal**

**KEEP OUT OF REACH
OF CHILDREN
DANGER**

See side panel for
Precautionary Statements.

ACTIVE INGREDIENTS:	
Didecyl dimethyl ammonium chloride	10.14%
n-Alkyl (C ₁₂ , 50%, C ₁₄ , 40%, C ₁₆ , 10%) dimethyl benzyl ammonium chloride	6.76%
INERT INGREDIENTS:	83.10%
TOTAL	100.00%

FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Net Contents: 67.8 oz. (2 Liters)