



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9653.119**

For Cats and kittens  
4.4 to 9 lb and  
8 weeks of age  
or older

**activyl®**  
Spot-On for Cats  
and Kittens

For Cats over 9 lb

**activyl®**  
Spot-On for Cat

For Cats over 9 lb

INTENDED TO BE SOLD  
ONLY BY VETERINARIANS

**activyl®**  
Spot-On for Cats

For Cats over 9 lb

INTENDED TO BE SOLD ONLY BY  
VETERINARIANS



Active Ingredient:  
Indoxacarb:  
(S)-methyl 7-chloro-2,5-dihydro-2-  
[[[(methoxycarbonyl)[4-trifluoromethoxy]  
phenyl]amino]-carbonyl]indeno[1,2-e][1,3,4]  
oxadiazine-4a(3H)-carboxylate ..... 19.53%  
Other Ingredients: ..... 80.47%  
Total ..... 100.00%

**KEEP OUT OF REACH OF CHILDREN  
WARNING**  
SEE BACK PANEL FOR FIRST AID AND ADDITIONAL  
PRECAUTIONARY STATEMENTS

**Intervet**  
Schering-Plough Animal Health

For Cats over 9 lb

**activyl®**  
Spot-On for Cat

For Cats over 9 lb

INTENDED TO BE SOLD  
ONLY BY VETERINARIANS

**activyl®**

Spot-On for Cats

For Cats over 9 lb

**DIRECTIONS FOR USE:** Please refer to package insert for complete directions for use.

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DO NOT ALLOW CHILDREN TO APPLY PRODUCT. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON PREGNANT OR NURSING CATS.

FOR EXTERNAL USE ON CATS ONLY. Do not use on kittens under 8 weeks of age and weighing less than 9 lb.

**FIRST AID**

<b>If in Eyes</b>	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a physician if irritation persists.</li> </ul>
<b>If On Skin</b>	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If Swallowed</b>	<ul style="list-style-type: none"> <li>Call poison control center or doctor immediately for treatment advice.</li> <li>Have a person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>

**HOT LINE NUMBER**

Have the product container or label with you when calling the poison control center or doctor or going for treatment. You may also contact the Rocky Mountain Poison Center at 1-303-595-4869 for emergency medical treatment information.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS**

**WARNING.** Causes substantial but temporary eye injury. Harmful if absorbed through skin or swallowed. Do not get in eyes or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

**HAZARDS TO DOMESTIC ANIMALS**

For external use on cats and kittens only. Do not use on kittens under 8 weeks of age and weighing less than 9 lb. Do not use on pregnant or nursing cats. Consult a veterinarian before using this product on debilitated, aged, or medicated cats. Accidental ingestion by the cat may cause intermittent excess salivation. Other immediate post-treatment observations may include licking the face, shaking the head and squinting. These effects should disappear within several minutes following exposure without requiring treatment. Individual sensitivities, while rare, may occur after using any pesticide product. If signs of sensitivity continue, consult a veterinarian immediately. Certain medications can interact with pesticides.

**PHYSICAL OR CHEMICAL HAZARDS**

Flammable. Keep away from heat and open flame.

**STORAGE AND DISPOSAL**

**PESTICIDE STORAGE:**  
Store in a cool, dry place inaccessible to children and pets.

**CONTAINER DISPOSAL:**  
If empty, do not reuse the container. Place in trash or offer for recycling if available.  
If partly filled, call your local solid waste agency for disposal instructions. Never place unused products down any indoor or outdoor drain.


EPA Reg. No. 773-93

EPA Est. No. 6175-LA-1

Net Contents: 1 applicator(s), each 0.03 fl. oz. (0.77 mL) {Total 0.03 fl. oz. (0.77mL)}

Made in the USA.

Intervet Inc.  
Roseland, NJ 07068  
Copyright 2010, Intervet Inc.  
All rights reserved.  
Rev. 08/10



8 1713184102034

119123

BR031



**ACTIVYL Spot-On for Cats**  
**For Cats and Kittens over 9 lb (4 kg)**

**Active Ingredient:**

Indoxacarb:

(S)-methyl 7-chloro-2,5-dihydro-2-[[[methoxycarbonyl][4-trifluoromethoxy)phenyl]amino]-  
 -carbonyl]indeno[1,2-e][1,3,4]oxadiazine-4a(3H)-carboxylate.....19.53%

**Other Ingredients:**.....80.47%  
**Total** ..100.00%

KEEP OUT OF REACH OF CHILDREN

**WARNING**

SEE BACK PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DO NOT ALLOW CHILDREN TO APPLY PRODUCT. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON PREGNANT OR NURSING CATS. **FOR EXTERNAL USE ON CATS AND KITTENS ONLY. DO NOT USE ON KITTENS UNDER 8 WEEKS OF AGE AND WEIGHING LESS THAN 4.4 LB.**

Open one foil pouch and remove applicator.



Step 1.



Step 2.



Step 1. Hold in upright position away from your face and snap tip open by bending it and folding it back on itself.

Step 2. Part the hair and place applicator tip against the skin at the base of skull. Applying the product at the base of the skull will help prevent the cat from licking the product.

Step 3. Squeeze applicator firmly applying entire contents directly to skin. Avoid contact with treated area (application site) until dry.

Do not use more than 1 applicator per treatment. Reapply every 30 days. When application is complete, follow the Container Disposal instructions under the Storage and Disposal section below.

**FIRST AID**

<b>If in Eyes</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a physician if irritation persists.</li> </ul>
<b>If On Skin</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If Swallowed</b>	<ul style="list-style-type: none"> <li>• Call poison control center or doctor immediately for treatment advice.</li> <li>• Have a person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>

**HOT LINE NUMBER**

Have the product container or label with you when calling the poison control center or doctor or going for treatment. You may also contact the Rocky Mountain Poison Center at 1-303-595-4869 for emergency medical treatment information.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS**

**WARNING.** Causes substantial but temporary eye injury. Harmful if absorbed through skin or swallowed. Do not get in eyes or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

**HAZARDS TO DOMESTIC ANIMALS**

**For external use on cats and kittens only. Do not use on kittens under 8 weeks of age and weighing less than 4.4 lb.** Do not use on pregnant or nursing cats. Consult a veterinarian before using this product on debilitated, aged, or medicated cats. Accidental ingestion by the cat may cause intermittent excess salivation. Other immediate post-treatment observations may include licking the face, shaking the head and squinting. These effects should disappear within several minutes following exposure without requiring treatment. Individual sensitivities, while rare, may occur after using any pesticide product. If signs of sensitivity continue, consult a veterinarian immediately. Certain medications can interact with pesticides.

**PHYSICAL OR CHEMICAL HAZARDS**

Flammable. Keep away from heat and open flame.

**STORAGE AND DISPOSAL**

**PESTICIDE STORAGE:** Store in a cool, dry place inaccessible to children and pets.

**CONTAINER DISPOSAL:** If empty, do not reuse the container. Place in trash or offer for recycling if available. If partly filled, call your local solid waste agency for disposal instructions. Never place unused products down any indoor or outdoor drain.

EPA Reg. No. 773-93

EPA Est. No. 6175-LA-1

Net Contents: 1 applicator(s), each 0.03 fl.oz. (1.0 mL) {Total 0.03 fl.oz (1.0 mL)}

Made in the USA.

Intervet Inc., Roseland, NJ 07068

xxxxxxx Rev. xx/xxxx

Copyright 2010, Intervet Inc. All rights reserved.