STATE OF HAWAII
Department of Agriculture

ACCEPTED
LICENSE NO. 9653.120

activyl®

Spot-On for Cats and Kittens

4.4 to 9 lb and 8 weeks of age or older

DIRECTIONS FOR USE- Please refer to package insert for complete directions for use.
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
DO NOT ALLOW CHILDREN TO APPLY PRODUCT. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON PREGNANT OR NURSING CATS. **FOR EXTERNAL USE ON CATS AND KITTENS ONLY. DO NOT USE ON KITTENS UNDER 8 WEEKS OF AGE AND WEIGHING LESS THAN 4.4 LB.**

FIRST AID	
If in Eyes	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a physician if irritation persists.
If On Skin	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If Swallowed	• Call poison control center or doctor immediately for treatment advice. • Have a person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	
Have the product container or label with you when calling the poison control center or doctor or going for treatment. You may also contact the Rocky Mountain Poison Center at 1-303-595-4869 for emergency medical treatment information.	

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS

WARNING. Causes substantial but temporary eye injury. Harmful if absorbed through skin or swallowed. Do not get in eyes or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS
For external use on cats and kittens only. Do not use on kittens under 8 weeks of age and weighing less than 4.4 lb. Do not use on pregnant or nursing cats. Consult a veterinarian before using this product on debilitated, aged, or medicated cats. Accidental ingestion by the cat may cause intermittent excess salivation. Other immediate post-treatment observations may include licking the face, shaking the head and squinting. These effects should disappear within several minutes following exposure without requiring treatment. Individual sensitivities, while rare, may occur after using any pesticide product. If signs of sensitivity continue, consult a veterinarian immediately. Certain medications can interact with pesticides.

PHYSICAL OR CHEMICAL HAZARDS
Flammable. Keep away from heat and open flame.

For Cats and Kittens 4.4 to 9 lb and 8 weeks of age or older

activyl®
Spot-On for Cats and Kittens

INTENDED TO BE SOLD ONLY BY VETERINARIANS

STORAGE AND DISPOSAL

PESTICIDE STORAGE:
Store in a cool, dry place inaccessible to children and pets.
CONTAINER DISPOSAL:
If empty, do not reuse the container. Place in trash or offer for recycling if available. **If partly filled,** call your local solid waste agency for disposal instructions. Never place unused products down any indoor or outdoor drain.

EPA Reg. No. 773-93
EPA Est. No. 6175-LA-1

Net Contents: 1 applicator(s), each 0.02 fl.oz. (0.51 mL) {Total 0.02 fl.oz (0.51mL)}

Made in the USA.

Intervet Inc.
Roseland, NJ 07068
Copyright 2010, Intervet Inc.
All rights reserved.
Rev. 08/10

BR031

activyl®
Spot-On for Cats and Kittens

For Cats and Kittens 4.4 to 9 lb and 8 weeks of age or older

INTENDED TO BE SOLD ONLY BY VETERINARIANS

Active Ingredient:
Indoxacarb:
(S)-methyl 7-chloro-2,5-dihydro-2-[[(methoxycarbonyl)[4-trifluoromethoxy) phenyl]amino]-carbonyl]indeno[1,2-e][1,3,4] oxadiazine-4a(3H)-carboxylate 19.53%
Other Ingredients: ..... 80.47%.
Total 100.00%

KEEP OUT OF REACH OF CHILDREN
WARNING
SEE BACK PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

Intervet
Schering-Plough Animal Health

116396

activyl®
Spot-On for Cats and Kittens

INTENDED TO BE SOLD ONLY BY VETERINARIANS

8 713184 100726

activyl®
Spot-On for Cats and Kittens

For Cats and Kittens 4.4 to 9 lb and 8 weeks of age or older

For Cats and Kittens 4.4 to 9 lb and 8 weeks of age or older

activyl®
Spot-On for Cats and Kittens

RECEIVED
OCT 22 2010
Pesticides Branch

PRODUCT INFORMATION

ACTIVYL Spot-On for Cats and Kittens

For Cats and Kittens 4.4 to 9 lb (2 to 4 kg) and 8 weeks of age or older

Active Ingredient:
Indoxacarb:
(S)-methyl 7-chloro-2,5-dihydro-2-[[(methoxycarbonyl)[4-trifluoromethoxy)phenyl]amino]
-carbonyl]indeno[1,2-e][1,3,4]oxadiazine-4a(3H)-carboxylate.....19.53%
Other Ingredients:..... ...80.47%.
Total ..100.00%

KEEP OUT OF REACH OF CHILDREN

WARNING

SEE BACK PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

DIRECTIONS FOR USE
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DO NOT ALLOW CHILDREN TO APPLY PRODUCT. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON PREGNANT OR NURSING CATS. **FOR EXTERNAL USE ON CATS AND KITTENS ONLY. DO NOT USE ON KITTENS UNDER 8 WEEKS OF AGE AND WEIGHING LESS THAN 4.4 LB.**

Open one foil pouch and remove applicator.



Step 1. Hold in upright position away from your face and snap tip open by bending it and folding it back on itself.
Step 2. Part the hair and place applicator tip against the skin at the base of skull. Applying the product at the base of the skull will help prevent the cat from licking the product.
Step 3. Squeeze applicator firmly applying entire contents directly to skin. Avoid contact with treated area (application site) until dry.
Do not use more than 1 applicator per treatment. Reapply every 30 days. When application is complete, follow the Container Disposal instructions under the Storage and Disposal section below.

	FIRST AID
If in Eyes	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a physician if irritation persists.
If On Skin	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If Swallowed	• Call poison control center or doctor immediately for treatment advice. • Have a person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
	HOT LINE NUMBER
Have the product container or label with you when calling the poison control center or doctor or going for treatment. You may also contact the Rocky Mountain Poison Center at 1-303-595-4869 for emergency medical treatment information.	

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
WARNING. Causes substantial but temporary eye injury. Harmful if absorbed through skin or swallowed. Do not get in eyes or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.
HAZARDS TO DOMESTIC ANIMALS
For external use on cats and kittens only. Do not use on kittens under 8 weeks of age and weighing less than 4.4 lb. Do not use on pregnant or nursing cats. Consult a veterinarian before using this product on debilitated, aged, or medicated cats. Accidental ingestion by the cat may cause intermittent excess salivation. Other immediate post-treatment observations may include licking the face, shaking the head and squinting. These effects should disappear within several minutes following exposure without requiring treatment. Individual sensitivities, while rare, may occur after using any pesticide product. If signs of sensitivity continue, consult a veterinarian immediately. Certain medications can interact with pesticides.
PHYSICAL OR CHEMICAL HAZARDS
Flammable. Keep away from heat and open flame.

STORAGE AND DISPOSAL
PESTICIDE STORAGE: Store in a cool, dry place inaccessible to children and pets.
CONTAINER DISPOSAL: If empty, do not reuse the container. Place in trash or offer for recycling if available. **If partly filled**, call your local solid waste agency for disposal instructions. Never place unused products down any indoor or outdoor drain.

EPA Reg. No. 773-93
Made in the USA.
Copyright 2010, Intervet Inc.

EPA Est. No. 6175-LA-1
Intervet Inc., Roseland, NJ 07068
All rights reserved.

Net Contents: 1 applicator(s), each 0.02 fl.oz. (0.51 mL) {Total 0.02 fl.oz (0.51mL)}
xxxxxxxx Rev. xx/xxxx