

FIRST AID	<ul style="list-style-type: none"> If In Eyes <ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. If On Skin <ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If Swallowed <ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-660-1842.</p>

HAZARDS TO DOMESTIC ANIMALS. For external use only. Do not use on kittens under 12 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. (Some cats may experience temporary startle effects when any product is applied.) If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. If your pet has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, pregnant, nursing, debilitated or aged animals. Call 1-800-660-1842 for assistance.

HAZARDS TO HUMANS, CAUTION. Causes moderate eye irritation. Do not get in eyes or on clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Harmful if swallowed. Harmful if absorbed through skin.

PRECAUTIONARY STATEMENTS

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON CATS AND KITTENS OVER 12 WEEKS OF AGE.

FRONTLINE™ TRITAK™ For Cats contains fipronil, etofenprox, and the insect growth regulator (IGR) (S)-methoprene to effectively kill fleas, ticks, and chewing lice. The active ingredients in FRONTLINE™ TRITAK™ For Cats features a sustained release formula developed for fast-acting and long-lasting control of fleas, ticks, and chewing lice for 30 days on cats and kittens over 12 weeks old.

FRONTLINE™ TRITAK™ FOR CATS

Please call our experts at 1-800-660-1842, Monday-Friday, 8am-8pm EST with any questions or comments about flea, tick, or chewing lice control or FRONTLINE™ TRITAK™ For Cats. Distributed by: Merial Limited • 3239 Satellite Blvd., Duluth, GA 30096-4640, USA • MADE IN USA ©2013 Merial. All rights reserved. EPA Reg. No. 2517-145-65331 EPA Est. No. 2517-NE-02 AHRC P004304-1 72339

- Chewing Lice
- Ticks
- Flea Larvae
- Flea Eggs
- Adult Fleas



HOW TO OPEN
Remove product tubes from the package. Separate one tube from the others. Hold the tube with the notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

HOW TO APPLY
While holding the cat with one hand, use the other hand to apply the solution. Invert the tube and use the narrow end to part the cat's hair. Apply contents of one tube as a spot between the shoulder blades. Hold the cat for a few seconds to give the solution time to be absorbed into the cat's coat. When finished, wrap the tube in paper and put into the trash. Only one applicator per treatment is needed.

FREQUENCY OF APPLICATION
Use FRONTLINE™ TRITAK™ For Cats monthly for complete control of fleas, ticks and chewing lice infestations. FRONTLINE™ TRITAK™ For Cats kills fleas for up to six weeks, and flea eggs and flea larvae for up to 4 months. Apply monthly if your pet is at high risk for flea reinfestation or in a highly infested environment. Apply monthly to control ticks and chewing lice. FRONTLINE™ TRITAK™ For Cats remains effective even after bathing, water immersion or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for 30 days.

Triple Action: Effectively breaks the flea lifecycle
Prevents all flea stages - adult fleas (starts killing in as little as 1 hour), flea eggs, and flea larvae
Kills ticks (starts killing in as little as 1 hour)
Fast-Acting • Long-Lasting • Waterproof



FRONTLINE™ TRITAK™ FOR CATS

FOR USE ONLY ON
CATS & KITTENS
12 WEEKS OR OLDER
3 DOSES

FOR USE ONLY ON
CATS & KITTENS
12 WEEKS OR OLDER



FRONTLINE™ TRITAK™ FOR CATS

Fast-Acting • Long-Lasting • Triple Action



Kills fleas, flea eggs and flea larvae
Kills ticks (starts killing in as little as 1 hour) including those that may transmit Lyme disease, and chewing lice.

3 DOSES
CONTAINS 3-0.017 FL OZ
(0.50 mL) APPLICATORS

ACTIVE INGREDIENTS:
Fipronil 9.8%
Etofenprox 15.0%
(S)-methoprene 11.8%
OTHER INGREDIENT: 63.4%
TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN
CAUTION. SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



FRONTLINE™ TRITAK™ FOR CATS

FOR USE ONLY ON
CATS & KITTENS
12 WEEKS OR OLDER
3 DOSES

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR EXTERNAL USE ON CATS ONLY
Do not use on kittens under 12 weeks of age. Use entire contents of tube on each cat. Do not treat your cat with more than one pesticide product at a time. Over dosing your cat can result in serious illness and even death. **Best if used year round.** Consult a veterinarian before using this product on debilitated, aged, and medicated cats. Consult a veterinarian before using on cats with known organ dysfunction. Separate the treated cat from all other cats and dogs for 24 hours after treatment has been applied. Cats and dogs that actively groom or engage in close physical contact with the treated cat may be at risk of serious harmful effects. The most common signs of ingestion are excessive salivation and foaming at the mouth. If these symptoms occur immediately feed your cat and continue to monitor your pet for the next 24 hours.

Sensitivities may occur after using ANY pesticide product on cats. If signs of sensitivity occur, bathe your cat with a mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately by calling 1-800-660-1842.

STORAGE AND DISPOSAL
Do not remove tube from the pack until ready to use. Store in a cool (below 25 °C) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

CONTAINER DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY
Read the entire Directions for Use and Warranty before using this product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to be adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. Merial is committed to providing high quality products. To the extent consistent with applicable law, Merial makes no warranties, express or implied, of merchantability or fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Merial, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.

LOT: AANN
EXP: MM/YYYY



FIRST AID	<ul style="list-style-type: none"> If In Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. If present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. If On Skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Or Clothing: Call a poison control center or doctor for treatment advice. If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
	<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-660-1842.</p> <p>HOT LINE NUMBER</p>

HAZARDS TO HUMANS, CAUTION. Causes moderate eye irritation. Do not get in eyes or on clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Harmful if swallowed. Harmful if absorbed through skin.

HAZARDS TO DOMESTIC ANIMALS. For external use only. Do not use on kittens under 12 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. (Some cats may experience temporary stearic effects when any product is applied.) If signs persist, or become more severe with a few days of application, consult a veterinarian immediately. If your pet has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842 for assistance.

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON CATS AND KITTENS OVER 12 WEEKS OF AGE.

PRECAUTIONARY STATEMENTS

FRONTLINE® TRITAK™ For Cats contains fipronil, etofenprox, and the insect growth regulator (IGR) (S)-methoprene to effectively kill fleas, ticks, and chewing lice. The active ingredients in FRONTLINE® TRITAK™ For Cats features a sustained release formula developed for fast-acting and long-lasting control of fleas, ticks, and chewing lice for 30 days on cats and kittens over 12 weeks old.

FRONTLINE® TRITAK™ FOR CATS

Please call our experts at **1-800-660-1842** Monday-Friday, 8am-8pm EST with any questions or comments about flea, tick, or chewing lice control or FRONTLINE® TRITAK™ For Cats. Distributed by: Merial Limited • 3239 Satellite Blvd., Duluth, GA 30096-4640, USA • **MADE IN USA** ©2013 Merial. All rights reserved. EPA Reg. No. 2517-145-65331 EPA Est. No. 2517-NE-02 AOR1 P005294 72439

FREQUENCY OF APPLICATION
Use FRONTLINE® TRITAK™ For Cats monthly for complete control of fleas, ticks and chewing lice infestations. FRONTLINE® TRITAK™ For Cats kills fleas for up to six weeks, and flea eggs and flea larvae for up to 4 months. Apply monthly if your pet is at high risk for flea reinfestation or in a highly infested environment. Apply monthly to control ticks and chewing lice. FRONTLINE® TRITAK™ For Cats remains effective even after bathing.



HOW TO APPLY
Write holding the cat with one hand, use the other hand to apply the solution. Invert the tube and use the narrow end to part the cat's hair. Apply contents of one tube as a spot between the shoulder blades. Hold the cat for a few seconds to give the solution time to be absorbed into the cat's coat. When finished, wrap the tube in paper and put into the trash. Only one applicator per treatment is needed.



HOW TO OPEN
Remove product tubes from the package. Separate one tube from the others. Hold the tube with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

Triple Action: Effectively breaks the flea lifecycle
Prevents all flea stages - adult fleas (starts killing in as little as 1 hour), flea eggs, and flea larvae
Kills ticks (starts killing in as little as 1 hour)
Fast-Acting • Long-Lasting • Waterproof

FRONTLINE® TRITAK™ FOR CATS

FRONTLINE® TRITAK™ FOR CATS

FOR USE ONLY ON
CATS & KITTENS
12 WEEKS OR OLDER
6 DOSES

FOR USE ONLY ON
CATS & KITTENS
12 WEEKS OR OLDER



FRONTLINE® TRITAK™ FOR CATS

Fast-Acting • Long-Lasting • Triple Action



Kills fleas, flea eggs and flea larvae
Kills ticks (starts killing in as little as 1 hour) including those that may transmit Lyme disease, and chewing lice.

6 DOSES
CONTAINS 6-0.017 FL OZ (0.50 mL) APPLICATORS

KEEP OUT OF REACH OF CHILDREN
CAUTION: SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



FRONTLINE® TRITAK™ FOR CATS

FOR USE ONLY ON
CATS & KITTENS
12 WEEKS OR OLDER
6 DOSES

WARRANTY
Read the entire Directions for Use and Warranty before using this product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to be adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. Merial is committed to providing high quality products. To the extent consistent with applicable law, Merial makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Merial, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall be the purchase price paid.

STORAGE AND DISPOSAL
Do not use on kittens under 12 weeks of age. Use entire contents of tube on each cat. Do not treat your cat with more than one pesticide product at a time. For external use on cats only.
READ ENTIRE LABEL BEFORE EACH USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR USE
Over dosing your cat can result in serious illness and even death. **Best if used year round.** Consult a veterinarian before using this product on debilitated, aged, and medicated cats. Consult a veterinarian before using on cats with known organ dysfunction. Separate the treated cat from all other cats and dogs for 24 hours after treatment has been applied. Cats and dogs that actively groom or engage in close physical contact with treated cat may be at risk of serious harmful effects. The most common signs of ingestion are excessive salivation and foaming at the mouth. If these symptoms occur immediately feed your cat and continue to monitor your pet for the next 24 hours.
Sensitivities may occur after using ANY pesticide product on cats. If signs of sensitivity occur, bathe your cat with a mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately by calling 1-800-660-1842.

STORAGE AND DISPOSAL
Do not use on kittens under 12 weeks of age. Use entire contents of tube on each cat. Do not treat your cat with more than one pesticide product at a time. For external use on cats only.
READ ENTIRE LABEL BEFORE EACH USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

LOT: AANN
EXP: MM/YYYY



Department of Agriculture
STATE OF HAWAII
LICENSED
PERIOD 2013-2015 LIC. NO.
9671.24

- Adult Fleas
- Flea Eggs
- Flea Larvae
- Ticks
- Chewing Lice





FRONT

KEEP OUT OF REACH OF CHILDREN
CAUTION: Read directions and precautions
before using. Use scissors to open. P004284
EPA REG. No. 2517-145-65331

BACK