STATE OF HAWAII
Department of Agriculture
ACCEPTED
LICENSE NO. 9671.26

How to Apply FRONTLINE® Top Spot® FOR DOGS

Step 1. To *REMOVE* Applicator:
Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.

Step 2. *OPEN* Applicator
Hold upright with foil side toward you and snap applicator tip.

Step 3. *APPLY* FRONTLINE TOP SPOT
Part the dog's hair between the shoulder blades. Place the applicator tip just above the **skin** and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 5 lbs or younger than 8 weeks of age. Do not use more than one application per dog per month.

Questions or Comments?
Call: 1-800-660-1842,
Monday-Friday, 8am-8pm EST or visit us at www.FRONTLINE.com

Close Here

036 906804

EPA Reg. No.65331-5
EPA Est. 00000-XX-0*

LOT NO: x00000xx

FRONTLINE® Top Spot® FOR DOGS

For use ONLY on DOGS & PUPPIES 8 Weeks or Older and 5 to 22 lbs

3 doses

FRONTLINE® Top Spot® FOR DOGS

FRONTLINE TOP SPOT for Dogs provides fast-acting, long-lasting, waterproof treatment and control of fleas, ticks, chewing lice, and sarcoptic mites for use ONLY on dogs and puppies 8 weeks or older and 5-22 lbs.

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. ***TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS. Pets may experience some temporary irritation at the site of application. Please see insert for additional information.***

To kill fleas, flea eggs & larvae, ticks, and chewing lice apply FRONTLINE TOP SPOT for Dogs as follows:

- To *REMOVE* Applicator: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
- *OPEN* Applicator. Hold upright with foil side toward you and snap applicator tip.
- *APPLY* FRONTLINE TOP SPOT. Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry.

Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 5 lbs or younger than 8 weeks of age.

Do not use more than one application per dog per month.

FRONTLINE TOP SPOT is approved for use on all dogs, including breeding, pregnant, and lactating bitches and puppies as young as 8 weeks.

FRONTLINE TOP SPOT remains effective even after bathing, water immersion, or exposure to sunlight.

SIDE EFFECTS: Pets may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

Frequency of Application

When used monthly, FRONTLINE TOP SPOT completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE TOP SPOT for 30 days.

FRONTLINE TOP SPOT kills adult fleas, flea eggs, and flea larvae for up to three months. FRONTLINE TOP SPOT also prevents development of all flea stages for up to three months. FRONTLINE TOP SPOT can control fleas for up to three months, however, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE TOP SPOT kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE TOP SPOT kills all life stages of ticks (larva, nymph and adult).

FRONTLINE TOP SPOT kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

FRONTLINE TOP SPOT kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE TOP SPOT aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

SATISFACTION GUARANTEED MERIAL

Please call our experts at **1-800-660-1842**, Monday-Friday, 8am-8pm EST with any questions or comments about flea, tick, chewing lice, or sarcoptic mite control or FRONTLINE TOP SPOT.

Good Housekeeping Promises

DO NOT USE ON CATS

Keep cats away from treated dogs for 24 hours or until product has dried. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

Merial Limited
3239 Satellite Blvd.
Duluth, GA 30096-4640, USA
MADE IN FRANCE

®FRONTLINE and TOP SPOT are registered trademarks of Merial.
©2013 Merial Limited, Duluth, GA.
All rights reserved.

FRONTLINE® Top Spot® DOGS

For use ONLY on DOGS & PUPPIES 8 Weeks or Older and 5 to 22 lbs

3 doses

for dog use only

FRONTLINE® Top Spot® FOR DOGS

3 doses

Kills fleas, flea eggs & larvae, ticks, & chewing lice

- Fast-acting
- Long-lasting
- Waterproof

Kills ticks, including those that may transmit Lyme disease

Lift Here

For use ONLY on DOGS & PUPPIES 8 Weeks or Older and **5 to 22 lbs**

ACTIVE INGREDIENTS:
Fipronil: 9.8%
(S)-methoprene: 8.8%
INERT INGREDIENTS: ... 81.4%
TOTAL: 100%
NET CONTENTS: 0.069 fl oz (2.01 ml)
3-0.023 fl oz (0.67 ml) applicators

SEE INSERT FOR FIRST AID AND PRECAUTIONARY STATEMENTS.
KEEP OUT OF REACH OF CHILDREN
CAUTION

DO NOT USE ON CATS

MERIAL

* Toulouse: EPA Est. 65331-FR-2
Ivers Lee: EPA Est. 74528-CHE-1

FRONTLINE® Top Spot® FOR DOGS

FRONTLINE® TOP SPOT® for Dogs is:
- Fast-acting
- Long-lasting
- Waterproof

One spot application is all that's needed:

FRONTLINE TOP SPOT spreads from the single point of application, rapidly covering the entire dog and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE TOP SPOT onto the skin and hair coat, so it keeps working even if the dog gets wet.

Fleas, flea eggs & larvae, ticks and chewing lice are killed quickly after coming into contact with a treated dog. Fleas and ticks do not need to bite the dog in order to die.

FRONTLINE TOP SPOT for Dogs:

Fleas
- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks
- Kills all life stages of ticks (larva, nymph and adult), including deer ticks *(Ixodes scapularis)*, brown dog ticks *(Rhipicephalus sanguineus)*, American dog ticks *(Dermacentor variabilis)* and lone star ticks *(Amblyomma americanum)*.
- Kills ticks that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice
- Rapidly eliminates chewing lice infestations

Mites
- Aids in control of sarcoptic mange infestations

FRONTLINE TOP SPOT is approved for use on all dogs, including:
- Breeding, pregnant, and lactating bitches
- Puppies as young as 8 weeks and weighing at least 5 lbs.

90680474

FRONTLINE® Top Spot® FOR DOGS

For use ONLY on DOGS & PUPPIES 8 weeks or older and weighing at least 5 lbs. for small dogs, 23 lbs. for medium dogs, 45 lbs. for large dogs, and 89 lbs. for extra-large dogs:
Fast-acting, long-lasting, waterproof treatment and control of fleas, flea eggs & larvae, ticks, chewing lice, and sarcoptic mites.

ACTIVE INGREDIENTS

fipronil:	**9.8%**
***(S)*-methoprene**	**8.8%**
INERT INGREDIENTS	**81.4%**
TOTAL	**100.0%**

KEEP OUT OF REACH OF CHILDREN
CAUTION

DO NOT USE ON CATS

FRONTLINE® TOP SPOT® for Dogs:

Fleas
- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks
- Kills all life stages of ticks (larva, nymph and adult), including brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), lone star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)
- Kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice
- Rapidly eliminates chewing lice infestations

Mites
- Aids in control of sarcoptic mange infestations

FRONTLINE TOP SPOT is approved for use on all dogs, including:
- Breeding, pregnant, and lactating bitches
- Puppies as young as 8 weeks and weighing at least 5 lbs. for small dogs, 23 lbs. for medium dogs, 45 lbs. for large dogs, and 89 lbs. for extra-large dogs.

One spot application is all that's needed:
FRONTLINE TOP SPOT spreads from the single point of application, rapidly covering the entire dog and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE TOP SPOT onto the skin and hair coat, so it keeps working even if the dog gets wet.
Fleas, ticks and chewing lice are killed quickly after coming into contact with a treated dog. Fleas and ticks do not need to bite the dog in order to die.

DIRECTIONS FOR USE
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. *TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.*
To kill fleas, flea eggs & larva, ticks, and chewing lice apply FRONTLINE TOP SPOT for Dogs as follows:
- To *REMOVE* Applicator: Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
- *OPEN* Applicator

Hold upright with foil side toward you and snap applicator tip.
- *APPLY* FRONTLINE TOP SPOT

Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest this product. Do not apply to dogs weighing less than 5 lbs. for small dogs, 23 lbs. for medium dogs, 45 lbs. for large dogs, and 89 lbs. for extra-large dogs or younger than 8 weeks of age. Do not use two applicators for dogs weighing more than 132 lbs. Do not use more than

053 906809

one application per dog per month.
FRONTLINE TOP SPOT is approved for use on all dogs, including breeding, pregnant, and lactating bitches and puppies as young as 8 weeks.
FRONTLINE TOP SPOT remains effective even after bathing, water immersion, or exposure to sunlight.

FREQUENCY OF APPLICATION

When used monthly, FRONTLINE TOP SPOT completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE TOP SPOT for 30 days.
FRONTLINE TOP SPOT kills adult fleas, flea eggs, and flea larvae for up to three months. FRONTLINE TOP SPOT also prevents development of all flea stages for up to three months. FRONTLINE TOP SPOT can control fleas for up to three months, however, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.
FRONTLINE TOP SPOT kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE TOP SPOT kills all life stages of ticks (larva, nymph and adult). FRONTLINE TOP SPOT kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.
FRONTLINE TOP SPOT kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.
FRONTLINE TOP SPOT aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.
STORAGE. Store unused product in original container, out of reach of children and animals.
PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.
CONTAINER DISPOSAL. If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment or advice.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on puppies 8 weeks of age and 5 lbs. for small dogs, 23 lbs. for medium dogs, 45 lbs. for large dogs, and 89 lbs. for extra-large dogs. Individual sensitivities, while rare, may occur after using any pesticide product.

SIDE EFFECTS: Pets may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842, Monday-Friday, 8am-8pm EST.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE: Do not use or store near heat or open flame.

HOW SUPPLIED

For easy and convenient treatment, FRONTLINE TOP SPOT for Dogs is available in sizes for use ONLY on small dogs and puppies 8 weeks or older and 5 to 22 lbs., medium dogs ONLY 23-44 lbs., large dogs ONLY 45-88 lbs., and extra-large dogs ONLY 89-132 lbs.

WARRANTY

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

EPA Reg. No. 65331-5

Merial Limited
3239 Satellite Blvd.
Duluth, GA 30096-4640, USA

®FRONTLINE and TOP SPOT are registered trademarks, of Merial.
©2013 Merial Limited. Duluth, GA. All rights reserved.

MERIAL


FRONTLINE Top Spot
MERIAL
TO REMOVE APPLICATOR:
Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
0.023 floz LOT XXXXX
ONLY FOR DOGS AND
PUPPIES 8 WEEKS AND
OLDER & 5-22 lbs


FRONTLINE Top Spot
MERIAL
TO REMOVE APPLICATOR:
Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
0.045 floz
LOT XXXXX
ONLY FOR DOGS
23-44 lbs


FRONTLINE Top Spot
MERIAL
TO REMOVE APPLICATOR:
Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
0.091 floz
LOT XXXXX
ONLY FOR DOGS
45-88 lbs


FRONTLINE Top Spot
MERIAL
TO REMOVE APPLICATOR:
Lift and remove the plastic tab to expose foil backing; then peel away the foil. Or use scissors to open.
0.136 floz
LOT XXXXX
ONLY FOR DOGS
89-132 lbs

MERIAL
Contains: fipronil (9.8%) EPA Reg. No. 65331-5
(S)-methoprene (8.8%)
ONLY FOR DOGS & PUPPIES
8 weeks or older and 5 22 lbs.
0.023 fl oz
FRONTLINE® Top Spot® FOR DOGS
Keep out of reach of children
See full label for additional directions
CAUTION

FRONTLINE®

See other side for more...

Some tips and other information

- ☑ To successfully control fleas and ticks, all dogs and cats must be treated with their own dose of FRONTLINE®.
- ☑ Apply according to label instructions, ensuring the product is applied to the skin, not on top of the fur and not near the collar. It may be helpful to remove the collar before application, so it doesn't absorb the product.
- ☑ Remember, your pet needs to be dry at the time FRONTLINE is applied and remain dry 24 hours after application.
- ☑ Verify pipette is empty after application (multiple squeezes may be necessary to apply the entire dose).
- ☑ Even indoor pets need flea and tick control because you or other pets in the household may bring fleas into the home. These fleas can lead to a flea infestation.

FLEAS: What you need to know

Fleas | Ticks | Chewing Lice

It can take up to 3 months to get rid of a serious flea infestation because of all of the flea life stages that existed BEFORE you started using FRONTLINE.

The adult fleas on your pet may just be the tip of the infestation iceberg.



The average flea life cycle in the home is about 21 days long.

Calendar Reminder stickers

Don't forget to re-purchase!

To ensure continued protection of your pets, use these stickers as a reminder to apply and re-purchase FRONTLINE.

After treating your pet for the first time, peel off the sticker and place on your calendar that day.

Place the remaining stickers on your calendar as a reminder to apply FRONTLINE monthly.

6 Months
use all 6 stickers

3 Months

QUESTIONS?
Contact your veterinarian or call our technical experts at **1-800-660-1842**, Monday-Friday, 8am-8pm. For more information, visit **www.FRONTLINE.com**

MERIAL

®FRONTLINE is a registered trademark of Merial.
©2011 Merial Limited, Duluth, GA.
All rights reserved.

037 903508

7903508