

# CONCENTRATE

This product is to be diluted only with the 3M™ Twist 'n Fill™ Dispenser.

Net Contents/Contenido Neto:  
0.528 U.S. Gallon • 2 Liters  
0.528 Galón de E.U.A. • 2 Litros

**Net Contents/Contenido Neto:** 0.528 U.S. • Gallons 2 Liters/0.528 Galón de E.U.A. • 2 Litros  
34-8708-0697-0

**Preparation of Use-Solution:** Add 1/2 oz. per gallon of water (1.25L)  
**DISINFECTION / VIRUCIDAL \* / FUNGICIDAL \* / MOLD AND MILDEW CONTROL DIRECTIONS:**  
Apply use-solution to hard, nonporous surfaces, thoroughly wetting surfaces with a cloth, mop, sponge, spray or by immersion. Treated surfaces must remain wet for 10 minutes. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is required. For spray applications, use coarse spray device. Spray 6 - 8 inches from the surface, and with a brush, sponge or cloth. Do not breathe spray. Rinse all surfaces that come in contact with food such as countertops, exteriors of appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes.


**DIRECTIONS FOR USE (continued)**  
**For fungicidal activity,** this product is an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities. This product is a one-step fungicide at 1/2 oz. per gallon in 250 ppm hard water and 5% serum. At 1/2 oz. per gallon in 400 ppm hard water, this product must be used on pre-cleaned surfaces.  
**For mold and mildew,** At 1/2 oz. per gallon, this product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Repeat treatment every seven days, or more often if new growth appears.  
**Bactericidal Stability of Use-Dilution:** Tests confirm that the use solution of this product, when stored in a sealed container such as a spray bottle, remains effective for up to 1 year. If product becomes visibly dirty or contaminated, the use-dilution must be discarded and fresh product prepared. Always use clean, properly labeled containers when diluting this product. Bactericidal stability of the use-dilution does not apply to open containers such as buckets or pails. This product is not for use on medical device surfaces. \*KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES /

**Active Ingredients:**

Ocyl decyl dimethyl ammonium chloride	6.510%
Dicyl dimethyl ammonium chloride	2.604%
Dibcyl dimethyl ammonium chloride	3.906%
Alkyl (C12, 50%; C12, 40%; C12, 10%) dimethyl benzyl ammonium chloride	8.680%
<b>Inert Ingredients:</b>	<b>78.300%</b>
<b>Total:</b>	<b>100.000%</b>




**KEEP OUT OF REACH OF CHILDREN**  
**DANGER**  
See back panel for Precautionary Statements and First Aid  
EPA Est. No. 10350-WI-001 (D), 75521-WI-002 (P)  
EPA Reg. No. 6836-78-10350  
Use this product on washable hard, nonporous surfaces of Floors, Walls, Countertops, Sinks, Garbage cans, Tables, Chairs, Telephones, Bathubs, Urinals, Toilet Bowls and other hard, nonporous surfaces made of Metal, Glazed ceramic, Plastic and Stainless steel. Effective against the following pathogens: Enterococcus faecalis - Vancomycin Resistant (VRE), Staphylococcus aureus - Methicillin resistant (MRSA), \*Influenza Virus Type A / Brazil, See product label hang tag for additional pathogens and product use information. This product contains no phosphorus.



**OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).  
**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV OR HCV ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS. Personal protection:** Clean-up must always be done wearing protective gloves, gowns, masks and eye protection. **Cleaning procedure:** Blood and other body fluids containing HIV or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of this product. **Contact time:** Leave surface wet for 1 minute (60 seconds) for HIV-1 and 10 minutes for HBV and HCV with 1/2 oz. per gallon use-solution. Use a 10-minute contact time for disinfection against all other viruses, bacteria and fungi claimed. **Disposal of infectious material:** Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for

infectious waste disposal. **TO CLEAN AND DEODORIZE:** Use 1/2 oz. of this product per gallon of water to clean and deodorize surfaces. Apply using a cloth, mop, sponge or sprayer. Wipe or allow to air dry. **NON-ACID TOILET BOWL AND URINAL DISINFECTANT/CLEANER DIRECTIONS:** Remove gross filth prior to disinfection. **From Use Solution:** Empty toilet bowl or urinal and apply 1/2 oz. per gallon use-solution to exposed surfaces and under the rim with a cloth, mop, sponge or mechanical spray. Brush or swab thoroughly, allow to stand for 10 minutes and flush.  
**PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**DANGER. Corrosive. Causes irreversible eye damage and skin burns.**  
Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and protective rubber or chemical resistant gloves. Harmful if swallowed and/or if absorbed through the skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.  
**FIRST AID IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.  
**REFER TO MATERIAL SAFETY DATA SHEET (MSDS: 17-9553-3) FOR MORE INFORMATION.**  
**IN CASE OF EMERGENCY, CALL: (651) 737-6501 OR 1-800-364-3577 (1-800-3M-HELPS).**  
**STORAGE AND DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. **Pesticide Storage:** Open dumping is prohibited. Store in original container in areas inaccessible to children. **Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Fill container 1/4 full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations. \*\*Typical yield Sold and exported by:  
3M  
3M Building and Commercial Services Division  
St. Paul, MN 55144-1000 www.3M.com/building



Made in U.S.A.  
© 3M 2012. All rights reserved.  
3M and Twist 'n Fill are trademarks of 3M. 34-8709-0697-0-R

**3M**  
**Quat Disinfectant Cleaner Concentrate**  
**5L**   
Makes 127 ready-to-use gallons. \*\*



**LICENSED**

PERIOD 2011-2013 LIC. NO.




**LICENSED**

PERIOD 2014-2016 LIC. NO.

**9675.101**



**Requester:** Jenna Schulz  
**Creator:** deZinna  
**File Name:** 34870906970.ai  
**Structure #:** 78-8091-2972-5  
**Date:** 2/03/12



**Printed Colors – Front:**

**Printed Colors – Back:**

**Match Colors:**

This artwork has been created as requested by 3M. 3M is responsible for the artwork AS APPROVED and assumes full responsibility for its correctness.

# CONCENTRATE

This product is to be diluted only with the 3M™ Twist 'n Fill™ Dispenser.

Net Contents/Contenido Neto:  
0.528 U.S. Gallon • 2 Liters  
0.528 Galón de E.U.A. • 2 Litros

34-8709-0694-7-F

Net Contents/Contenido Neto: 0.528 U.S. • Gallons 2 Liters/0.528 Galón de E.U.A. • 2 Litros

**DISINFECTION / VIRUCIDAL \* / FUNGICIDAL \* / MOLD AND MILDEW CONTROL DIRECTIONS:**  
Apply use-solution to hard, nonporous surfaces, thoroughly wetting surfaces with a cloth, mop, sponge, sprayer or by immersion. Treated surfaces must remain wet for 10 minutes. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is required. For sprayer applications, use coarse spray device. Spray 6 - 8 inches from the surface, and with a brush, sponge or cloth. Do not breathe spray. Rinse all surfaces that come in contact with food such as countertops, exteriors of appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes.

**DIRECTIONS FOR USE (continued)**  
For fungicidal activity, this product is an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities. This product is a one-step fungicide at 1/2 oz. per gallon in 250 ppm hard water and 5% serum. At 1/2 oz. per gallon in 400 ppm hard water, this product must be used on pre-cleaned surfaces.

**For mold and mildew:** At 1/2 oz. per gallon, this product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Repeat treatment every seven days, or more often if new growth appears.

**Bactericidal Stability of Use-Dilution:** Tests confirm that the use solution of this product, when stored in a sealed container such as a spray bottle, remains effective for up to 1 year. If product becomes visibly dirty or contaminated, the use-dilution must be discarded and fresh product prepared. Always use clean, properly labeled containers when diluting this product. Bactericidal stability of the use-dilution does not apply to open containers such as buckets or pails. This product is not for use on medical device surfaces. **\*KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES /**

**Active Ingredients:**

Octyl decyl dimethyl ammonium chloride	6.510%
Dicyl dimethyl ammonium chloride	2.604%
Dibicyl dimethyl ammonium chloride	3.906%
Alkyl (C14, 50%; C12, 40%; C8, 10%) dimethyl benzyl ammonium chloride	8.680%
Inert Ingredients:	78.300%
<b>Total:</b>	<b>100.000%</b>



# 5H

# Quat Disinfectant Cleaner Concentrate



**KEEP OUT OF REACH OF CHILDREN**  
**DANGER**

See back panel for Precautionary Statements and First Aid

EPA Est. No. 10350-WI-001 (P), 75521-WI-002 (P)  
EPA Reg. No. 6836-78-10350

Use this product on washable hard, nonporous surfaces of Floors, Walls, Countertops, Sinks, Garbage cans, Tables, Chairs, Telephones, Bathubs, Urinals, Toilet Bowls and other hard, nonporous surfaces made of Metal, Glazed ceramic, Plastic and Stainless steel. Effective against the following pathogens: *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella enterica*, *Enterococcus faecalis* - Vancomycin Resistant (VRE), *Staphylococcus aureus* - Methicillin resistant (MRSA), \*Influenza Virus Type A / Brazil. See product label hang tag for additional pathogens and product use information. This product contains no phosphorus.

**OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).  
**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV OR HCV ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS. Personal protection:** Clean-up must always be done wearing protective gloves, gowns, masks and eye protection. **Cleaning procedure:** Blood and other body fluids containing HIV or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of this product. **Contact time:** Leave surface wet for 1 minute (60 seconds) for HIV-1 and 10 minutes for HBV and HCV with 1/2 oz. per gallon use-solution. Use a 10-minute contact time for disinfection against all other viruses, bacteria and fungi claimed. **Disposal of infectious material:** Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for

infectious waste disposal. **TO CLEAN AND DEODORIZE:** Use 1/2 oz. of this product per gallon of water to clean and deodorize surfaces. Apply using a cloth, mop, sponge or sprayer. Wipe or allow to air dry. **NON-ACID TOILET BOWL AND URINAL DISINFECTANT/CLEANER DIRECTIONS:** Remove gross filth prior to disinfection. **From Use Solution:** Empty toilet bowl or urinal and apply 1/2 oz. per gallon use-solution to exposed surfaces and under the rim with a cloth, mop, sponge or mechanical spray. Brush or swab thoroughly, allow to stand for 10 minutes and flush.

**PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**DANGER. Corrosive. Causes irreversible eye damage and skin burns.**  
Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and protective rubber or chemical resistant gloves. Harmful if swallowed and/or if absorbed through the skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.  
**FIRST AID IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.  
**REFER TO MATERIAL SAFETY DATA SHEET (MSDS: 17-9553-3) FOR MORE INFORMATION.**  
**IN CASE OF EMERGENCY, CALL: (651) 737-6501 OR 1-800-364-3577 (1-800-3M-HELPS).**

**STORAGE AND DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. **Pesticide Storage:** Open dumping is prohibited. Store in original container in areas inaccessible to children. **Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Fill container 1/4 full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations. \*\*Typical yield



Sold and exported by:

3M Building and Commercial Services Division  
St. Paul, MN 55144-1000 www.3M.com/building

Made in U.S.A.  
© 3M 2012. All rights reserved.  
3M and Twist 'n Fill are trademarks of 3M.

34-8709-0694-7-M



# Quat Disinfectant Cleaner Concentrate

# 5H



Makes 127 ready-to-use gallons.\*\*



**LICENSED**

PERIOD 2011-2013 LIC. NO.



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD 2014-2016 LIC. NO.

**9675.101**



**Requester:** Jenna Schulz  
**Creator:** deZinnia  
**File Name:** 34870906947.ai  
**Structure #:** 78-8091-2972-5  
**Date:** 2/03/12

**Scale:** 1 inch

**Printed Colors – Front:**



**Printed Colors – Back:**

**Match Colors:**

This artwork has been created as requested by 3M. 3M is responsible for the artwork AS APPROVED and assumes full responsibility for its correctness.