

**One Step Disinfectant Cleaner for Hospitals, Institutional and Industrial Use**

For use in federally inspected Meat & Poultry Plants

Use this product on washable hard, nonporous surfaces of: Floors, Walls, Countertops, Sinks, Tables, Chairs, Telephones, Door knobs, Bed rails, Bathroom fixtures, Wheel Chairs, and other hard, nonporous surfaces made of: Metal, Glazed ceramic, Plastic and Stainless steel. This product contains no phosphorous compounds.

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**Preparation of Disinfectant Use-Solution:** Add 1/2 oz. per gallon of water (1:256). Use 1 oz. per gallon of water to kill Norovirus.

**DISINFECTION / VIRUCIDAL\* / FUNGICIDAL / MOLD AND MILDEW CONTROL DIRECTIONS:**

Apply use-solution to hard, nonporous surfaces, thoroughly wetting surfaces with a sprayer. Treated surfaces must remain wet for contact time indicated on the label. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is required.

Spray 6 - 8 inches from the surface; rub with a brush, sponge or cloth. Do not breathe spray. Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes. Prepare a fresh solution daily or more often if the solution becomes visibly dirty or diluted.

**For fungicidal activity:** This product is an effective fungicide against Trichophyton mentagrophytes [the athlete's foot fungus] when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities. This product is a one-step fungicide at 1/2 oz. per gallon in 250 ppm hard water and 5% serum.

**For mold and mildew:** At 1/2 oz. per gallon or, this product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Repeat treatment every seven days, or more often if new growth appears. This product is not to be used as a terminal sterilant / high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection. Prepare a fresh solution daily or more often if the use solution becomes visibly diluted or soiled. **\*KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES /**

**OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV). **SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV OR HCV ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS. Personal protection:** Clean-up must always be done wearing protective gloves, gowns, masks and eye protection. **Cleaning procedure:** Blood and other body fluids containing HIV or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of this product. **Contact time:** Leave surface wet for 1 minute (60 seconds) for HIV-1 and 3 minutes for HBV and HCV with 1/2 oz. per gallon use-solution. Use 1 oz. per gallon of water to kill Norovirus. Use contact

time indicated on the label for disinfection against all other viruses, bacteria and fungi claimed. **Disposal of Infectious Material:** Blood, body fluids, cleaning materials and clothing must be disposed of according to local regulations for infectious waste disposal.

**TO CLEAN AND DEODORIZE:** Mix 1/2 oz. of this product per gallon of water to clean and deodorize surfaces. Apply using a sprayer. Wipe or allow to air dry. **DEODORIZING DIRECTIONS: Spray Solutions:** ½ oz. per gallon of water eliminates undesirable odors. Allow surfaces to air dry. **Carpets:** ½ oz. per gallon of water eliminates odors associated with urine, vomit, smoke, and mildew. Reapply using a spray device after cleaning for freshening effects. Allow to dry.

**Sewage Backup, Water Damage:** 1 – 2 oz. per gallon of water or desired concentration. Spray over affected areas before and after cleaning and extraction. Allow ten minutes contact time. Use proper ventilation; open windows.

**Veterinary Practice / Animal Care / Animal Laboratory / Zoos / Pet Shop / Kennels [Virucidal\*] Disinfection**

**Directions:** For cleaning and disinfecting hard nonporous surfaces: equipment used for animal food or water, utensils, instruments, cages, kennels, stables, catteries. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces by spraying with a use-solution of ½ – 1 oz. of this product per gallon of water (or equivalent dilution) for contact time indicated on the label. [Use 1 oz. per gallon of water to kill Feline Calicivirus.] Wipe or allow to air dry. Immerse all animal halters, ropes, and other types of equipment used in handling and restraining animals as well as forks, shovels, and scrapers used for removing litter and manure. Rinse all surfaces that come in contact with food, including equipment used for feeding or watering, with potable water before reuse. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

This Product is a one-step, Hospital use disinfectant, Bactericidal according to the current AOAC Germicidal Spray Test Method and Virucidal\* according to the virucidal qualification modified in the presence of 250 ppm hard water plus 5% organic serum against: **1 Minute Contact Time: Viruses:** \*HIV-1 [AIDS Virus], \*Influenza Type A / Hong Kong. **3 Minute Contact Time: Bacteria:** Pseudomonas aeruginosa, Salmonella enterica, Staphylococcus aureus, Acinetobacter baumannii, Bordetella bronchiseptica, Bordetella pertussis, Campylobacter jejuni, Enterococcus faecalis, Enterococcus faecalis - Vancomycin resistant [VRE], Escherichia coli [E. coli], Escherichia coli O157:H7, Klebsiella pneumonia, Klebsiella pneumoniae, Cabapenum-resistant, Listeria monocytogenes, Proteus vulgaris, Shigella dysenteriae, Shigella flexneri serotype 1B, Shigella sonnei, Staphylococcus aureus - Community Associated Methicillin-Resistant [CA-MRSA] (NRS384) (USA300), Staphylococcus aureus - Methicillin-Resistant [MRSA], Staphylococcus aureus - Vancomycin Intermediate Resistant – [VISA], Streptococcus pyogenes, Vibrio cholera, Yersinia enterocolitica. **Viruses:** \*Hepatitis B Virus [HBV], \*Hepatitis C Virus [HCV], \*Herpes Simplex Virus Type 1, \*Herpes Simplex Virus Type 2, \*Human Coronavirus, \*Respiratory Syncytial Virus [RSV], \*Rotavirus, \*Vaccinia, Kills Pandemic 2009 H1N1 influenza A virus. **Animal Viruses:** Canine Distemper Virus, Newcastle's Disease Virus. **Fungi:** Candida albicans, Trichophyton mentagrophytes. **5 Minute Contact Time: Virus:** \*Norwalk Virus – Norovirus at 1 oz. per gallon of water, **Animal Virus:** Feline Calicivirus at 1 oz. per gallon of water. **10 Minute Contact Time: Bacteria:** Staphylococcus aureus – Community Associated Methicillin-Resistant [CA-MRSA] (NRS123) (USA400), Staphylococcus aureus - Multi-Drug Resistant.

# 3M Disinfectant Cleaner RCT Concentrate



<b>Active Ingredients:</b>	
Octyl decyl dimethyl ammonium chloride .....	6.67%
Diocetyl dimethyl ammonium chloride .....	2.67%
Didecyl dimethyl ammonium chloride .....	4.00%
Alkyl (C14, 50%; C12, 40%; C16, 10%), dimethyl benzyl ammonium chloride .....	8.90%
<b>Other Ingredients:</b> .....	<b>77.76%</b>
<i>Total:</i> .....	<b>100.00%</b>


**KEEP OUT OF REACH OF CHILDREN**

**DANGER**

See back panel for Precautionary Statements and First Aid

EPA Reg. No. 6836-349-10350  
EPA Est. No. 10350-WI-001 (D)  
75521-WI-001 (P)  
75521-WI-002 (P)

**NET CONTENTS**  
1 U.S. Gallon • 3,78 Liters



**PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER. Corrosive. Causes irreversible eye damage and skin burns.**

Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and protective (rubber or chemical resistant) gloves. Harmful if swallowed or if absorbed through the skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

**FIRST AID**

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. **Pesticide Storage:** Open dumping is prohibited. Store in original container in areas inaccessible to children. **Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.

**REFER TO SAFETY DATA SHEET (SDS: 32-9105-1) FOR MORE INFORMATION. IN CASE OF EMERGENCY, CALL: (651) 737-6501 OR 1-800-364-3577 (1-800-3M-HELPS).**

Sold and exported by:

**3M**  
**3M Building and Commercial Services Division**

St. Paul, MN 55144-1000

www.3M.com/facility

Made in U.S.A.

3M is a trademark of 3M. Used under

license in Canada.

© 3M 2014. All rights reserved.

34-8713-5808-0



 <p><b>Requester:</b> Jenna Schulz <b>Creator:</b> deZinnia_16031 <b>File Name:</b> 34871358080.ai <b>Structure #:</b> SS-16297 <b>Date:</b> 03/04/14</p> <p><b>Scale:</b> </p>	<p><b>Printed Colors – Front:</b></p> 	<p>This artwork has been created as requested by 3M. 3M is responsible for the artwork AS APPROVED and assumes full responsibility for its correctness.</p>
	<p><b>Printed Colors – Back:</b></p>	
	<p><b>Match Colors:</b></p>	<p><b>FOR PRINTER USE ONLY</b> This barcode symbol was produced using a bar width adjustment of -0.004. If this does not meet the needs of the printing process or equipment to be used, the printer is responsible to recreate the file using the appropriate bar width adjustment while meeting 3M quality requirements.</p>

# CONCENTRATE

- A heavy duty disinfectant cleaner that cleans, disinfects and deodorizes in one labor saving step.
- Formulated for use in daily maintenance programs with a balance of detergents, biocides and malodor counteractants that deliver effective cleaning, disinfecting and malodor control.

**Net Contents:**  
0.528 U.S. Gallon • 2 Liters


34-8713-5803-1-F

**Net Contents:** 0.528 U.S. • Gallons 2 Liters  
Spray 6 - 8 inches from the surface. Rub with a brush, sponge or cloth.  
Apply use-solution to hard, nonporous surfaces with a spray. Wipe dry with a cloth. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is required.  
**DISINFECTION / FUNGICIDAL / MOLD AND MILDEW CONTROL DIRECTIONS:**  
Preparation of Disinfectant Use-Solution: Add 1/2 oz. per gallon of water (1:256)  
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**DIRECTIONS FOR USE**  
This product contains no phosphorus compounds.  
See product label hang tag for additional pathogens and product use information.  
Carbamazepim-resistant  
Vancomycin Resistant (VRE), Staphylococcus aureus - Methicillin resistant (MRSA), Acinetobacter baumannii, Klebsiella pneumoniae, Enterococcus faecalis -  
This product is effective against: 3 Minute Contact Time: Pseudomonas aeruginosa, Staphylococcus aureus, Acinetobacter baumannii, Klebsiella pneumoniae, Enterococcus faecalis -  
ceramic, Plastic and Stainless steel  
Countertops, Sinks, Tables, Chairs, Telephones, Door knobs, Bed rails, Bathroom  
tubers, Wheel chairs, and other hard, nonporous surfaces made of: Metal, glazed  
Use this product on washable hard, nonporous surfaces of: Floors, Walls  
For use in Federally inspected Meat & Poultry Plants  
One Step Disinfectant Cleaner for Hospitals, Institutions and Industrial Use  
EPA Est. No. 10350-WI-001 (D), 75521-WI-001 (P), 75521-WI-002 (P)  
EPA Reg. No. 6836-349-10350  
See back panel for Precautionary Statements and First Aid

**Active Ingredients:**

Ocyl decyl dimethyl ammonium chloride	6.67%
Dioctyl dimethyl ammonium chloride	2.67%
Didecyl dimethyl ammonium chloride	4.00%
Alkyl (C14, 50%; C12, 40%; C16, 10%), dimethyl benzyl ammonium chloride	8.90%
<b>Other Ingredients:</b>	77.76%
<b>Total:</b>	100.00%



**KEEP OUT OF REACH OF CHILDREN**  
**DANGER**

**DIRECTIONS FOR USE (continued)** Do not breathe spray. Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes. Prepare a fresh solution daily or more often if the solution becomes visibly dirty or diluted.

**For fungicidal activity,** This product is an effective fungicide against Trichophyton mentagrophytes [the athlete's foot fungus] when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities. This product is a one-step fungicide at 1/2 oz. per gallon in 250 ppm hard water and 5% serum.

**For mold and mildew,** At 1/2 oz. per gallon, this product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Repeat treatment every seven days, or more often if new growth appears. This product is not to be used as a terminal sterilant / high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection. Prepare a fresh solution daily or more often if the use solution becomes visibly diluted or soiled.

**\*KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV). **SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV OR HCV ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS. Personal Protection:** Clean-up must always be done wearing protective gloves, gowns, masks and eye protection. **Cleaning procedure:** Blood and other body fluids containing HIV or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of this product. **Contact time:** Leave surface wet for 1 minute (60 seconds) for HIV-1 and 3 minutes for HBV and HCV with 1/2 oz. per gallon

use-solution. Use contact time indicated on the label for disinfection against all other viruses, bacteria and fungi claimed. **Disposal of Infectious Material:** Blood, body fluids, cleaning materials and clothing must be disposed of according to local regulations for infectious waste disposal.

**TO CLEAN AND DEODORIZE:** Mix 1/2 oz. of this product per gallon of water to clean and deodorize surfaces. Apply using a spray. Wipe or allow to air dry. **DEODORIZING DIRECTIONS: Spray Solutions:** 1/2 oz. per gallon of water eliminates undesirable odors. Allow surfaces to air dry. **Carpets:** 1/2 oz. per gallon of water eliminates odors associated with urine, vomit, smoke, and mildew. Reapply using a spray device after cleaning for freshening effects. Allow to dry.

**PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER. Corrosive. Causes irreversible eye damage and skin burns.**

Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and protective (rubber or chemical resistant) gloves. Harmful if swallowed or if absorbed through the skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

**FIRST AID**

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

**STORAGE AND DISPOSAL**  
Do not contaminate water, food or feed by storage or disposal. **Pesticide Storage:** Open dumping is prohibited. Store in original container in areas inaccessible to children. **Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Wrap empty container and put in trash. **REFER TO MATERIAL SAFETY DATA SHEET (MSDS: 32-9074-9) FOR MORE INFORMATION.**

**IN CASE OF EMERGENCY, CALL: (651) 737-6501 OR 1-800-364-3577 (1-800-3M-HELPS).**


\*\*Typical yield

Sold and exported by:

**3M**  
**3M Building and Commercial Services Division**  
St. Paul, MN 55144-1000 www.3m.com/facility

Made in U.S.A.  
3M and Twist 'n Fill are trademarks of 3M.  
Used under license in Canada.  
© 3M 2014. All rights reserved.

34-8713-5803-1-R



**dZ**

**Requester:** Jenna Schulz  
**Creator:** deZinnia\_16029  
**File Name:** 34871358031.ai  
**Structure #:** SS-48381  
**Date:** 01/23/14

**Scale:** 1 Inch

**Printed Colors – Front:**

3M Red, PMS 608, K

**Printed Colors – Back:**

**Match Colors:**

This artwork has been created as requested by 3M. 3M is responsible for the artwork AS APPROVED and assumes full responsibility for its correctness.

STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**  
LICENSE NO.  
**9675.108**