



LICENSED

PERIOD 2009-2011 LIC. NO.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2012-2014 LIC. NO.




Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2015-2017 LIC. NO.

9675.89

*Influenza Virus Type B / Hong Kong, kills
fungal agents against Aspergillus niger and
Trichophyton mentagrophytes (the athlete's foot
fungus) when used on hard nonporous surfaces in
areas such as locker rooms, dressing rooms,
shower and bath areas, and exercise facilities.
This product will effectively inhibit the growth of
mold and mildew and the odors caused by them.
Use this product on washable hard, nonporous
surfaces: floors, walls, countertops, garbage
cans, telephones, doorknobs, shower stalls, tubs
and tiles, whirlpool bathtub surfaces, toilets,
bathtubs, sinks, urinals, toilet bowls, toilet bowl
flushing and other hard nonporous surfaces made
of metal, glazed porcelain, glazed ceramic plastic,
porcelain lining, stainless steel, enameled
plastic, fiberglass, Formica, vinyl and
other synthetic materials.
DIRECTIONS FOR USE: It is a violation of Federal
law to use this product in a manner inconsistent
with its labeling. Do not use this product on
marble.
Preparation of Use-Solution: Add (mix) 2.5 oz.
per gallon of water (1:5.1) to disinfect hard,
nonporous surfaces.



3M

Bathroom
Disinfectant Cleaner
Concentrate

4L

Makes 27
ready-to-use
gallons. **

3M

Bathroom Disinfectant Cleaner
Concentrate

4L



KEEP OUT OF REACH OF CHILDREN
DANGER

This product is a concentrated, one-step, Hospital Use disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal* (including HIV-1, the AIDS virus), fungicidal, and inhibits the growth of mold and mildew and their odors when used as directed.

PRECAUTIONS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER. CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE AND SKIN BURNS. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and rubber gloves. Harmful if swallowed and/or if absorbed through the skin. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor or going for treatment.

This product is a Hospital Use disinfectant at 1:51 dilution, Bactericidal according to the current AOAC Use-Dilution Test Method and Virucidal* according to the virucidal qualification modified in the presence of 400 ppm hard water plus 5% organic serum against:
Bacteria: Pseudomonas aeruginosa, Staphylococcus aureus, Salmonella enterica, Enterobacter aerogenes, Enterococcus faecalis, Enterococcus faecalis-Vancomycin Resistant (*VRE*), Escherichia coli (*E. coli*), Staphylococcus aureus - Methicillin-Resistant (*MRSA*), Staphylococcus aureus - Vancomycin Intermediate Resistant (*VISA*), Streptococcus pneumoniae (*Strep*), Viruses: *HIV-1 (AIDS Virus), *Influenza Virus Type A2 J Japan,

Net Contents/Contenido Neto: 0.528 U.S. Gallon • 2 Liters / 0.528 Galón de E.U.A. • 2 Litros

product is not for use on medical device surfaces.
Toilet Bowl and Urinal Disinfectant/Cleaner Directions: Remove gross filth prior to disinfection. From Use Solution: Empty toilet bowl or urinal and apply a 2.5 oz. per gallon use-solution to exposed surfaces and under the rim with a cloth, mop, sponge or mechanical spray; brush or scrub thoroughly, especially under the rim; allow to stand for 10 minutes and flush. For Cleaning and Deodorizing: Apply use-solution to surfaces, rub with brush, sponge or cloth. Do not use a coarse spray (e.g. 6-8 inches from surface) or allow to air dry. For spray application, use a pump or allow to air dry. For spray application, use a pump or allow to air dry. For spray application, use a pump or allow to air dry.
***KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings in which there is an expected likelihood of soiling of nonmetallic surfaces/objects with blood or body fluids, and in which the surfaces/objects are likely to be soiled with blood or body fluids. HIV-1 (associated with AIDS) SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS: Personal protection: Clean-up should always be done wearing protective latex gloves, gowns, masks and eye protection. Cleaning procedure: blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of this product. **Contact time:** Leave surface wet for 10 minutes. **Disposal of infectious material:** blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.
STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. **Pesticide Storage:** Open dumping is prohibited. Store in original container in areas inaccessible to children. **Pesticide disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or residue from a Pesticide Application Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **Container disposal:** Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Fill container 1/4 full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations. **NEVER TO MATERIAL SAFETY DATA SHEET (MSDS): 06-1683-9) FOR MORE INFORMATION. IN CASE OF EMERGENCY, CALL: (651) 737-6501 OR 1-800-364-3577 (1-800-3M-HELPs). **Typical yield**

Sold and exported by: 3M Building and Commercial Services Division
St. Paul, MN 55144-1000 www.3m.com/building
© 3M 2010. All rights reserved.
3M and Twist 'n Fill are trademarks of 3M.
34-8705-3752-8-R

34-8705-3752-8-R • 2 Litros

CONCENTRATE

This product is to be diluted only with the 3M™ Portable Dispensing System.

EPA Reg. No. 6836-309-10350
EPA Est. No. 75521-WI-002 (P)
10350-WI-001 (D), 75521-WI-001 (P)

Net Contents/Contenido Neto:
0.528 U.S. Gallon • 2 Liters
0.528 Galón de E.U.A. • 2 Litros

Distinction/Virucidal*/Fungicidal/Mold and Mildew Control Directions: Apply use-solution, with a cloth, mop, sponge or spray to thoroughly clean the surface. Treated surfaces must remain wet for 10 minutes. Wipe dry with a cloth, sponge or hard nonporous surfaces, thoroughly wetting surfaces with a cloth, mop, sponge or spray. For spray application, use a pump or allow to air dry. For spray application, use a pump or allow to air dry.
***KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings in which there is an expected likelihood of soiling of nonmetallic surfaces/objects with blood or body fluids, and in which the surfaces/objects are likely to be soiled with blood or body fluids. HIV-1 (associated with AIDS) SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS: Personal protection: Clean-up should always be done wearing protective latex gloves, gowns, masks and eye protection. Cleaning procedure: blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of this product. **Contact time:** Leave surface wet for 10 minutes. **Disposal of infectious material:** blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.
STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. **Pesticide Storage:** Open dumping is prohibited. Store in original container in areas inaccessible to children. **Pesticide disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or residue from a Pesticide Application Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **Container disposal:** Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Fill container 1/4 full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations. **NEVER TO MATERIAL SAFETY DATA SHEET (MSDS): 06-1683-9) FOR MORE INFORMATION. IN CASE OF EMERGENCY, CALL: (651) 737-6501 OR 1-800-364-3577 (1-800-3M-HELPs). **Typical yield**

Test confirm that this product, when diluted in 400 ppm hard water, (via use of automatic dispensing devices), remains effective against Pseudomonas aeruginosa, Staphylococcus aureus and Salmonella enteritidis, remains effective against Pseudomonas aeruginosa, Staphylococcus aureus and Salmonella enteritidis. Triple rinse as follows: Fill container 1/4 full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations. **NEVER TO MATERIAL SAFETY DATA SHEET (MSDS): 06-1683-9) FOR MORE INFORMATION. IN CASE OF EMERGENCY, CALL: (651) 737-6501 OR 1-800-364-3577 (1-800-3M-HELPs). **Typical yield**

4L

Sold and exported by: 3M Building and Commercial Services Division
St. Paul, MN 55144-1000 www.3m.com/building
© 3M 2010. All rights reserved.
3M and Twist 'n Fill are trademarks of 3M.
34-8705-3752-8-R

