



STATE OF HAWAII
Department of Agriculture

ACCEPTED

LICENSE NO. **9699.81**

Biological
Insecticide



Monterey B.t.

for organic gardening

• Controls Worms
& Caterpillars on Fruits,
Vegetables, Ornamentals
& Shade Trees

• Easy-to-Mix Liquid
Concentrate



For Organic Use

Active Ingredient:
Bacillus thuringiensis subspecies kurstaki strain
SA-12 solids, spores and Lepidopteran active toxins
(At least 6 million viable spores per mg)*98.35%
Other Ingredients:1.65%
Total:100.00%

*The percent active ingredient does not indicate
product performance and potency measurements
are not federally standardized.

EPA Reg. No. 70051-106-54705

(CER-041713N) 0911/0513(02)

KEEP OUT OF REACH OF CHILDREN

CAUTION See Attached Booklet for Precautionary
Statements and Directions for Use

NET CONTENTS: 1 PINT/473.16 mL



Monterey B.t.



- **Biological Insecticide**
- **Controls Worms & Caterpillars on Fruits, Vegetables, Ornamentals & Shade Trees**
- **Easy-To-Mix Liquid Concentrate**

EPA Reg. No. 70051-106-54705

Distributed by:

LAWN AND GARDEN PRODUCTS, INC.

P. O. Box 35000 • Fresno, CA 93745
(559) 499-2100 • info@montereylawngarden.com

(CER-041713N)
0911/0513(02)

Job 68468

**KEEP OUT OF REACH
OF CHILDREN
CAUTION
PRECAUTIONARY
STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Avoid breathing vapors or spray mist. Wash thoroughly with soap and water after handling.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Hot Line Number: 1-800-255-3924.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

MONTEREY B.t. is an easy-to-mix liquid concentrate. Properties include:

- Kills worms and caterpillar stage insects, but has no effect on birds, earthworms, or beneficial insects such as honeybees and ladybugs, when used as directed.
- Worms and caterpillars eat treated foliage, then immediately stop feeding and damaging plants.
- Acceptable for use on edible plants up to the day of harvest.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply MONTEREY B.t. when worms or caterpillars are first noticed, then repeat at five (5) to seven (7) day intervals while they are active. Apply more frequently to control heavy infestations. Apply thoroughly to top and bottom of foliage. Reapply after heavy rains.

MONTEREY B.t. must be eaten by worms or caterpillars to be effective. After ingesting the insecticide, they immediately stop feeding, though they may otherwise appear to be unaffected for several days. Best results are obtained by treatments when worms are small; they must be actively feeding on treated, exposed foliage. You may apply MONTEREY B.t. up to and on the day of harvest.

HOW TO APPLY

Always shake or stir MONTEREY B.t. thoroughly before use. Partially fill sprayer with water before adding the application rate amount of product, then mix in product thoroughly and add remaining amount of water.

Spray leaf surfaces thoroughly, top and bottom, for complete control. Agitate regularly while spraying. Use all of spray mixture within 24 hours.

FRUITS AND VEGETABLES: Mix 1.5 fluid ounces per 3 gallons of water (1 tablespoon per gallon) for a hand sprayer and apply to all plant foliage to cover an area of 1,000 square feet. Apply at first

sign of infestation and repeat at weekly intervals when needed to maintain control of the following insects:

Cabbage Looper on broccoli, cauliflower, collards, kale, mustard greens, turnip greens, cabbage, celery, lettuce, melons, and tomatoes.

Imported Cabbage Worm on broccoli, cabbage, cauliflower, collards, kale, mustard greens, and turnip greens.

Tomato Hornworm on tomatoes.

SHADE TREES & ORNAMENTALS: Mix 2 fluid ounces per 3 gallons of water (4 teaspoons per gallon) for a hand sprayer or proportional amounts for a hose-end sprayer following manufacturer's directions. Apply at first sign of infestation and repeat at weekly intervals when needed to maintain control. Apply to thoroughly cover all foliage surfaces of shade trees and ornamentals for control of the following leaf-feeding worms:

Bagworm	Spring Cankerworm
Fall Cankerworm	Gypsy Moth*
Tent Caterpillar	Elm Spanworm
Fall Webworm	

*Apply when buds swell, but before leaves are fully open. If eggs hatch over a long period of time or if reinfestation occurs, spray about 14 days after first appearance.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a cool place. Activity may be impaired by storage at temperatures above 90°F.

PESTICIDE DISPOSAL and CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container.

For containers less than or equal to 5 gallons:

If empty: Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

For containers greater than 5 gallons:

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container $\frac{1}{4}$ full with water. Replace and tighten closures. Tip the container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times.


(continued)

STORAGE AND DISPOSAL*(continued)*

Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or if allowed by state and local authorities by burning. If burned, stay out of smoke.

WARRANTY

Lawn and Garden Products, Inc. warrants that the material contained herein conforms to the description on the label and is reasonably fit for the purposes referred to in the Directions for Use. Timing and method of application, weather, watering practices, nature of soil, the insect problem, condition of the crop, incompatibility with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the Seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herein. NO OTHER EXPRESS OR IMPLIED WARRANTY OF THE FITNESS OF MERCHANTABILITY IS MADE.



8



Monterey B.t.



**KEEP OUT OF REACH
OF CHILDREN
CAUTION**

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMAN AND
DOMESTIC ANIMALS**

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Avoid breathing vapors or spray mist. Wash thoroughly with soap and water after handling.

**See Inside Booklet for First Aid,
Additional Precautionary Statements,
Directions for Use & Storage and Disposal.**

EPA Reg. No. 70051-106-54705

Distributed by:

LAWN AND GARDEN PRODUCTS, INC.

P. O. Box 35000 • Fresno, CA 93745

(559) 499-2100 • info@montereylawngarden.com

PEEL BACK BOOK HERE AND RESEAL AFTER OPENING



NET CONTENTS:

1 PINT/

473.16 mL