



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD **2014-2016** LIC. NO.

**9699.87**

Broad Spectrum  
Insecticide,  
Fungicide, and Miticide



# Fruit Tree Spray Plus

**For Control of Insects,  
Diseases, and Mites  
on Vegetables • Fruits  
• Nuts • Herbs • Spices  
• Roses • Flowers  
• Turfgrass • Shrubs  
Around the Home**


**For Outdoor Residential Use Only  
Can be Used up to Day of Harvest**

Active Ingredients:	
Pyrethrins .....	0.25%
Clarified Hydrophobic Extract of Neem Oil .....	70.00%
Other Ingredients: .....	29.75%
Total .....	100.00%

EPA Reg. No. 70051-111-54705  
(CER-041911A) 0512 (01)  
**KEEP OUT OF REACH OF CHILDREN**

**CAUTION** See Attached Booklet for Precautionary  
Statements and Directions for Use

NET CONTENTS: 1 PINT/16 FL OZ /473.16 mL



for organic gardening



For Organic Use

## WARRANTY

To the extent consistent with applicable law, Lawn and Garden Products, Inc. warrants that the material contained herein conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing and method of application, weather, watering practices, nature of soil, the insect problem, condition of the crop, incompatibility with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. To the extent consistent with applicable law, Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herein. NO OTHER EXPRESS OR IMPLIED WARRANTY OF THE FITNESS OR MERCHANTABILITY IS MADE.

# Fruit Tree Spray Plus



FOR ORGANIC GARDENING

**Broad Spectrum Insecticide,  
Fungicide, and Miticide  
For Outdoor Residential Use Only  
Can Be Used Up To Day Of Harvest**



EPA Reg. No. 70051-111-54705

Distributed By:

**LAWN AND GARDEN PRODUCTS, INC.**  
P.O. Box 35000 • Fresno, CA 93745 • (559) 499-2100  
info@montereylawngarden.com

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

**FIRST AID**

**If On Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**If Swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person

**If Inhaled:** Move the person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.


**If In Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove

**STORAGE AND DISPOSAL**

**Pesticide Storage:** Do not store diluted solutions for later use.

**Pesticide and Container Handling:** Nonrefillable container. Do not reuse or refill container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

4. Disconnect sprayer from hose.



Covers 5,000 sq. ft. or equivalent per 32 fl. oz. container size. (Covers 2,500 sq. ft. or equivalent per 16 fl. oz. container size.)

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**Hotline Number:** 1-800-255-3924. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing spray mist. Avoid contact with skin, eyes, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish and aquatic organisms. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

### **BEE HAZARD**

This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treatment area.

### **PHYSICAL AND CHEMICAL HAZARDS**

Do not use or store near heat or open flame.

Or

### **Connect**

1. Shake well before using.
2. Connect sprayer to hose.
3. Turn on water.

### **Spray**

1. To begin spraying, point nozzle in the direction you want to spray.
2. Bend small plastic tab back and turn knob to ON position.
3. Spray evenly to the area to be treated.

### **Finish**

1. To stop spraying, turn knob to OFF position.
2. Turn off water.
3. Relieve water pressure by turning knob to ON position until water slows to a drip. Then turn knob back to OFF position.

*(Continued)*

and pointing in a direction away from face and body, push blue water flow valve forward to activate water.

5. When you are finished spraying or if you have to stop spraying at any time, press blue water flow valve with thumb to the rear to shut off water and return side red valve to the upright "OFF" position and replace side pin.
6. Turn off the water at the faucet.
7. Remove the container from the garden hose; then rinse thoroughly and store according to storage instructions.



11

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### GENERAL INFORMATION:

For Organic Gardening.

SHAKE WELL BEFORE AND DURING USE.

Multi-purpose insecticide/fungicide/miticide. Kills eggs, larval and adult stages of listed insects. Prevents fungal attack of plants' tissues.

Not for use in food handling areas.

FRUIT TREE SPRAY PLUS is most effective when applied in early to mid-morning or late afternoon when adult insect pests, such as whiteflies, are normally sedentary on the undersides of the foliage.

- Use spray solutions within several hours of

4

preparation for maximum effectiveness.

- Do not use more than 1 time per day on the same plants.
- Do not apply this product more than 10 times per season.
- For best results maintain constant agitation in spray equipment.
- For optimal performance, do not mix with cold water or apply under cold ambient temperatures (less than 45°F). If product thickens (freezes) before using, place in a warm room (greater than 45°F) for a few days or in warm water (120°F) for 2 to 8 hours until completely thawed. Do not use partially thawed material.
- Do not apply to wilted or otherwise stressed plants, or to newly transplanted material prior to root establishment.
- When using in conjunction with beneficial insects, conduct a small trial to assure compatibility before using on a large scale.
- As with other products that contain oils, exercise

tablespoons (1 fluid ounce) per gallon of water. Thoroughly mix solution and spray all plant leaf surfaces (including undersides of leaves) until completely wet. Excessive application is unnecessary and to be avoided. Frequently agitate solution as you spray.

#### **Hose End Sprayer Use Instructions:**

The sprayer attached to the container is ready-to-use. Simply attach to your garden hose and follow these instructions:

1. Before you start, the blue top water flow valve should be in the "OFF" position, and the red product flow valve should be in the up, "OFF" position.
2. Shake container well and attach it to your garden hose.
3. Turn on the water from the faucet.
4. To apply, remove side pin (labeled "PULL OUT") and rotate red product flow valve to "ON"; then while holding sprayer at waist level

**Application Instructions:**

Apply FRUIT TREE SPRAY PLUS at first sign of insects/mites. FRUIT TREE SPRAY PLUS provides for a quicker and more complete control, and acts as an "exciter" to flush insect pests out of hiding and into direct contact with spray residues. For control of aphids, spider mites, scale, mealybugs, whiteflies, beetles, loopers, leafminers, leafrollers, armyworms, webworms, weevils, tent caterpillars, fungus gnats, leafhoppers, cabbageworms, squash bugs, squash vine borer, stink bugs, thrips, tomato hornworm, lace bugs, boxelder bugs, grasshoppers, crickets, ants, earwigs, chinch bugs, chiggers and many other insect pests. FRUIT TREE SPRAY PLUS is most effective when applied on a 7 to 14 day schedule. For heavy insect populations, spray on a 7 day schedule.

**Mixing Instructions:**

Mix FRUIT TREE SPRAY PLUS at the rate of 2

care in timing applications to early morning/late evening to minimize the potential for leaf burn.

- Do not add adjuvants (spreaders, stickers, extenders, etc.) to FRUIT TREE SPRAY PLUS.
- Use with care on plants with tender tissue.
- Do not apply to known spray sensitive plant species such as: impatiens flowers, fuchsia flowers, hibiscus flowers, some rose flowers, ornamental olive trees, red maples, some carnation varieties or similar plants without prior testing.
- Not for use in outdoor residential misting systems.
- Do not allow adults, children or pets to enter the treated area until sprays have dried.
- Do not apply directly to or near water or drainage ditches.
- Do not apply when windy.
- To prevent product run-off, do not over water the treated area(s) or apply when heavy rain is expected. Rinse applicator over lawn or garden areas only.

**FUNGICIDE USE:**

For use on Fruits, Nuts, Vegetables, Herbs, Spices, Roses, Houseplants, Flowers, Shrubs and Turfgrass.

**Application Instructions:**

FRUIT TREE SPRAY PLUS is an effective fungicide for the prevention and control of various fungal diseases including powdery mildew, black spot, brown spot, dollar spot, snow mold, downy mildew, anthracnose, rust, leaf spot, botrytis, needle rust, scab and flower, twig and tip blight. As a preventative, apply FRUIT TREE SPRAY PLUS on a 7 to 14 day schedule until the potential for disease development is no longer present. To control disease already present, apply FRUIT TREE SPRAY PLUS on a 7 day schedule until disease pressure is eliminated. Then continue spraying on a 14 day schedule to prevent the disease from reoccurring. To prevent rust leaf spot diseases, anthracnose and scab, begin applica-

tions at the first sign of spring budding. To prevent powdery mildew, apply in mid-summer or when disease is first detected. For brown patch and dollar spot, begin spraying at the first sign of disease on a 7 to 14 day interval. For snow mold, begin spraying on a 14 day interval in the fall before the first snow. Continue applications until disease pressure no longer exists.

**Mixing Instructions:**

Mix FRUIT TREE SPRAY PLUS at the rate of 2 tablespoons (1 fluid ounce) per gallon of water. Thoroughly mix solution and spray all plant surfaces (including undersides of leaves) until completely wet. Excessive application is unnecessary and to be avoided.

**INSECTICIDE USE:**

For use on Fruits, Nuts, Vegetables, Herbs, Spices, Roses, Houseplants, Flowers, Shrubs and Turfgrass.

# Fruit Tree Spray Plus



**Broad Spectrum Insecticide, Fungicide, and Miticide  
For Outdoor Residential Use Only  
Can Be Used Up To Day Of Harvest**

## **KEEP OUT OF REACH OF CHILDREN CAUTION**

See booklet for Precautionary Statements,  
First Aid, Directions For Use  
& Storage and Disposal.

Distributed By:

**LAWN AND GARDEN PRODUCTS, INC.**  
P.O. Box 35000 • Fresno, CA 93745 • (559) 499-2100  
[info@montereylawngarden.com](mailto:info@montereylawngarden.com)

CER-041911A  
0512 (01)

**NET CONTENTS:**  
**1 PINT / 16 FL OZ / 473.16 mL**

