STATE OF HAWAII
Department of Agriculture
ACCEPTED
LICENSE NO. 9702.26
Disc.

BORIC ACID

# ROACH GEL

- Strong formula controls roaches
- Long-term control
- Easily applies in cracks and crevices

**Active ingredient:** Boric Acid ..... 33.3%
**Other ingredients:** ..... 66.7%
**Total:** ..... 100.00%

**1 Pre-Filled Disposable Injector**
**Net Weight: 1 OZ (30 g)**

KEEP OUT OF REACH OF CHILDREN
AND DOMESTIC ANIMALS
**CAUTION**
See First Aid and Precautionary Statements on the Back Panel

BORIC ACID

# ROACH GEL

BORIC ACID
ROACH GEL

BORIC ACID

# ROACH GEL

- Strong formula controls roaches
- Long-term control
- Easily applies in cracks and crevices

**DIRECTIONS TO PUT INJECTOR TOGETHER:**
Insert plunger (A) into the tube (B). Gently push the plunger into the tube (DO NOT REMOVE the clear "piston" already inside the tube). You will hear a "SNAP". This is the plunger hooking onto the clear piston. Remove the protective end cap (C), slowly push in the plunger to release gel contents.

EPA Reg. No. 3095-68-43428
EPA Est. No. 3095-NJ-1 (P):
3095-NJ-2 (B)
Circled letter is first letter of lot number

**DISTRIBUTED BY: WALGREEN CO.**
**200 WILMOT RD., DEERFIELD, IL 60015**
**100% SATISFACTION GUARANTEED**
**walgreens.com**
**©2012 Walgreen Co.**

**MADE IN USA**

WIC 220688

0 49022 66279 7

**PRECAUTIONARY STATEMENTS:**
**Hazards to Humans and Domestic Animals**
CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

**FIRST AID:**
IF SWALLOWED: Call a Poison Control Center or Doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the Poison Control Center or Doctor. Do not give anything by mouth to an unconscious person.
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or Doctor for treatment advice.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or Doctor for treatment advice.
**HOT LINE NUMBER**
Have the product container or label with you when calling a Poison Control Center or Doctor, or going for treatment. You may also contact 1-800-255-3924 for emergency medical treatment information.

**DIRECTIONS FOR USE:**
It is a violation of federal law to use this product in a manner inconsistent with its labeling.
**TO CONTROL ROACHES-DOMESTIC USE:** Apply the gel empty behind and under the following: Stoves, refrigerators, dishwashers, sinks, washing machines, tubs, water pipes, drains, sewers, manholes, electrical conduits, cracks and crevices of baseboards, in corners of cupboards, cabinets, and closets. Remove drawers from chests and cabinets, apply freely into corners of drawer wells. Reapply every two to three months. Remove excess gel and dispose into garbage. Be sure not to apply in areas accessible to children and pets. Avoid contamination of food and feed.
**TO CONTROL ROACHES-CRACK AND CREVICE TREATMENT:** In food and feed handling establishments: Application is limited to crack and crevices treatment only in areas where food and feed are received, stored, prepared, packaged (canned, boxed or wrapped) or served: care must be taken to avoid depositing this product on serving surfaces where food and feed are processed. Use this product only in cracks and crevices in food and feed handling establishments.
**SERVING AREAS:** In dining rooms, apply into cracks and crevices such as baseboards and floor cracks. Avoid areas likely to be contacted by food. **NON-FOOD AREAS:** Apply to cracks and crevices and around water pipes in areas such as garbage rooms, locker rooms, mop closets, boiler rooms, and lavatories.

**STORAGE AND DISPOSAL:**
Do not contaminate water, food or feed by storage and disposal. **STORAGE:** Store in a cool, dry place inaccessible to children and pets. **DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. **IF EMPTY:** Place in trash or offer for recycling if available. **IF PARTLY FILLED:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

BORIC ACID

# ROACH GEL

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS

## CAUTION

**Active ingredient:** Boric Acid..... 33.3%
**Other ingredients:**..... 66.7%
**Total:**..... 100.00%

EPA Reg. No. 3095-68-43428
EPA Est. No. 3095-NJ-1Ⓟ: 3095-NJ-2Ⓑ
Circled letter is first letter of lot number

NET WEIGHT 1 OZ (30 g)

**FIRST AID: IF SWALLOWED:** Call a Poison Control Center or Doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the Poison Control Center or Doctor. Do not give anything by mouth to an unconscious person.
**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or Doctor for treatment advice.
**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or Doctor for treatment advice.
**HOT LINE NUMBER:** Have the product container or label with you when calling a Poison Control Center or Doctor, or going for treatment. You may also contact **1-800-255-3924** for emergency medical treatment information.

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
**100% SATISFACTION GUARANTEED**
walgreens.com ©2012 Walgreen Co.

**MADE IN U.S.A.**

**PRECAUTIONARY STATEMENTS**
Hazards to Humans and Domestic Animals
**CAUTION:** Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

**DIRECTIONS FOR USE**
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Control Roaches-Domestic Use:**
Apply the gel amply behind and under the following: Stoves, refrigerators, dishwashers, sinks, washing machines, tubs, water pipes, drains, sewers, manholes, electrical conduits, cracks and crevices of baseboards, in corners of cupboards, cabinets, and closets. Remove drawers from chests and cabinets, apply freely into corners of drawer wells. Reapply every two to three months. Remove excess gel and dispose into garbage. Be sure not to apply in areas accessible to children and pets. Avoid contamination of food and feed.

**To Control Roaches-Crack and Crevice Treatment:**
In food and feed handling establishments: Application is limited to crack and crevices treatment only in areas where food and feed are received, stored, prepared, packaged (canning-boxing or wrapping) or served: care must be taken to avoid depositing this product on serving surfaces where food and feed are processed. Use this product only in cracks and crevices in food and feed handling establishments.

**Serving Areas:**
In Dining Rooms, apply into cracks and crevices such as baseboards and floor cracks. Avoid areas likely to be contacted by food.

**Non Food Areas:**
Apply to cracks and crevices and around water pipes in areas such as garbage rooms, locker rooms, mop closets, boiler rooms, and lavatories.

**STORAGE AND DISPOSAL:** Do not contaminate water, food or feed by storage and disposal.
**STORAGE:** Store in a cool, dry place inaccessible to children and pets.
**DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Date Applied: ___/___/___