

FRESH & CLEAR

REV. LICENSED
HAWAII
DEPT. OF AGRICULTURE
Period 2003-2005 No. 9703.27



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2012-2014** LIC. NO.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2006-2008** LIC. NO.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2009-2011** LIC. NO.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2015-2017** LIC. NO.

9703.27
Disc.

3" TABLETS

JUMBO CHLORINATING TABLETS Controls bacteria and algae

FOR USE IN SWIMMING POOL FLOATERS AND FEEDERS

ACTIVE INGREDIENT:

Trichloro-s-triazinetrione _____ 98.3%

INERT INGREDIENTS _____ 1.7%

100.0%

Available Chlorine _____ 90%

KEEP OUT OF REACH OF CHILDREN

DANGER:

SEE OTHER PRECAUTIONS AND
FIRST AID ON SIDE PANEL

NET WT 25 LBS

FIRST AID

If swallowed: Call a poison control center immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eyelids open and rinse slowly with water for 15 to 20 minutes. Remove contact lenses if present after 5 minutes then continue rinsing eye. Call poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor.

If inhaled: Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the poison control Hot Line at 1-800-222-1222 for emergency medical treatment advice.

PRECAUTIONARY STATEMENTS-Hazard to humans and domestic animals.

DANGER:

CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE. CAUSES BURNS TO SKIN. IRRITATING TO NOSE AND THROAT. MAY BE FATAL IF SWALLOWED. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing dust or fumes. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms.

PHYSICAL OR CHEMICAL HAZARD - STRONG OXIDIZING AGENT. WILL BURN WITH THE EVOLUTION OF CHLORINE AND EQUALLY TOXIC GASES. CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND HAZARDOUS CHLORINE-CONTAINING GASES. DECOMPOSES AT 460°F. to 480°F. WITH LIBERATION OF HARMFUL GASES.

Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of

hazardous gases, and possible generation of fire and explosion. In case of fire, contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

Do not add this product directly into a swimming pool or spa as discoloration of plastic liner or painted pool surface may occur. Do not place in the skimmer. Do not mix with other chemicals.

DIRECTIONS FOR USE - It is a violation of Federal law to use this product in a manner inconsistent with its labelling. When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 ppm to 1.5 ppm available chlorine. To accomplish this, add 2 oz. FRESH & CLEAN Swimming Pool Sanitizer per 1,000 gallons of pool water. The next morning, add FRESH & CLEAN Cyanuric Acid to stabilize the pool according to directions given on the label. Test pool water frequently with a suitable test kit and maintain a chlorine residual of 1.0 to 1.5 ppm at all times (as determined by daily or more frequent use of a chlorine test kit). Immerse one FRESH & CLEAN 3" Tablet (or more until residual is obtained) for each 5,000 to 10,000 gallons of pool water by means of feeder or float (but never directly into the pool, as discoloration of the pool liner or paint could occur). Variables such as water temperature, water flow rate, filter cycles, bather loads and methods of application will affect the dissolution speed of the tablet and therefore the rate of flow of chlorine solution into the pool. During summer and peak bather loads, superchlorinate at least twice monthly as directed above. Keep the pH between 7.2 and 7.6 as determined by a suitable test kit.

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage or disposal. Store in original container, tightly closed away from heat or open flame. Store in a cool, dry, well ventilated place. Keep container off wet floors. **PESTICIDE DISPOSAL:** Do not put spilled product, filled or partially filled containers in the trash. Dispose of waste material according to label use directions otherwise call 1-800-CLEANUP for guidance from your local solid waste agency. **CONTAINER DISPOSAL:** Triple rinse with water to dissolve all material before discarding container Do not reuse container. Place in trash or recycle.

**EPA Est. No. 9215-CA-1
EPA Reg. No. 9215-7**

**Repackaged by AQUA TRI
17870 Mitchell, Irvine, CA 92614-6034**