STATE OF HAWAII
Department of Agriculture
ACCEPTED
LICENSE NO.
9705.298

DISC.

CONTAINS GLYPHOSATE

HDX™

SKU 894 904

Weed & Grass Killer Ready-To-Use

ACTIVE INGREDIENT:
*Glyphosate, isopropylamine salt.....1.92%
Other Ingredients.....98.08%
Total.....100.00%
*Acid equivalent or glyphosate content = 1.42%

KEEP OUT OF REACH OF CHILDREN

CAUTION See back booklet for additional precautionary statements.

KILLS THE ROOT

Net Contents 24 fl oz (1 pt 8 fl oz/709 mL)

HOW TO USE

HDX™ Weed & Grass Killer Ready-To-Use is pre-mixed and ready to use and is formulated for "spot" treatment of weeds and grasses. Use it on driveways and walkways or around fences, trees, flower beds, vegetables, shrubs and other areas in your yard.

SPRAYER INSTRUCTIONS

1. Turn nozzle to coarse spray pattern. Avoid sprays that are too fine because they can drift and damage other plants.
2. Spray unwanted grass and weeds until completely covered.

WHEN TO REPLANT

- All ornamental flowers, trees and shrubs may be planted **one day after** application
- The following berries may be planted **one day after** application: Blackberry, Blueberry, Boysenberry, Cranberry, Currant, Dewberry, Elderberry, Gooseberry, Huckleberry, Loganberry, Olallieberry, Raspberry (Black and Red)
- The following fruits, vegetables and herbs may be replanted **one day after** application: Artichoke (Jerusalem), Beans (all), Beet Greens, Broccoli, Brussels Sprouts, Cabbage (all), Carrot, Cauliflower, Celery, Chard (Swiss), Chicory, Collards, Endive, Horseradish, Kale, Kohlrabi, Leek, Lentils, Lettuce, Mustard Greens, Okra, Onion, Rape Greens, Parsley, Parsnips, Potato, Radish, Rhubarb, Rutabaga, Spinach, Sweet Potato, Turnip, Yams
- The following fruits, vegetables and herbs may be planted **three days after** application: Corn, Cucumber, Eggplant, Garlic, Gourds, Melons (all), Peas (all), Peppers (all), Pumpkin, Squash (summer and winter), Tomatillo, Tomato (by seed), Watercress
- Lawn grasses may be planted **seven days after** application
- Tomatoes from transplant and unlisted fruits, vegetables and herbs may be planted **30 days after** application

WHEN TO HARVEST

If used to control weeds around fruits or nuts, wait the following number of days before harvesting:

- Citrus (Citron, Grapefruit, Kumquat, Lemon, Lime, Mandarin Orange, Pummelo, Tangelo, Tangerine), Guava, Papaya **– one day**
- Nuts (Almond, Beechnut, Brazil Nut, Butternut, Cashew, Chestnut, Filbert, Hazelnut, Hickory Nut, Macadamia, Pecan, Pistachio, Walnut) **– three days**
- Apple, Avocado, Banana (Plantains), Berries (except Cranberries), Dates, Figs, Grapes, Loquat, Passion Fruit, Pear, Persimmon, Pomegranate, Quince **– 14 days**
- Apricot, Cherries, Nectarine, Olives, Peach, Plum, Prunes **– 17 days**
- Cranberries **– 30 days**

HDX™

PEEL HERE

Weed & Grass Killer Ready-To-Use

STOP *READ & FOLLOW LABEL INSTRUCTIONS.*

WHAT IT DOES:	*WHERE TO USE:*	*QUESTIONS OR COMMENTS?*
Kills All Types of Weeds and Grasses	*• On Patios, Walkways or Driveways • In Flower and Vegetable Gardens • Around Trees and Shrubs • Along Fences and Foundations • For Garden Plot Preparation*	*Call 1-800-332-5553*

PROOF OF PURCHASE

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Distributed by Chemsico
Division of United Industries Corporation
PO Box 142642, St. Louis, MO 63114-0642
EPA Reg. No. 67760-47-9688
EPA Est. Nos. 9688-MO-1 (U),
79533-WI-1 (BT), 11623-GA-3 (CN),
58996-MO-1 (AE), 11623-GA-1 (CK)
Circled letter is first letter of lot number.
17-14684
© 2012 UIC

MARKETED THROUGH:
HOME DEPOT
2455 PACES FERRY RD., N.W.
ATLANTA, GA 30339

0 71121 98022 9

This product is a non-selective herbicide that will kill any vegetation contacted. This herbicide kills unwanted plants by inhibiting the production of a substance found only in plants. It enters plants through the leaves and moves down to the roots. This will ensure that the entire plant is eliminated. Avoid direct spray or drift onto desirable plants, lawn grasses, shrubs and trees. Protect desirable plants and vegetation with a piece of plastic or cardboard. If desirable plants are accidentally sprayed, wash plants with water immediately. Any herbicide not absorbed by the plant is broken down into natural materials. This product has no soil activity and thus will not affect nearby untreated plants.

CONTROLS ALL WEEDS AND GRASSES INCLUDING:

Annual weeds and grasses:

- annual bluegrass
- annual ryegrass
- barnyardgrass
- beggarweed
- black medic
- blue medic
- blue mustard
- blue toadflax
- brassbuttons
- bromegrass
- bur clover
- buttercup
- cheeseweed
- chickweed
- clover
- common groundsel
- common lambsquarters
- common plantain
- common ragweed
- crabgrass
- creeping beggarweed
- diffuse lovegrass
- dog fennel
- evening primrose
- fall panicum
- false dandelion
- fennel
- fiddleneck
- field pennycress
- field sandbur
- filaree
- Florida pusley
- foxtail
- garden spurge
- goosegrass
- green foxtail
- hemp sesbania
- henbit
- horseweed/marestail
- ironweed
- knotweed
- lambsquarters
- little bitter cress
- London rocket
- maiden cane
- mallow
- mayweed
- mouseear chickweed*
- oxalis*
- Pennsylvania smartweed
- pennywort
- pigweed
- prickly lettuce
- prostrate spurge
- puncture vine
- purslane
- redroot pigweed
- sandspur
- shepherdspurse
- smartweed
- smooth cat's ear
- smooth pigweed
- sowthistle
- spotted spurge
- sprangletop
- spurges
- tansy mustard
- tansy ragwort
- teaweed
- Texas panicum
- tumble mustard
- velvetleaf
- wild geranium*
- wild mustard
- witch grass
- yellow nutgrass
- yellow oxalis

*annual or perennial

Perennial weeds, grasses and brush:

- alder
- artichoke thistle
- bahiagrass
- barnyardgrass
- bentgrass
- Bermudagrass
- blackberries
- bluegrass
- broadleaf plantain
- brownseed paspalum
- buckhorn plantain
- bull thistle
- Canada thistle
- cattail
- ceanothus
- centipedegrass
- cherry
- cocklebur
- cogongrass
- common mullein
- common ragweed
- coral bead
- coyote brush
- creeping bentgrass
- creeping Charlie
- creeping lantana
- curly dock
- dallisgrass
- dandelion
- dewberry
- dog fennel
- elderberry
- false dandelion
- fescue species
- field bindweed
- guineagrass
- hairy crabgrass
- honeysuckle
- horsenettle

Perennial weeds, grasses and brush:

- horseradish
- iceplant
- Johnsongrass
- Kentucky bluegrass
- kikuyugrass
- knapweed
- knawel
- kudzu
- lantana
- maiden cane
- milkweed
- mouseear chickweed*
- multiflora rose
- nimblewill
- nutgrass (nutsedge)
- oak species
- oldenlandia
- orchardgrass
- oxalis*
- pampasgrass
- pennywort
- perennial ryegrass
- plantain
- poison hemlock
- poison ivy
- poison oak
- primrose
- purple cudweed*
- purple nutsedge
- quackgrass
- quaking aspen
- ragweed
- raspberry
- red clover
- smooth bromegrass
- sourdock
- sowthistle
- St. Augustinegrass
- sumac
- tall fescue
- tansy ragwort
- Timothy
- torpedograss
- trumpetcreeper
- vaseygrass
- Virginia creeper
- white clover
- whitetop
- wild barley
- wild blackberry
- wild carrot
- wild morningglory
- wild oats
- wild sweet potato
- willow
- yarrow
- yellow nutgrass
- yellow starthistle
- zoysia

*annual or perennial

STOP Read entire label before use.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*

STOP People and pets should not be allowed in treated areas until spray has dried.

WHEN TO APPLY

- For best results, apply during warm, sunny weather (above 60°F)
- Apply when weeds are actively growing and no rain is forecast for 24 hours
- To avoid drift to desirable plants, apply when the air is calm
- Completely wet the foliage of the target vegetation. Do not overspray
- Most treated weeds usually show initial symptoms in two to four days and complete kill in one to two weeks
- Protect desirable plants, including fruits and vegetables, with a piece of plastic or cardboard
- If desirable plants are accidentally sprayed, wash plants with water immediately
- Do not mow, cut or otherwise disturb treated weeds or plants for at least seven days following application
- Rainfall or watering two hours after application will not wash away effectiveness

Not recommended for spot weed treatment in established lawns since lawn grasses will be killed, too.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame.

Disposal: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Keep children and pets away from treated areas until spray has dried. Avoid contamination of food. Do not contaminate water supplies.

FIRST AID

If on Skin: Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. ***If in Eyes:*** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.
Questions or Comments? Call 1-800-332-5553.

Distributed by Chemsico, Division of United Industries Corporation, PO Box 142642, St. Louis, MO 63114-0642
EPA Reg. No. 67760-47-9688 EPA Est. Nos. 9688-MO-1 U, 79533-WI-1 BT, 11623-GA-3 CN, 58996-MO-1 AE, 11623-GA-1 CK
Circled letter is first letter of lot number. 17-14684 © 2012 UIC

STATE OF HAWAII
Department of Agriculture
ACCEPTED
LICENSE NO.
9705.298
DISC.

CONTAINS GLYPHOSATE

HDX™

SKU 895 069

Weed & Grass Killer Ready-To-Use

- Rainproof, won't wash away
- Use in & around fences, driveways, walkways, shrubs, trees & mulch beds

ACTIVE INGREDIENT:
*Glyphosate, isopropylamine salt 1.92%
Other Ingredients 98.08%
Total 100.00%
*Acid equivalent or glyphosate content = 1.42%

KEEP OUT OF REACH OF CHILDREN
CAUTION See back booklet for additional precautionary statements.

KILLS THE ROOT

Net Contents 1 gal (128 fl oz/3.7 L)

HDX™

PEEL HERE

Weed & Grass Killer Ready-To-Use

STOP *READ & FOLLOW LABEL INSTRUCTIONS.*

WHAT IT DOES:
Kills All Types of Weeds and Grasses

WHERE TO USE:
- *On Patios, Walkways or Driveways*
- *In Flower and Vegetable Gardens*
- *Around Trees and Shrubs*
- *Along Fences and Foundations*
- *For Garden Plot Preparation*

WHEN TO USE:
For Best Results, Apply During Warm, Sunny Weather (Above 60°F)

QUESTIONS OR COMMENTS?
Call 1-800-332-5553

PROOF OF PURCHASE

FPO

0 71121 98023 6

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Distributed by Chemsico, Division of United Industries Corporation
PO Box 142642, St. Louis, MO 63114-0642
EPA Reg. No. 67760-47-9688 EPA Est. Nos. 9688-MO-1(U), 79533-WI-1(BT), 11623-GA-3(CN), 58996-MO-1(AE), 11623-GA-1(CK)
Circled letter is first letter of lot number. 17-14686 © 2012 UIC

MARKETED THROUGH:
HOME DEPOT
2455 PACES FERRY RD., N.W.
ATLANTA, GA 30339

This product is a non-selective herbicide that will kill any vegetation contacted. This herbicide kills unwanted plants by inhibiting the production of a substance found only in plants. It enters plants through the leaves and moves down to the roots. This will ensure that the entire plant is eliminated. Avoid direct spray or drift onto desirable plants, lawn grasses, shrubs and trees. Protect desirable plants and vegetation with a piece of plastic or cardboard. If desirable plants are accidentally sprayed, wash plants with water immediately. Any herbicide not absorbed by the plant is broken down into natural materials. This product has no soil activity and thus will not affect nearby untreated plants.

CONTROLS ALL WEEDS AND GRASSES INCLUDING:

Annual weeds and grasses:

- annual bluegrass
- annual ryegrass
- barnyardgrass
- beggarweed
- black medic
- blue medic
- blue mustard
- blue toadflax
- brassbuttons
- bromegrass
- bur clover
- buttercup
- cheeseweed
- chickweed
- clover
- common groundsel
- common lambsquarters
- common plantain
- common ragweed
- crabgrass
- creeping beggarweed
- diffuse lovegrass
- dog fennel
- evening primrose
- fall panicum
- false dandelion
- fennel
- fiddleneck
- field pennycress
- field sandbur
- filaree
- Florida pusley
- foxtail
- garden spurge
- goosegrass
- green foxtail
- hemp sesbania
- henbit
- horseweed/ marestail
- ironweed
- knotweed
- lambsquarters
- little bitter cress
- London rocket
- maiden cane
- mallow
- mayweed
- mouseear chickweed*
- oxalis*
- Pennsylvania smartweed
- pennywort
- pigweed
- prickly lettuce
- prostrate spurge
- puncture vine
- purslane
- redroot pigweed
- sandspur
- shepherdspurse
- smartweed
- smooth cat's ear
- smooth pigweed
- sowthistle
- spotted spurge
- sprangletop
- spurges
- tansy mustard
- tansy ragwort
- teaweed
- Texas panicum
- tumble mustard
- velvetleaf
- wild geranium*
- wild mustard
- witch grass
- yellow nutgrass
- yellow oxalis

*annual or perennial

Perennial weeds, grasses and brush:

- alder
- artichoke thistle
- bahiagrass
- barnyardgrass
- bentgrass
- Bermudagrass
- blackberries
- bluegrass
- broadleaf plantain
- brownseed paspalum
- buckhorn plantain
- bull thistle
- Canada thistle
- cattail
- ceanothus
- centipedegrass
- cherry
- cocklebur
- cogongrass
- common mullein
- common ragweed
- coral bead
- coyote brush
- creeping bentgrass
- creeping Charlie
- creeping lantana
- curly dock
- dallisgrass
- dandelion
- dewberry
- dog fennel
- elderberry
- false dandelion
- fescue species
- field bindweed
- guineagrass
- hairy crabgrass
- honeysuckle
- horsenettle
- horseradish
- iceplant
- Johnsongrass
- Kentucky bluegrass
- kikuyugrass
- knapweed
- knawel
- kudzu
- lantana
- maiden cane
- milkweed
- mouseear chickweed*
- multiflora rose
- nimblewill
- nutgrass (nutsedge)
- oak species
- oldenlandia
- orchardgrass
- oxalis*
- pampasgrass
- pennywort
- perennial ryegrass
- plantain
- poison hemlock
- poison ivy
- poison oak
- primrose
- purple cudweed*
- purple nutsedge
- quackgrass
- quaking aspen
- ragweed
- raspberry
- red clover
- smooth bromegrass
- sourdock
- sowthistle
- St. Augustinegrass
- sumac
- tall fescue
- tansy ragwort
- Timothy
- torpedograss
- trumpetcreeper
- vaseygrass
- Virginia creeper
- white clover
- whitetop
- wild barley
- wild blackberry
- wild carrot
- wild morningglory
- wild oats
- wild sweet potato
- willow
- yarrow
- yellow nutgrass
- yellow starthistle
- zoysia

*annual or perennial

STOP Read entire label before use.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
For home use only.

STOP People and pets should not be allowed in treated areas until spray has dried.

WHEN TO APPLY

- For best results, apply during warm, sunny weather (above 60˚F)
- Apply when weeds are actively growing and no rain is forecast for 24 hours
- To avoid drift to desirable plants, apply when the air is calm
- Completely wet the foliage of the target vegetation. Do not overspray
- Most treated weeds usually show initial symptoms in two to four days and complete kill in one to two weeks
- Protect desirable plants, including fruits and vegetables, with a piece of plastic or cardboard
- If desirable plants are accidentally sprayed, wash plants with water immediately
- Do not mow, cut or otherwise disturb treated weeds or plants for at least seven days following application
- Rainfall or watering two hours after application will not wash away effectiveness

Not recommended for spot weed treatment in established lawns since lawn grasses will be killed, too.

HOW TO USE

HDX™ Weed & Grass Killer Ready-To-Use is pre-mixed and ready to use and is formulated for "spot" treatment of weeds and grasses. Use it on driveways and walkways or around fences, trees, flower beds, vegetables, shrubs and other areas in your yard.

SPRAYER INSTRUCTIONS

BEFORE USE:

1. Shake well before each use.
2. Peel sticker from flip-top cap and open cap. Discard sticker.
3. Remove sprayer from its slot beneath the bottle handle and remove and discard plastic wrap. Pull black hose tip to completely extend tubing.
4. Firmly press black hose tip into opening in cap until it snaps into place.
5. Hold sprayer below the level of the container and prime by pumping trigger several times until product is dispensed.
6. Adjust nozzle to desired setting.

AFTER USE:

7. To store, turn sprayer nozzle off.
8. DO NOT disconnect hose.
9. Return sprayer to its slot. Hose can be pushed back into sprayer handle.

WHEN TO REPLANT

- All ornamental flowers, trees and shrubs may be planted **one day after** application
- The following berries may be planted **one day after** application: Blackberry, Blueberry, Boysenberry, Cranberry, Currant, Dewberry, Elderberry, Gooseberry, Huckleberry, Loganberry, Olallieberry, Raspberry (Black and Red)
- The following fruits, vegetables and herbs may be replanted **one day after** application: Artichoke (Jerusalem), Beans (all), Beet Greens, Broccoli, Brussels Sprouts, Cabbage (all), Carrot, Cauliflower, Celery, Chard (Swiss), Chicory, Collards, Endive, Horseradish, Kale, Kohlrabi, Leek, Lentils, Lettuce, Mustard Greens, Okra, Onion, Rape Greens, Parsley, Parsnips, Potato, Radish, Rhubarb, Rutabaga, Spinach, Sweet Potato, Turnip, Yams
- The following fruits, vegetables and herbs may be planted **three days after** application: Corn, Cucumber, Eggplant, Garlic, Gourds, Melons (all), Peas (all), Peppers (all), Pumpkin, Squash (summer and winter), Tomatillo, Tomato (by seed), Watercress
- Lawn grasses may be planted **seven days after** application
- Tomatoes from transplant and unlisted fruits, vegetables and herbs may be planted **30 days after** application

WHEN TO HARVEST

If used to control weeds around fruits or nuts, wait the following number of days before harvesting:

- Citrus (Citron, Grapefruit, Kumquat, Lemon, Lime, Mandarin Orange, Pummelo, Tangelo, Tangerine), Guava, Papaya **– one day**
- Nuts (Almond, Beechnut, Brazil Nut, Butternut, Cashew, Chestnut, Filbert, Hazelnut, Hickory Nut, Macadamia, Pecan, Pistachio, Walnut) **– three days**
- Apple, Avocado, Banana (Plantains), Berries (except Cranberries), Dates, Figs, Grapes, Loquat, Passion Fruit, Pear, Persimmon, Pomegranate, Quince **– 14 days**
- Apricot, Cherries, Nectarine, Olives, Peach, Plum, Prunes **– 17 days**
- Cranberries **– 30 days**

STORAGE AND DISPOSAL

Storage: Turn the nozzle to "OFF" position and store with sprayer above the level of liquid in container to prevent leakage. Store in a cool, dry area away from heat or open flame.

Disposal: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Keep children and pets away from treated areas until spray has dried. Avoid contamination of food. Do not contaminate water supplies.

FIRST AID

If on Skin: Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or Comments? Call 1-800-332-5553.

Distributed by Chemsico, Division of United Industries Corporation, PO Box 142642, St. Louis, MO 63114-0642
EPA Reg. No. 67760-47-9688
EPA Est. Nos. 9688-MO-1 (U), 79533-WI-1 (BT), 11623-GA-3 (CN), 58996-MO-1 (AE), 11623-GA-1 (CK)
Circled letter is first letter of lot number. 17-14686 © 2012 UIC