


# Y-TEX<sup>®</sup> XP 820<sup>™</sup>

INSECTICIDE CATTLE EAR TAGS



## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Reformulation or repackaging of this product is prohibited. This labeling must be in the possession of the user at the time of pesticide application.


### Apply tags as directed below for Horn Flies and ear ticks:

- Horn Flies: 1 tag/animal for up to 3 months control  
2 tags/animal for up to 5 months control (1 tag on each ear)  
For breeds with large ears, apply to back of ear for optimum control of horn flies.
- Gulf Coast Ticks: 2 tags/animal for up to 4 months control (1 tag on each ear)
- Spinose Ear Ticks: 2 tags/animal (1 tag on the front of each ear)


### Apply tags as directed below for the listed pests:

- American Dog Ticks: 2 tags/animal (1 tag per ear) to aid in control for up to 3 months
  - Cattle Fever Ticks (*Boophilus* species): 2 tags/animal (1 tag per ear) to aid in control for 2 to 3 months
  - Lone Star Ticks: 2 tags/animal (1 tag per ear) to aid in control for 2 months
  - Face Flies (*Musca autumnalis*): 2 tags/animal (1 tag on the front of each ear) to reduce Face Flies
- Apply as shown with a Y-TEX 2-piece tag applicator (UltraTagger<sup>®</sup> or UltraTagger<sup>®</sup>plus). Apply when flies become a problem in the spring. Reapply as necessary up to two treatments per year. All animals in the herd should be tagged to avoid dilution of the treatment. To minimize development of insecticide resistance in horn flies, remove used tags at the end of the season and follow the recommended tag rotation program. Remove tags before slaughter. Do not tag lactating dairy cows.


**STEP 1**  
Seat male button firmly on pin, press down and give a slight twist.



**STEP 2**  
Place female tag firmly under clip. Collar on tag must be pointing away from pin.



**STEP 3**  
Position applicator over ear and squeeze the handles together.



The ideal position for male stud is between the second and third radial cartilage as shown.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

- STORAGE:** Store in cool, dark place away from sunlight in original container. Opened bags containing ear tags should be resealed for storage.
- PESTICIDE DISPOSAL:** Offer for recycling (if available). Otherwise, securely wrap used tags in a plastic bag or several layers of newspaper and discard in trash.
- CONTAINER DISPOSAL:** Nonrefillable container (box and bag). Do not reuse or refill the box or bag. Offer box and bag for recycling (if available) or discard in trash.

Y-TEX CORPORATION • 1825 BIG HORN AVENUE • CODY • WYOMING • 82414

- Guaranteed against loss due to tag or button failure\*
- Snap-Lok<sup>™</sup> collar for guaranteed retention\* (US Pat. No. 4,581,834)
- No withdrawal time required

### GUARANTEE

\*This guarantee is a limited guarantee, limited to the replacement of tags only, if the tags failed after being properly applied to remain in the animal's ear for a five (5) month period due to tag breakage or separation from the button.

### FIRST AID

This product contains abamectin, a macrocyclic lactone, and piperonyl butoxide, a mixed-function oxidase inhibitor.

- If swallowed**
- Call a poison control center or doctor immediately for treatment advice.
  - Have person sip a glass of water if able to swallow.
  - Do not induce vomiting unless told to do so by a poison control center or doctor.
  - Do not give anything by mouth to an unconscious person.

- If in eyes**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
  - Call a poison control center or doctor for treatment advice.

- If inhaled**
- Move person to fresh air.
  - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible.
  - Call a poison control center or doctor for further treatment advice.

- If on skin or clothing**
- Take off contaminated clothing.
  - Rinse skin immediately with plenty of water for 15-20 minutes.
  - Call a poison control center or doctor for treatment advice.

### HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-255-3924 for emergency medical treatment information.

CONTAINS 20 EAR TAGS

MADE IN USA



LICENSED

PERIOD 2015-2017 LIC. NO. 9711.21



LICENSED

PERIOD 2012-2014 LIC. NO.

# Y-TEX<sup>®</sup> XP 820<sup>™</sup>

## INSECTICIDE CATTLE EAR TAGS

For use on Beef Cattle and Non-Lactating Dairy Cattle to Control Horn Flies, Gulf Coast Ticks, Spinose Ear Ticks and to Aid in Control of American Dog Ticks, Cattle Fever Ticks (*Boophilus* species), Lone Star Ticks, and to Reduce Face Flies.

Keep Out of Reach  
of Children

## WARNING

See side panels for additional precautionary statements

### ACTIVE INGREDIENTS:

	By Weight
<b>Abamectin</b> (Avermectin B <sub>1a</sub> and Avermectin B <sub>1b</sub> ).....	8%
<b>Piperonyl Butoxide, Technical</b> Min. 80% (butylcarbityl) (6-propylpiperonyl) ether and max. 20% related compounds.....	20%
<b>INERT INGREDIENTS</b> .....	72%
<b>TOTAL</b> .....	100%

NET WT. 9 GRAMS PER TAG CONTENTS: 20 TAGS

Bar Code



LICENSED

PERIOD 2009-2011 LIC. NO.



LICENSED

PERIOD 2015-2017 LIC. NO.

9711.21



LICENSED

PERIOD 2012-2014 LIC. NO.

**Y•TEX®**

# **XP 820™**

## **INSECTICIDE CATTLE EAR TAGS**

**MADE IN  
USA**

**CONTAINS  
100  
EAR TAGS**

Keep Out of Reach of Children

### **WARNING**

See side panels for additional precautionary statements

**ACTIVE INGREDIENTS:**

	By Weight
<b>Abamectin</b>	
(Avermectin B <sub>1a</sub> and Avermectin B <sub>1b</sub> ).....	8%
<b>Piperonyl Butoxide, Technical</b>	
Min. 80% (butylcarbityl) (6-propylpiperonyl) ether and max. 20% related compounds.....	20%
<b>INERT INGREDIENTS</b> .....	72%
<b>TOTAL</b> .....	100%

For use on Beef Cattle and Non-Lactating Dairy Cattle to Control Horn Flies, Gulf Coast Ticks, Spinose Ear Ticks and to Aid in Control of American Dog Ticks, Cattle Fever Ticks (*Boophilus* species), Lone Star Ticks, and to Reduce Face Flies.

**CONTENTS: 5 POUCHES OF 20 TAGS EACH**

**NET WT. 9 GRAMS PER TAG**



LICENSED

PERIOD 2009-2011 LIC. NO.

**Y•TEX<sup>®</sup>**  
**XP 820<sup>™</sup>**  
**INSECTICIDE CATTLE EAR TAGS**

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

May be fatal if swallowed. Harmful if absorbed through the skin, or if inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing fumes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

Personal Protective Equipment: Users must wear shirt, pants, shoes and socks, and chemical resistant gloves made out of any waterproof material.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and aquatic invertebrates. Do not contaminate water by use or by disposal of used tags.

**NOTICE OF WARRANTY**

To the extent consistent with applicable law, Y-TEX CORPORATION MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label, and in any case, is limited to replacement of tags only.

EPA EST. NO. 39039-WY-01

EPA REG. NO. 39039-17

USA and International Patents Pending

**Y•TEX<sup>®</sup>**  
**XP 820<sup>™</sup>**  
**INSECTICIDE CATTLE EAR TAGS**

**FIRST AID**

This product contains abamectin, a macrocyclic lactone, and piperonyl butoxide, a mixed-function oxidase inhibitor.

<b>If swallowed</b>	<ul style="list-style-type: none"><li>• Call a poison control center or doctor immediately for treatment advice.</li><li>• Have person sip a glass of water if able to swallow.</li><li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li><li>• Do not give anything by mouth to an unconscious person.</li></ul>
<b>If in eyes</b>	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>If inhaled</b>	<ul style="list-style-type: none"><li>• Move person to fresh air.</li><li>• If a person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible.</li><li>• Call a poison control center or doctor for further treatment advice.</li></ul>
<b>If on skin or clothing</b>	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>

**HOT LINE NUMBER**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-255-3924 for emergency medical treatment information.

# Y-TEX<sup>®</sup> XP 820<sup>™</sup> INSECTICIDE CATTLE EAR TAGS

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Reformulation or repackaging of this product is prohibited. This labeling must be in the possession of the user at the time of pesticide application.

### Apply tags as directed below for Horn Flies and ear ticks:

- Horn Flies: 1 tag/animal for up to 3 months control  
2 tags/animal for up to 5 months control (1 tag on each ear)  
For breeds with large ears, apply to back of ear for optimum control of horn flies.
- Gulf Coast Ticks: 2 tags/animal for up to 4 months control (1 tag on each ear)
- Spinose Ear Ticks: 2 tags/animal (1 tag on the front of each ear)


### Apply tags as directed below for the listed pests:

- American Dog Ticks: 2 tags/animal (1 tag per ear) to aid in control for up to 3 months
- Cattle Fever Ticks (*Boophilus* species): 2 tags/animal (1 tag per ear) to aid in control for 2 to 3 months
- Lone Star Ticks: 2 tags/animal (1 tag per ear) to aid in control for 2 months
- Face Flies (*Musca autumnalis*):  
2 tags/animal (1 tag on the front of each ear) to reduce Face Flies

Apply as shown with a Y-TEX 2-piece tag applicator (UltraTagger<sup>®</sup> or UltraTagger<sup>®plus</sup>). Apply when flies become a problem in the spring. Reapply as necessary up to two treatments per year. All animals in the herd should be tagged to avoid dilution of the treatment. To minimize development of insecticide resistance in horn flies, remove used tags at the end of the season and follow the recommended tag rotation program. Remove tags before slaughter. Do not tag lactating dairy cows.


#### STEP 1

Seat male button firmly on pin, press down and give a slight twist.



#### STEP 2

Place female tag firmly under clip. Collar on tag must be pointing away from pin.



#### STEP 3

Position applicator over ear and squeeze the handles together.



The ideal position for male stud is between the second and third radial cartilage as shown.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

### STORAGE:

Store in cool, dark place away from sunlight in original container.  
Opened bags containing ear tags should be resealed for storage.

### PESTICIDE DISPOSAL:

Offer for recycling (if available). Otherwise, securely wrap used tags in a plastic bag or several layers of newspaper and discard in trash.

### CONTAINER DISPOSAL:

Nonrefillable container (box and bag). Do not reuse or refill the box or bag. Offer box and bag for recycling (if available) or discard in trash.

Long taper and rounded edges for durability

- Guaranteed against loss due to tag or button failure\*.
- Snap-Lok<sup>™</sup> collar for guaranteed retention\* (US Pat. No. 4,581,834).
- No withdrawal time required.


#### GUARANTEE

\*This guarantee is a limited guarantee, limited to the replacement of tags only, if the tags failed after being properly applied, to remain in the animal's ear for a five (5) month period due to tag breakage or separation from button.

Ribbed design for season-long durability

Large surface area for insecticide effectiveness

Snap-Lok<sup>™</sup> collar for guaranteed retention\* (U.S. Patent No. 4,581,834)



**RANCH PACK**