

**NET CONTENT**  
**1.8 U.S. Pints (850mL)**

**actril®**

**CAT. NO.**  
**78399-509**

FIRST AID	
IF INHALED	<ul style="list-style-type: none"> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
IF ON SKIN OR ON CLOTHING	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes</li> <li>Call a poison control center or doctor for further treatment.</li> </ul>
IF IN EYES	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after first 5 minutes, then continue rinsing.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
IF SWALLOWED	<ul style="list-style-type: none"> <li>Call a poison control center or doctor for further treatment advice.</li> <li>Have a person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
<p><b>HOT LINE NUMBER</b> For chemical emergency, spill, leak, fire, exposure and accident, call CHEMTREC, day or night (800) 424-9300, or (703) 527-3887.</p> <p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact CHEMTREC at 1-800-424-9300 for emergency medical treatment information.</p>	
<p><b>NOTE TO PHYSICIAN:</b> Probable mucosal damage may contraindicate the use of gastric lavage.</p>	

**COLD STERILANT**  
**FOR USE IN HEALTH CARE ENVIRONMENTS**

**KEEP OUT OF REACH OF CHILDREN**  
**DANGER - PELIGRO**

**ACTIVE INGREDIENTS**

Hydrogen Peroxide	1.00%	
Peroxyacetic Acid	.08%	EPA Reg. No. 52252-7
Inert Ingredients	98.92%	EPA Est. No. 52252-MN-01
<b>Total</b>	<b>100.00%</b>	

**PRECAUTIONARY STATEMENTS**  
Hazard to Humans and Domestic Animals.

**DANGER - PELIGRO**

Corrosive. Causes irreversible eye damage. Harmful if absorbed through skin. Do not get in eyes, on skin, or on clothing. Avoid contact with skin. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash hands before reuse. Caution should be used when applying indoors because pets may be at risk.

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**

Handlers must wear: Goggles or face shields, and protective rubber gloves.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to birds, fish and aquatic invertebrates.

**PHYSICAL AND CHEMICAL HAZARDS**

This product contains an oxidizing agent.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE**

- Do not expose to direct sunlight.
- Maintain temperature below 75°F (24°C).
- Avoid contact with combustible materials.
- Store in original closed container.
- For chemical emergency, spill, leak, fire, exposure and accident, call CHEMTREC, day or night (800)-424-9300, or (703)-527-3887.

**PESTICIDE DISPOSAL**

Waste resulting from the use of this product may be disposed of on-site in a sanitary sewer or at an approved waste disposal facility. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for Guidance.

**Container Disposal**

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.  
Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after flow begins to drip. Repeat this procedure two more times.



Manufactured in the USA by:

**CE 0050**  
MEDIVATORS Inc. Headquarters  
14605 28th Avenue North  
Minneapolis, MN 55447 USA  
Toll Free: +1.800.444.4729

MEDIVATORS BV **EC REP**  
Sourethweg 11  
6422PC Heerlen  
The Netherlands  
Tel: +31.45.5.471.471

MEDIVATORS Asia/Pacific Pte Ltd  
1A International Business Park  
#05-01 Singapore 609933  
Tel: +65.6227.9698

MEDIVATORS Beijing Representative Office  
Room 708, 7th Floor Kaiheng Center, Block B  
No. 2 Chaoyangmennei Street  
Dongcheng District, Beijing China 100010  
Tel: +8610.6567.8446

[www.medivators.com](http://www.medivators.com)

U.S. Pat. No. 5,656,302 and foreign counterparts © 2014 MEDIVATORS Inc. 67200-137/B

**LOT:**  
**MFD:**  
**EXP:**

# actril<sup>®</sup> COLD STERILANT

Cat No. 78399-509

## FOR USE IN HEALTH CARE ENVIRONMENTS

### PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals.

#### DANGER - PELIGRO

**Corrosive. Causes irreversible eye damage.** Harmful if absorbed through skin. Do not get in eyes, on skin, or on clothing. Avoid contact with skin. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash hands before reuse. Caution should be used when applying indoors because pets may be at risk.

	FIRST AID
IF INHALED	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
IF ON SKIN OR ON CLOTHING	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment.</li> </ul>
IF IN EYES	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after first 5 minutes, then continue rinsing.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
IF SWALLOWED	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have a person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<p><b>HOT LINE NUMBER</b>                      For chemical emergency, spill, leak, fire, exposure and accident, call Chemtrec, day or night (800) 424-9300, (703) 527-3887.                      Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact Chemtrec at 1-800-424-9300 for emergency medical treatment information.</p>	
<p>Note to Physician:                      Probable mucosal damage may contraindicate the use of gastric lavage.</p>	

### KEEP OUT OF REACH OF CHILDREN DANGER - PELIGRO

#### ACTIVE INGREDIENTS

Hydrogen Peroxide	1.00%
Peroxyacetic Acid	.08%
Inert Ingredients	98.92%
<b>Total</b>	<b>100.00%</b>

EPA Reg. No. 52252-7  
EPA Est. No. 52252-MN-01

#### Personal Protective Equipment (PPE)

Handlers must wear: Goggles or face shields, and protective rubber gloves.

#### Environmental Hazards

This pesticide is toxic to birds, fish and aquatic invertebrates.

#### Physical and Chemical Hazards

This product contains an oxidizing agent.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

#### Pesticide Storage

1. Store upright in shipping carton.
2. Do not expose to direct sunlight.
3. Maintain temperature below 75°F (24°C).
4. Avoid contact with combustible materials.
5. Store in original closed container.
6. For chemical emergency, spill, leak, fire, exposure and accident, call Chemtrec, day or night (800) 424-9300, (763) 527-3887.

#### Pesticide Disposal

Waste resulting from the use of this product may be disposed of on-site in a sanitary sewer or at an approved waste disposal facility.

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for Guidance.

#### Container Disposal

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.

Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after flow begins to drip. Repeat this procedure two more times.



Manufactured in the USA by:

MEDIVATORS Inc. Headquarters  
14605 28th Avenue North  
Minneapolis, MN 55447 USA  
Toll Free: +1.800.444.4729

MEDIVATORS BV   
Sourethweg 11  
6422PC Heerlen  
The Netherlands  
Tel: +31.45.5.471.471

MEDIVATORS Asia/Pacific Pte Ltd  
1A International Business Park  
#05-01 Singapore 609933  
Tel: +65.6227.9698

MEDIVATORS Beijing Representative Office  
Room 708, 7th Floor Kaiheng Center, Block B  
No. 2 Chaoyangmennei Street  
Dongcheng District, Beijing China 100010  
Tel: +8610.6567.8446

www.medivators.com

U.S. Pat. No. 5,656,302 and foreign counterparts.  
© 2013 MEDIVATORS Inc. 67200-138/A

LOT:  
MFD:  
EXP:



(01)30677964000257

NET CASE CONTENTS: 4 X 1.8 Pints (850 mL) of Actril Cold Sterilant in 1 Quart Bottles

# actril<sup>®</sup> COLD STERILANT

FOR USE IN HEALTH CARE ENVIRONMENTS

REF 176-02-046

FIRST AID	
IF INHALED	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
IF ON SKIN OR ON CLOTHING	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment.</li> </ul>
IF IN EYES	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after first 5 minutes, then continue rinsing.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
IF SWALLOWED	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have a person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<p><b>HOT LINE NUMBER</b>                      For chemical emergency, spill, leak, fire, exposure and accident, call Chemtrec, day or night (800) 424-9300, (703) 527-3887.                      Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact Chemtrec at 1-800-424-9300 for emergency medical treatment information.</p>	
<p><b>Note to Physician:</b>                      Probable mucosal damage may contraindicate the use of gastric lavage.</p>	

## KEEP OUT OF REACH OF CHILDREN DANGER - PELIGRO

**PRECAUTIONARY STATEMENTS**  
 Hazard to Humans and Domestic Animals.

**DANGER - PELIGRO**

**Corrosive. Causes irreversible eye damage.** Harmful if absorbed through skin. Do not get in eyes, on skin, or on clothing. Avoid contact with skin. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash hands before reuse. Caution should be used when applying indoors because pets may be at risk.

**ACTIVE INGREDIENTS**

Hydrogen Peroxide ..... 1.00%  
 Peroxyacetic Acid ..... .08%

EPA Reg. No. 52252-7  
 EPA Est. No. 52252-MN-01

**INERT INGREDIENTS ...98.92%**

Total..... 100.00%

**NET CONTENTS:**  
 0.95 Liters  
 (1 Quart)



Manufactured in the USA by:

Medivators Inc.  
 14605 28th Avenue North  
 Minneapolis, MN 55447 USA  
 Toll Free: +1.800.444.4729

www.medivators.com

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage**

1. Store upright in shipping carton.
2. Do not expose to direct sunlight.
3. Maintain temperature below 75°F (24°C).
4. Avoid contact with combustible materials.
5. Store in original closed container.
6. For chemical emergency, spill, leak, fire, exposure and accident, call Chemtrec, day or night (800) 424-9300, (703) 527-3887.

**Pesticide Disposal**

Waste resulting from the use of this product may be disposed of on-site in a sanitary sewer or at an approved waste disposal facility. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for Guidance.

**Container Disposal**

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after flow begins to drip. Repeat this procedure two more times.

See Directions for Use for additional precautionary statements

**Personal Protective Equipment (PPE)**

Handlers must wear: Goggles or face shields, and protective rubber gloves.

**Environmental Hazards**

This pesticide is toxic to birds, fish and aquatic invertebrates.

**Physical and Chemical Hazards**

This product contains an oxidizing agent.

LOT :

MFD :

EXP :



REF 176-02-046

# actril® COLD STERILANT



FOR USE IN HEALTH CARE ENVIRONMENTS

KEEP OUT OF REACH OF CHILDREN

DANGER - PELIGRO

**PRECAUTIONARY STATEMENTS**  
Hazard to Humans and Domestic Animals.

**DANGER - PELIGRO**

**Corrosive. Causes irreversible eye damage.** Harmful if absorbed through skin. Do not get in eyes, on skin, or on clothing. Avoid contact with skin. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash hands before reuse. Caution should be used when applying indoors because pets may be at risk.

See Directions for Use for  
additional precautionary statements  
**Personal Protective Equipment (PPE)**

Handlers must wear: Goggles or face shields, and protective rubber gloves.

**Environmental Hazards**

This pesticide is toxic to birds, fish and aquatic invertebrates.

**Physical and Chemical Hazards**

This product contains an oxidizing agent.

**FIRST AID**

IF INHALED	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
IF ON SKIN OR ON CLOTHING	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment.</li> </ul>
IF IN EYES	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after first 5 minutes, then continue rinsing.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
IF SWALLOWED	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have a person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>

**HOT LINE NUMBER**

For chemical emergency, spill, leak, fire, exposure and accident,  
call Chemtrec, day or night (800) 424-9300, (703) 527-3887.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact Chemtrec at 1-800-424-9300 for emergency medical treatment information.

**Note to Physician:**

Probable mucosal damage may contraindicate the use of gastric lavage.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage**

1. Store upright in shipping carton.
2. Do not expose to direct sunlight.
3. Maintain temperature below 75°F (24°C).
4. Avoid contact with combustible materials.
5. Store in original closed container.
6. For chemical emergency, spill, leak, fire, exposure and accident, call Chemtrec, day or night (800) 424-9300, (703) 527-3887.

**Pesticide Disposal**

Waste resulting from the use of this product may be disposed of on-site in a sanitary sewer or at an approved waste disposal facility.

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for Guidance.

**Container Disposal**

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after flow begins to drip. Repeat this procedure two more times.

**ACTIVE INGREDIENTS**

Hydrogen Peroxide ..... 1.00%  
Peroxyacetic Acid ..... .08%

**INERT INGREDIENTS ...98.92%**

Total..... 100.00%

EPA Reg. No. 52252-7

EPA Est. No. 52252-MN-01

**NET CONTENTS:**

6 x 1 Quart (0.95 Liters)

Total = 6 US Quarts (5.68 Liters)



**MEDIVATORS**  
A Cantel Medical Company

Manufactured in the USA by:

Medivators Inc.

14605 28th Avenue North  
Minneapolis, MN 55447 USA  
Toll Free: +1.800.444.4729

www.medivators.com

© 2016 Medivators Inc. 67200-362/B

LOT:

MFD:

EXP:



FIRST AID	
IF INHALED	<ul style="list-style-type: none"> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
IF ON SKIN OR ON CLOTHING	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment.</li> </ul>
IF IN EYES	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after first 5 minutes, then continue rinsing.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
IF SWALLOWED	<ul style="list-style-type: none"> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have a person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
<p><b>HOT LINE NUMBER</b> For chemical emergency, spill, leak, fire, exposure and accident, call Chemtrec, day or night (800) 424-9300, (703) 527-3887. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact Chemtrec at 1-800-424-9300 for emergency medical treatment information.</p> <p><b>Note to Physician:</b> Probable mucosal damage may contraindicate the use of gastric lavage.</p>	

# actril® COLD STERILANT

REF176-02-043

FOR USE IN HEALTH CARE ENVIRONMENTS

**KEEP OUT OF REACH OF CHILDREN**  
**DANGER - PELIGRO**

**ACTIVE INGREDIENTS**  
 Hydrogen Peroxide ..... 1.00%  
 Peroxyacetic Acid ..... 08%  
**INERT INGREDIENTS** ..... 98.92%  
 Total ..... 100.00%

EPA Reg. No. 52252-7  
 EPA Est. No. 52252-MN-01

**NET CONTENTS:**  
 1 U.S. Gallons  
 (3.78 Liters)



Manufactured in the USA by:  
 Medivators Inc.  
 14605 28th Avenue North  
 Minneapolis, MN 55447 USA  
 Toll Free: +1.800.444.4729  
[www.medivators.com](http://www.medivators.com)

STORAGE AND DISPOSAL
<p>Do not contaminate water, food or feed by storage or disposal.</p> <p><b>Pesticide Storage</b></p> <ol style="list-style-type: none"> <li>Store upright in shipping carton.</li> <li>Do not expose to direct sunlight.</li> <li>Maintain temperature below 75°F (24°C).</li> <li>Avoid contact with combustible materials.</li> <li>Store in original closed container.</li> <li>For chemical emergency, spill, leak, fire, exposure and accident, call Chemtrec, day or night (800) 424-9300, (703) 527-3887.</li> </ol> <p><b>Pesticide Disposal</b>          Waste resulting from the use of this product may be disposed of on-site in a sanitary sewer or at an approved waste disposal facility. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.</p> <p><b>Container Disposal</b>          Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.          Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after flow begins to drip. Repeat this procedure two more times.</p>

**See Directions for Use for additional precautionary statements**

**Personal Protective Equipment (PPE)**  
 Handlers must wear: Goggles or face shields, and protective rubber gloves.

**Environmental Hazards**  
 This pesticide is toxic to birds, fish and aquatic invertebrates.

**Physical and Chemical Hazards**  
 This product contains an oxidizing agent.

**PRECAUTIONARY STATEMENTS**  
 Hazard to Humans and Domestic Animals.

**DANGER - PELIGRO**  
**Corrosive. Causes irreversible eye damage.** Harmful if absorbed through skin. Do not get in eyes, on skin, or on clothing. Avoid contact with skin. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash hands before reuse. Caution should be used when applying indoors because pets may be at risk.

LOT:  
 MFD:  
 EXP:



# actril<sup>®</sup> COLD STERILANT

REF 176-02-043



FIRST AID	
IF INHALED	<ul style="list-style-type: none"> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
IF ON SKIN OR ON CLOTHING	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment.</li> </ul>
IF IN EYES	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after first 5 minutes, then continue rinsing.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
IF SWALLOWED	<ul style="list-style-type: none"> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have a person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
<p><b>HOT LINE NUMBER</b>                      For chemical emergency, spill, leak, fire, exposure and accident, call Chemtrec, day or night (800) 424-9300, (703) 527-3887.                      Have the product container or label with you when calling a poison control center or doctor, or going for treatment.                      You may also contact Chemtrec at 1-800-424-9300 for emergency medical treatment information.</p>	
<p><b>Note to Physician:</b>                      Probable mucosal damage may contraindicate the use of gastric lavage.</p>	

**FOR USE IN HEALTH CARE ENVIRONMENTS**

**KEEP OUT OF REACH OF CHILDREN  
 DANGER - PELIGRO**

**PRECAUTIONARY STATEMENTS**  
 Hazard to Humans and Domestic Animals.

**DANGER - PELIGRO**

**Corrosive. Causes irreversible eye damage.** Harmful if absorbed through skin. Do not get in eyes, on skin, or on clothing. Avoid contact with skin. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash hands before reuse. Caution should be used when applying indoors because pets may be at risk.

See Directions for Use for additional precautionary statements

**Personal Protective Equipment (PPE)**  
 Handlers must wear: Goggles or face shields, and protective rubber gloves.

**Environmental Hazards**  
 This pesticide is toxic to birds, fish and aquatic invertebrates.

**Physical and Chemical Hazards**  
 This product contains an oxidizing agent.

**ACTIVE INGREDIENTS**

Hydrogen Peroxide ..... 1.00%  
 Peroxyacetic Acid ..... 0.08%

**INERT INGREDIENTS ... 98.92%**  
 Total..... 100.00%

EPA Reg. No. 52252-7  
 EPA Est. No. 52252-MN-01

**NET CONTENTS:**  
 4 x 1 U.S. Gallons (3.78 Liters)  
 Total = 4 US Gallons (15.12 Liters)

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage**

1. Store upright in shipping carton.
2. Do not expose to direct sunlight.
3. Maintain temperature below 75°F (24°C).
4. Avoid contact with combustible materials.
5. Store in original closed container.
6. For chemical emergency, spill, leak, fire, exposure and accident, call Chemtrec, day or night (800) 424-9300, (703) 527-3887.

**Pesticide Disposal**

Waste resulting from the use of this product may be disposed of on-site in a sanitary sewer or at an approved waste disposal facility. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for Guidance.

**Container Disposal**

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.  
 Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after flow begins to drip. Repeat this procedure two more times.



Manufactured in the USA by:  
 Medivators Inc.  
 14605 28th Avenue North  
 Minneapolis, MN 55447 USA  
 Toll Free: +1.800.444.4729

[www.medivators.com](http://www.medivators.com)

**LOT**:

**MFD**:

**EXP**:

# actril<sup>®</sup> COLD STERILANT

## FOR USE IN HEALTH CARE ENVIRONMENTS

REF 176-02-044



### FIRST AID

- IF INHALED**
- Move person to fresh air.
  - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
  - Call a poison control center or doctor for further treatment advice.
- IF ON SKIN OR ON CLOTHING**
- Take off contaminated clothing.
  - Rinse skin immediately with plenty of water for 15-20 minutes.
  - Call a poison control center or doctor for treatment.
- IF IN EYES**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
  - Remove contact lenses, if present, after first 5 minutes, then continue rinsing.
  - Call a poison control center or doctor for treatment advice.
  - Call a poison control center or doctor immediately for treatment advice.
- IF SWALLOWED**
- Have a person sip a glass of water if able to swallow.
  - Do not induce vomiting unless told to by a poison control center or doctor.
  - Do not give anything by mouth to an unconscious person.

### HOT LINE NUMBER

For chemical emergency, spill, leak, fire, exposure and accident, call Chemtrec, day or night (800) 424-9300, (703) 527-3887.  
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact Chemtrec at 1-800-424-9300 for emergency medical treatment information.

### Note to Physician:

Probable mucosal damage may contraindicate the use of gastric lavage.

## KEEP OUT OF REACH OF CHILDREN DANGER - PELIGRO

### PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals.

### DANGER - PELIGRO

**Corrosive.** Causes irreversible eye damage. Harmful if absorbed through skin. Do not get in eyes, on skin, or on clothing. Avoid contact with skin. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash hands before reuse. Caution should be used when applying indoors because pets may be at risk.



See Directions for Use for additional precautionary statements

### ACTIVE INGREDIENTS

Hydrogen Peroxide..... 1.00%  
Peroxyacetic Acid..... .08%

### INERT INGREDIENTS 98.92%

Total ..... 100.0%

EPA Reg. No. 52252-7

EPA Est. No. 52252-MN-01

### NET CASE CONTENTS

4 x 1 US Gallon (3.78 liters)  
Total = 4 US Gallon (15.12 liters)

100 Residual Test Strips  
100 Indicator Test Strips

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

#### Pesticide Storage

1. Store upright in shipping carton.
2. Do not expose to direct sunlight.
3. Maintain temperature below 75°F (24°C).
4. Avoid contact with combustible materials.
5. Store in original closed container.
6. For chemical emergency, spill, leak, fire, exposure and accident, call Chemtrec, day or night (800) 424-9300, (703) 527-3887.

#### Pesticide Disposal

Waste resulting from the use of this product may be disposed of on-site in a sanitary sewer or at an approved waste disposal facility. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for Guidance.

#### Container Disposal

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.  
Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after flow begins to drip. Repeat this procedure two more times.

### Personal Protective Equipment (PPE)

Handlers must wear: Goggles or face shields, and protective rubber gloves.

### Environmental Hazards

This pesticide is toxic to birds, fish and aquatic invertebrates.

### Physical and Chemical Hazards

This product contains an oxidizing agent.

LOT:

MFD:

EXP:

**MEDIVATORS**  
A Cantel Medical Company

Manufactured in the USA by:

Medivators Inc.  
14605 28th Avenue North  
Minneapolis, MN 55447 USA  
Toll Free: +1.800.444.4729

**CE**  
**0050**  
Cantel Medical Asia/Pacific Pte. Ltd.  
1A International Business Park  
#05-01 Singapore 609933  
Tel: +65.6227.9698  
www.medivators.com

Medivators BV  
Sourethweg 11  
6422PC Heerlen  
The Netherlands  
Tel: +31.45.5.471.471

Cantel Medical Devices (China) Co. Ltd.  
Unit 804-805, Innov Tower Block A,  
Hongmei Road, Xuhui 200233 Shanghai  
Tel: +86 21 60161380  
Fax: +86 21 61210913

U.S. Pat. No. 5,656,302 and foreign counterparts.  
© 2016 Medivators Inc. 67200-588/A

**NET CONTENT**  
**50 Gallons (189.3 Liters)**

**actril®**

**CAT. NO.**  
**78399-510**

FIRST AID	
IF INHALED	<ul style="list-style-type: none"> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
IF ON SKIN OR ON CLOTHING	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes</li> <li>Call a poison control center or doctor for further treatment.</li> </ul>
IF IN EYES	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after first 5 minutes, then continue rinsing.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
IF SWALLOWED	<ul style="list-style-type: none"> <li>Call a poison control center or doctor for further treatment advice.</li> <li>Have a person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
<p><b>HOT LINE NUMBER</b> For chemical emergency, spill, leak, fire, exposure and accident, call CHEMTREC, day or night (800) 424-9300, or (703) 527-3887.</p> <p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact CHEMTREC at 1-800-424-9300 for emergency medical treatment information.</p>	
<p><b>NOTE TO PHYSICIAN:</b> Probable mucosal damage may contraindicate the use of gastric lavage.</p>	

**COLD STERILANT**  
**FOR USE IN HEALTH CARE ENVIRONMENTS**  
**KEEP OUT OF REACH OF CHILDREN**  
**DANGER - PELIGRO**

**ACTIVE INGREDIENTS**

Hydrogen Peroxide	1.00%	EPA Reg. No. 52252-7
Peroxyacetic Acid	.08%	EPA Est. No. 52252-MN-01
Inert Ingredients	98.92%	
Total	100.00%	

**PRECAUTIONARY STATEMENTS**  
Hazard to Humans and Domestic Animals.

**DANGER - PELIGRO**

Corrosive. Causes irreversible eye damage. Harmful if absorbed through skin. Do not get in eyes, on skin, or on clothing. Avoid contact with skin. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash hands before reuse. Caution should be used when applying indoors because pets may be at risk.

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**

Handlers must wear: Goggles or face shields, and protective rubber gloves.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to birds, fish and aquatic invertebrates.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in a NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage plant authority. For guidance contact your State Water Board or Regional Office of the U.S. Environmental Protection Agency.

**PHYSICAL AND CHEMICAL HAZARDS**

This product contains an oxidizing agent.



(01) 00677964000269

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE**

- Do not expose to direct sunlight.
- Maintain temperature below 75°F (24°C).
- Avoid contact with combustible materials.
- Store in original closed container.
- For chemical emergency, spill, leak, fire, exposure and accident, call CHEMTREC, day or night (800)-424-9300, or (703)-527-3887.

**PESTICIDE DISPOSAL**

Waste resulting from the use of this product may be disposed of on-site in a sanitary sewer or at an approved waste disposal facility. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for Guidance.

**Container Disposal**

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.

Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill container 1/4 full with water. Replace and tighten enclosures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand container on its end and tip it back and forth several times. Empty rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

 **MEDIVATORS**  
A Cantel Medical Company

Manufactured in the USA by:

MEDIVATORS Inc. Headquarters  
14605 28th Avenue North  
Minneapolis, MN 55447 USA  
Toll Free: +1.800.444.4729

MEDIVATORS BV   
Sourethweg 11  
6422PC Heerlen  
The Netherlands  
Tel: +31.45.5.471.471

MEDIVATORS Asia/Pacific Pte Ltd  
1A International Business Park  
#05-01 Singapore 609933  
Tel: +65.6227.9698

MEDIVATORS Beijing Representative Office  
Room 708, 7th Floor Kaiheng Center, Block B  
No. 2 Chaoyangmennei Street  
Dongcheng District, Beijing China 100010  
Tel: +8610.6567.8446

[www.medivators.com](http://www.medivators.com)

U.S. Pat. No. 5,656,302 and foreign counterparts © 2013 MEDIVATORS Inc. 67200-136/A

**LOT:**  
 **MFD:**  
 **EXP:**

**actril****COLD STERILANT**

FOR USE IN HEALTH CARE ENVIRONMENTS

**KEEP OUT OF REACH OF CHILDREN  
DANGER - PELIGRO****ACTIVE INGREDIENTS**Hydrogen Peroxide ..... 1.00%  
Peroxyacetic Acid ..... 08%**INERT INGREDIENTS ...98.92%**

Total..... 100.00%

EPA Reg. No. 52252-7

EPA Est. No. 52252-MN-01

## PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals.

## DANGER - PELIGRO

Corrosive. Causes irreversible eye damage. Harmful if absorbed through skin. Do not get in eyes, on skin, or on clothing. Avoid contact with skin. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash hands before reuse. Caution should be used when applying indoors because pets may be at risk.


**MEDIVATORS**  
A Cantel Medical Company

Manufactured in the USA by:

Medivators Inc.

14605 28th Avenue North  
Minneapolis, MN 55447 USA  
Toll Free: +1.800.444.4729[www.medivators.com](http://www.medivators.com)

	<b>FIRST AID</b>
IF INHALED	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
IF ON SKIN OR ON CLOTHING	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment.</li> </ul>
IF IN EYES	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after first 5 minutes, then continue rinsing.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
IF SWALLOWED	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>HOT LINE NUMBER</b>	
<p>For chemical emergency, spill, leak, fire, exposure and accident, call Chemtrec, day or night (800) 424-9300, (703) 527-3887.</p> <p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact Chemtrec at 1-800-424-9300 for emergency medical treatment information.</p>	
<b>NOTE TO PHYSICIAN:</b>	
Probable mucosal damage may contraindicate the use of gastric lavage.	

**Personal Protective Equipment (PPE)**

Handlers must wear: Goggles or face shield, and protective rubber gloves.

**Environmental Hazards**

This pesticide is toxic to birds, fish and aquatic invertebrates.

(Applicable to volumes of 5 gallons or greater.)

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in a NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage plant authority. For guidance contact your State Water Board or Regional Office of the U.S. Environmental Protection Agency.

**Physical and Chemical Hazards**

This product contains an oxidizing agent.

**PRODUCT CLAIMS**

• Sterilant	undiluted	5½ hr.	20°C
• Sporicidal	undiluted	5½ hr.	20°C
• Bactericidal	undiluted	5½ hr.	20°C
• Virucidal	undiluted	5½ hr.	20°C
Hepatitis B	undiluted	5½ hr.	20°C
HIV-1*	undiluted	5½ hr.	20°C
• Fungicidal	undiluted	5½ hr.	20°C
• Broad Spectrum Disinfectant	undiluted	10 min.	20°C
• Hospital Disinfectant and Pseudomonacidal	Dilute 50X	10min.	20°C
Use Fresh Solution Only. Do Not Reuse			
• Tuberculocidal	undiluted	10 min.	20°C
Use Fresh Solution Only. Do Not Reuse			
• Non-Staining Pre-Activated/No Activation Needed			
• Fast-Acting			
• Reusable			
As a sterilant for 14 days			
As a broad spectrum disinfectant for 14 days (when used undiluted)			
• Germicidal Spray Disinfectant undiluted 30 sec. 20°C			

Failure to follow directions for use per package insert may result in user injury.

\*KILLS HIV-1 ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV-1 (Human Immunodeficiency Virus Type 1 - associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

PERSONAL PROTECTION: Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks and eye coverings.

CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before the application of the sterilant.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal.

CONTACT TIME: Leave surfaces wet with undiluted ACTRIL® Cold Sterilant for a minimum of 5½ hours.

**DIRECTIONS FOR USE**

1. It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

3. Do not allow ACTRIL® Cold Sterilant to mix with alkaline substances such as bleach (Sodium hypochlorite) or other oxidizing agents.
4. Use purified water (e.g. deionized) for making dilutions, cleaning and rinsing.
5. Some materials may be incompatible with ACTRIL Cold Sterilant. Test material prior to use.
6. Reuse of diluted ACTRIL Cold Sterilant is not recommended.

#### **DIRECTIONS FOR STERILIZATION**

1. ACTRIL Cold Sterilant may be used to sterilize non-invasive dental/surgical equipment such as pressure clamps, tubing clamps, blood pressure cuffs, mirrors etc. This product is not to be used as a terminal sterilant on any critical/semi-critical medical device.
2. Remove any obvious debris or organic material from the surface to be sterilized. This can often be accomplished by rinsing with water or by detergent cleaning followed by a water rinse.
3. Immerse the item to be sterilized in a sufficient volume of undiluted ACTRIL Cold Sterilant to cover the item and fill all passages requiring sterilization. Hold in sterilizing solution for a minimum of 5½ hours at 20°C temperature (68°F).
4. Remove items after 5½ hours and rinse with sterile water until rinse water shows level of 10 ppm or less when tested with ACTRIL® Residual Test Strips.
5. The solution may be used and reused for up to 14 days in a manual system with 5½ hours immersion.

#### **DIRECTIONS FOR BROAD SPECTRUM DISINFECTION**

1. For broad spectrum disinfection of items such as external surfaces of medical equipment, kidney dialysis machines, non-invasive dental instruments, counters, bathroom fixtures, etc. This product is not to be used as a terminal high level disinfectant on any critical/semi-critical medical device.
2. Remove any obvious debris or organic material from the surface to be disinfected. This can often be accomplished by rinsing with purified water (e.g. deionized), mechanical action, or by detergent cleaning followed by a water rinse.
3. Immerse the item to be disinfected in sufficient volume of undiluted ACTRIL Cold Sterilant solution to cover the item and/or where appropriate by filling all passages requiring disinfection. Hold item in contact with the disinfecting solution for a minimum of 10 minutes at 20°C temperature (68°F).
4. Remove items after 10 minutes and rinse with purified water until effluent shows acceptable levels when tested with ACTRIL Residual Test Strips.
5. The solution may be used and reused for up to 14 days in a manual system with 10 minutes immersion.
6. For tuberculocidal activity at 20°C with fresh, undiluted solution, immerse completely for 10 minutes. Remove items and rinse thoroughly.
7. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

#### **DIRECTIONS FOR HOSPITAL DISINFECTION**

1. For disinfection of items such as external surfaces of medical equipment, counters, bathroom fixtures, etc. This product is not to be used as a terminal high level disinfectant on any critical/semi-critical medical device.
2. Remove any obvious debris or organic material from the surface to be disinfected. This can often be accomplished by rinsing with purified water or by detergent cleaning followed by a water rinse.
3. Immerse the pre-cleaned item to be disinfected in sufficient volume of freshly diluted 50X ACTRIL Cold Sterilant using purified water, to cover the item and fill all passages requiring disinfection. Hold item in contact with the disinfecting solution for a minimum of 10 minutes at 20°C temperature (68°F).
4. Remove items after 10 minutes and rinse with purified water until rinse water shows levels of 10 ppm or less when tested with ACTRIL Residual Test Strips.
5. Cannot be reused as a hospital disinfectant.
6. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

#### **FOGGING FOR TO REGULAR CLEANING:**

This product may be used in fogging (wet misting) following regular cleaning procedures for hard room surfaces.

1. Prior to fogging, remove or carefully protect all food products and packaging materials.
2. Ensure room is properly ventilated. Vacate all personnel from the room during fogging and for a minimum of 2 hours after fogging or until the hydrogen peroxide air concentration is below 0.5 ppm.
3. Fog areas using one quart (946 ml) per 1000 cu. ft. (28.3 m3) of room volume with undiluted ACTRIL Cold Sterilant solution.
4. Allow surfaces to dry thoroughly before operations are resumed.  
Note: In all applications, always prepare a new solution daily to ensure effectiveness. Do not reuse solutions. Dispose of any unused solution.

#### **Directions for Use as a Germicidal Disinfectant Spray**

1. Spray ACTRIL Cold Sterilant undiluted onto cleaned surface using a plastic spray bottle.
2. Allow to remain on surface for 30 seconds.
3. Let air dry or rinse with purified water, drain off excess water if possible and allow to dry.

#### **USES**

Primarily intended for sterilization, disinfection or sanitization of:

Stainless Steel  
Plastic Items and surfaces  
Anesthesia Equipment  
Medical Equipment  
External Surfaces of Respiratory Equipment  
Hard Surfaces e.g. counter tops  
Non-Invasive Surgical Equipment  
Floors  
Walls  
Bathroom fixtures

Glass

Non-Invasive Dental Instruments

Formica

Vinyl

Materials Compatibility: Polyvinyl chloride, polypropylene, polyurethane, aceto-copolymers, polycarbonate, polysulfone, polystyrene, stainless steel.

## **STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

#### **PESTICIDE STORAGE**

1. Store upright in shipping carton.
2. Do not expose to direct sunlight.
3. Maintain temperature below 75°F (24°C)
4. Avoid contact with combustible materials.
5. Store in original closed container.
6. For chemical emergency, spill, leak, fire, exposure and accident, call Chemtrec, day or night (800) 424-9300, (703) 527-3887.

#### **PESTICIDE DISPOSAL**

Wastes resulting from the use of this product may be disposed of on-site in a sanitary sewer or at an approved waste disposal facility.

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for Guidance.

#### **CONTAINER DISPOSAL**

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.

(For ≤ 5 gal.): Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after flow begins to drip. Repeat this procedure two more times.

(For >5 gal.): Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten enclosures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand container on its end and tip it back and forth several times. Empty rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.