

Designed specifically for institutional cleaning and disinfection in Nursing Homes, Hospitals, Institutions, Offices, Homes, Schools, Hotels and Motels. When used as directed, it will disinfect inanimate hard surfaces (such as walls, sink tops, tables, chairs, telephones, door knobs, light switches, shower stalls, hamper, and cabinets). **BACTERICIDAL ACTIVITY** - When used as directed this product exhibits effective disinfectant activity against the organisms: Mycobacterium tuberculosis (BCG) at 20°C, Staphylococcus aureus, Staphylococcus aureus-Methicillin Resistant (MRSA), Salmonella choleraesuis, Pseudomonas aeruginosa, Enterococcus

faecalis-Vancomycin Resistant (VRE) Staphylococcus aureus-Glycopeptide Resistant (GRSA), and Escherichia coli (O157:H7). Efficacy tests have demonstrated it to be an effective one-step cleaner/disinfectant in the presence of organic soil (5% blood serum).

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **FOR CLEANING AND DEODORIZATION:** To clean light soil from hard surfaces, dilute one part product with seven parts water. Spray and wipe clean.

DISINFECTION AND CLEANING: To disinfect, clean and deodorize hard non-porous surfaces such as toilet seats, bathroom tiles, fixtures, shower stalls, tables, handrails, walls and sinks, proceed as indicated below: Spray area until it is covered with the solution. Allow the product to penetrate and remain wet for 10 minutes. No scrubbing is necessary. Wipe off with a clean cloth, mop or sponge. The product will not leave grit or soap scum. For disinfection, remove heavy soil before treatment. **One step cleaning and disinfection of toilet bowls and urinals:** Remove water from bowl or urinal. Apply one to two ounces of this product evenly, allowing sufficient time for product to cover entire surface of bowl for best cleaning results. Swab bowl completely using brush or bowl mop, making sure to get under the rim. Let stand for 10 minutes and flush.

MOLD AND MILDEWSTAT-Prevents and controls mold and mildew on hard non-porous pre-cleaned inanimate surfaces. **MILDEWSTAT**-To control mold and mildew on hard non-porous surfaces (such as floors, walls, table tops), pre-clean surfaces, then spray the surfaces to be treated, making sure to wet completely. Let air dry. Repeat application at weekly intervals or when mildew growth appears. **FUNGICIDAL**- This product is fungicidal against pathogenic fungi (*Trichophyton mentagrophytes*) when used as directed on hard non-porous surfaces commonly contacted by bare feet. Follow disinfection directions.

EFFECTIVE AGAINST HERPES SIMPLEX TYPE 2 (on hard inanimate surfaces). **EFFECTIVE AGAINST HIV-1(AIDS VIRUS):** Product was evaluated and found to be an effective virucide in the presence of 5% serum against the virus HIV-1 (Human Immunodeficiency Virus 1, commonly referred to as "AIDS VIRUS" on inanimate surfaces).

KILLS HIV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in healthcare settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1)(associated with AIDS).

Manufactured By:
CANBERRA CORPORATION
3610 Holland-Sylvania Rd.
Toledo, Ohio 43615

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS: Personal Protection: Disposable latex gloves, gowns, masks and splash resistant goggles must be worn when handling items soiled with blood or body fluids.

Cleaning Procedures: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant. **Contact Time:** Leave surface wet for 10 minutes.

Disposal of Infectious Materials: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Harmful if absorbed through the skin and/or if inhaled. Avoid contact with eyes, skin and clothing. Avoid breathing spray mist. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

FIRST AID: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment

advice. **If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison center or doctor, or going for treatment.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL. **Pesticide Storage:** Keep from freezing - Store in a cool, dry location, in locked area inaccessible to children. **Container Disposal:** Do not reuse empty container. Rinse thoroughly with water before discarding in trash. 061404

EPA REG. NO. 8155-5
EPA EST. 8155-OH-1
U.S. PATENT NO. 5,444,094



This container is coded for Recycling



College of Knowledge
IEHA Certified Training & Education Available on CD ROM



non-acid
320

N/A BOWL AND BATHROOM CLEANER

BACTERICIDAL, TUBERCULOCIDAL, *VIRUCIDAL
CLEANS, DISINFECTS, DEODORIZES, ANTIBACTERIAL, ANTI-MICROBIAL

KILLS HERPES SIMPLEX TYPE 2*
KILLS HIV-1 (AIDS VIRUS) ON PRECLEANED ENVIRONMENTAL SURFACES*
KILLS METHICILLIN RESISTANT STAPHYLOCOCCUS AUREUS (MRSA)
KILLS GLYCOPEPTIDE RESISTANT STAPHYLOCOCCUS AUREUS (GRSA) KILLS
ESCHERICHIA COLI (O157:H7)
KILLS ENTEROCOCCUS FAECALIS, VANCOMYCIN RESISTANT (VRE)

GERMICIDAL/MILDEWSTAT (ON HARD INANIMATE SURFACES)/FUNGICIDAL/FOAMING FORMULA

ACTIVE INGREDIENTS
n-Alkyl (60% C₁₂, 30% C₁₄, 5% C₁₆, 5% C₁₈)
dimethyl benzyl ammonium chlorides 0.105%
n-Alkyl (68% C₁₂, 32% C₁₄) dimethyl
ethylbenzyl ammonium chlorides 0.105%
OTHER INGREDIENTS 99.790%
TOTAL 100.000%

Keep Out Of Reach Of Children

CAUTION

See reverse side for First Aid and additional precautionary statements.

Net Contents: One Quart (32 Fl. Oz.) 946 ml



STATE OF HAWAII
Department of Agriculture

ACCEPTED

LICENSE NO. **9733.13**

Disc.