

- For Residential/Commercial Use
- May be used in Non-Food/Feed Areas of Food/Feed Processing Plants
- Controls Residential Insects
- Kills On Contact • Seeks Out Bugs Where They Hide
- Non-Staining • No Unpleasant Odor
- Water-Based Formula • Protects For Up to 3 Months

**PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS:**

**CAUTION:** Harmful if inhaled. Avoid breathing vapor or spray mist. Remove contaminated clothing and wash before reuse. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquarium before spraying. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.

**FIRST AID: IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters.

**PHYSICAL OR CHEMICAL HAZARDS:** Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

**STORAGE & DISPOSAL: STORAGE:** Store in a cool, dry area. Do not transport or store below 32°F. **CONTAINER DISPOSAL:** Do Not Puncture or Incinerate! IF EMPTY: Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local solid waste agency for disposal instructions.

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. Nonfood areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. Do not use in rooms/areas while occupied by patients, the elderly or infirm. Do not apply to classrooms when in use. Not for use in federally inspected meat and poultry plants.

**SHAKE WELL BEFORE USING!** Remove protection cap, hold container upright and spray from a distance of 12 to 15 inches.

Exclusively Distributed By:

**NISUS Corp.**  
100 Nisus Drive  
Rockford, TN 37853  
800.264.0870

**INDOORS: Cluster Flies, Houseflies, Fruit Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees, Black Flies, Skipper Flies, Blow Flies and Small Flying Moths:** Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room, moving toward the door. Direct spray to all parts of the room especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Leave room and keep area closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects. Repeat treatment as necessary. **Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs and Pillbugs:** Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary. **Ants:** Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

**IN ANIMAL QUARTERS AND MILK ROOMS: For rapid control of House Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees and Small Flying Moths:** Remove animals prior to treatment. Close windows and doors and spray at the rate of 2 seconds per 1000 cu. ft. of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed.

**OUTDOORS:** Not for use on plants being grown for sale or other commercial/seed production, or research purposes. Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing. **FLYING INSECTS: Flies, Mosquitoes, Gnats, Small Flying Moths, Hornets, Wasps and Yellow Jackets:** Allow fog to drift over area. Direct spray toward bushes or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as garbage cans and compost piles. Repeat as necessary. **Mud Daubers and Wasp Nests:** Spray mist directly on insects and their nests from approximately 2 feet away. Contacted insects will fly away from fog. Applications should be made in late evening when insects are at rest. Spray into hiding and breeding places contacting as many insects as possible. **CRAWLING INSECTS:**

**Ants, Cockroaches, including Asian Cockroaches, Crickets, Mole Crickets, Centipedes, and Silverfish:** Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith. **06/03**



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9773.23**

**Disc.**

*Fireback*

**SPIDER & SCORPION**

**SPRAY & JET**

A Broad Spectrum Insecticide Highly Effective Against Ants, Centipedes, Cockroaches, Crickets, Firebrats, Millipedes, Moths, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders, Wasps, and Other Pests Listed on the Label

EPA Reg. No. 10807-161-64405 EPA Est. No. 10807-GA-1

**ACTIVE INGREDIENTS:**

Pyrethrins ..... 0.10%  
\*Piperonyl Butoxide, Technical ..... 0.50%  
\*\*Permethrin ..... 0.20%

**INERT INGREDIENTS** ..... 99.20%  
**TOTAL** ..... 100.00%

\*Equivalent to min. 0.4% (butylcarbityl) (6-propylpiperonyl) ether and 0.1% related compounds.

\*\*[(3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate. Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION:**

See side panel for additional precautions.

**NET WT. 1 LB. 1 OZ. (17 OZ.)(481.95 GRAMS)**

- For Residential/Commercial Use
- May be used in Non-Food/Feed Areas of Food/Feed Processing Plants
- Controls Residential Insects
- Kills On Contact • Seeks Out Bugs Where They Hide
- Non-Staining • No Unpleasant Odor
- Water-Based Formula • Protects For Up to 3 Months

**PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS:**

**CAUTION:** Harmful if inhaled. Avoid breathing vapor or spray mist. Remove contaminated clothing and wash before reuse. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquarium before spraying. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.

**FIRST AID: IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters.

**PHYSICAL OR CHEMICAL HAZARDS:** Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

**STORAGE & DISPOSAL: STORAGE:** Store in a cool, dry area. Do not transport or store below 32°F. **CONTAINER DISPOSAL:** Do Not Puncture or Incinerate. IF EMPTY: Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. Nonfood areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. Do not use in rooms/areas while occupied by patients, the elderly or infirm. Do not apply to classrooms when in use. Not for use in federally inspected meat and poultry plants.

**SHAKE WELL BEFORE USING!** Remove protection cap, hold container upright and spray from a distance of 12 to 15 inches.

Exclusively Distributed By:

**NISUS Corp.**  
100 Nisus Drive  
Rockford, TN 37853  
800.264.0870

**INDOORS: Cluster Flies, Houseflies, Fruit Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees, Black Flies, Skipper Flies, Blow Flies and Small Flying Moths:** Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room, moving toward the door. Direct spray to all parts of the room especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Leave room and keep area closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects. Repeat treatment as necessary. **Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs and Pillbugs:** Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary. **Ants:** Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

**IN ANIMAL QUARTERS AND MILK ROOMS: For rapid control of House Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees and Small Flying Moths:** Remove animals prior to treatment. Close windows and doors and spray at the rate of 2 seconds per 1000 cu. ft. of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed.

**OUTDOORS:** Not for use on plants being grown for sale or other commercial/seed production, or research purposes. Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing. **FLYING INSECTS: Flies, Mosquitoes, Gnats, Small Flying Moths, Hornets, Wasps and Yellow Jackets:** Allow fog to drift over area. Direct spray toward bushes or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as garbage cans and compost piles. Repeat as necessary. **Mud Daubers and Wasp Nests:** Spray mist directly on insects and their nests from approximately 2 feet away. Contacted insects will fly away from fog. Applications should be made in late evening when insects are at rest. Spray into hiding and breeding places contacting as many insects as possible. **CRAWLING INSECTS:**

**Ants, Cockroaches, including Asian Cockroaches, Crickets, Mole Crickets, Centipedes, and Silverfish:** Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith. **06/03**



# Fireback

## SPIDER & SCORPION SPRAY & JET

A Broad Spectrum Insecticide Highly Effective Against Ants, Centipedes, Cockroaches, Crickets, Firebrats, Millipedes, Moths, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders, Wasps, and Other Pests Listed on the Label

EPA Reg. No. 10807-161-64405 EPA Est. No. 10807-GA-1

**ACTIVE INGREDIENTS:**

Pyrethrins ..... 0.10%  
\*Piperonyl Butoxide, Technical..... 0.50%  
\*\*Permethrin ..... 0.20%

**INERT INGREDIENTS:** ..... 99.20%  
**TOTAL:** ..... 100.00%

\*Equivalent to min. 0.4% (butylcarbityl) (6-propylpiperonyl) ether and 0.1% related compounds.

\*\* (3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate. Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.

**KEEP OUT OF REACH OF CHILDREN.**

### CAUTION:

See side panel for additional precautions.

**NET WT. 17 OZ. (1 LB. 1 OZ.)(481.95 GRAMS)**