

19"



LICENSED

PERIOD 2015-2017 LIC. NO. 9805.101



LICENSED

PERIOD 2012-2014 LIC. NO.

Nufarm T-Methyl SPC Granular Fungicide Systemic Fungicide for Turf and Ornamentals

Nufarm T-Methyl SPC Granular Fungicide Systemic Fungicide for Turf and Ornamentals

Nufarm T-Methyl SPC Granular Fungicide contains thiophanate-methyl, the active ingredient used in Cleary 3336™

For the prevention and control of turf diseases and the diseases of annual and perennial flowers, bedding plants, foliage plants, ground covers, plus deciduous and evergreen trees and shrubs.

Table with 2 columns: Ingredient Name and Percentage. Includes Thiophanate-methyl (2.08%), Other Ingredients (97.92%), and TOTAL (100.00%).

KEEP OUT OF REACH OF CHILDREN CAUTION / PRECAUCIÓN Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.) See Back Panel for FIRST AID and additional PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, Call (877) 325-1840



EPA REG. NO. 228-631 EPA EST. NO. 8378-IN-001

Net Weight 30 LB (13.6 kg)

13222000

Manufactured for Nufarm Americas Inc. 150 Harvester Drive Burr Ridge, IL 60527



Nufarm T-Methyl SPC Granular Fungicide Systemic Fungicide for Turf and Ornamentals

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION/PRECAUCION Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

PERSONAL PROTECTIVE EQUIPMENT (PPE) For protection against eye irritation, avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

USER SAFETY RECOMMENDATIONS: Users Should: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS Do not apply directly to water, or areas where surface water is present or to terrestrial areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas.

AGRICULTURAL USE REQUIREMENTS Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides.

GENERAL INFORMATION This product is a broad-spectrum fungicide for use on a wide variety of turf and ornamental diseases. Apply this product using ground-based, hand-operated (push) or mechanical (powered) equipment.

RESISTANCE MANAGEMENT In order to prevent the development of tolerant strains of fungi, use this product with other fungicides that use different modes of action. Do not use this product with products containing the active ingredient triadimenolol because triadimenolol has a similar chemistry and mode of action and can contribute to the development of disease tolerance.

USE PRECAUTIONS Do not use this product on ornamental plants, bedding plants, foliage plants, ground covers, and deciduous and evergreen trees and shrubs found in Nursery, Greenhouse, Interiorscape, and Landscape sites.

Table with 4 columns: Use Site, Maximum Per-Treatment Application Rate, Maximum Per-Season Application Rate, and Minimum Retreatment Interval. Lists various sites like Residential or Public Areas, Golf Courses, Greens and Tees, etc.

COMMERCIAL TURF APPLICATIONS Use this product on all cool and warm season grasses such as Bentgrass, Bluegrass, Bermudagrass, Fescue, Ryegrass, St. Augustinegrass, Zoysia, or their mixtures in the following sites: Commercial turf, Residential turf, Public turf (parks, athletic fields, schools, day care centers, etc.)

Application Instructions Apply under dry or moist leaf conditions. For best results, activate the application within 24 hours with irrigation or natural rainfall. If activating by irrigation, apply 0.10 to 0.25 inches of water.

STORAGE AND DISPOSAL Do not contaminate water, food, or feed by storage or disposal. PESTICIDE STORAGE: Store in the original container in a dry, temperature controlled area. Do not store in a manner where cross-contamination with other pesticides, fertilizers, food or feed could occur.

WARRANTY DISCLAIMER The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE.

LIMITATION OF LIABILITY TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF REINDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY OR FOR ANY DAMAGES OR SUITS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER, OR ITS CUSTOMER, OR ITS CUSTOMER, OR TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYERS OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of the directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

Refer to the following table for specific rates and timing depending on the disease being treated. When treating under severe disease pressure, use the highest specified rate listed below.

Table with 3 columns: Disease(s), Disease Specific Instructions, and Application Rate (Lbs./1000 sq. ft.). Lists diseases like Dollar Spot, Large Brown Patch, Ascochyta Leaf Blight, etc.

COMMERCIAL HORTICULTURAL APPLICATIONS This product is a broad spectrum systemic fungicide for control of soil borne diseases affecting bulbs, corms, rhizomes, roots, crowns, and stems caused by: Botrytis, Cylindrocium, Fusarium, Gloeosporium, Ramularia, Rhizoctonia, and Sclerotinia.

USE PRECAUTIONS Do not use this product on Swedish Ivy (Nepholopsis exaltata), Boston Fern (Pterisstris australis), and Easter Cactus (Hattonia garrneri).

Application Instructions Apply this product as a surface, fly-on, broadcast or over-the-top application or media incorporated. Surface and Broadcast Applications to established plants: Apply 0.5 lb. of this product / 1000 sq. ft.

For Preventive Control: Prior to planting, apply as a media incorporation using the rate listed above. After seeding or transplant to propagation beds, containers, pots, or nursery or landscape beds, apply as a broadcast, fly-on, surface or over the top application using the Surface and Broadcast Applications instructions above.

For Treatment: When disease first appears after seeding or transplanting, apply using the Surface and Broadcast Applications instructions above. To maintain protection, make repeat applications every 21 to 28 days.

STORAGE AND DISPOSAL Do not contaminate water, food, or feed by storage or disposal. PESTICIDE STORAGE: Store in the original container in a dry, temperature controlled area. Do not store in a manner where cross-contamination with other pesticides, fertilizers, food or feed could occur.

WARRANTY DISCLAIMER The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE.

LIMITATION OF LIABILITY TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF REINDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY OR FOR ANY DAMAGES OR SUITS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER, OR ITS CUSTOMER, OR ITS CUSTOMER, OR TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYERS OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of the directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

Nufarm T-Methyl SPC Granular Fungicide is not manufactured or distributed by Cleary Chemical Corporation, seller of Cleary 3336™. Cleary 3336™ is a trademark of Cleary Chemical Corporation.

30"

Customer Approval form with fields for Signature, Date, and checkboxes for Cut to file and Cut at output (DGC).

Please Note: This proof is NOT accurate for color.