

For Use in Homes, Hospitals, Nursing Homes, Businesses, Hotels, Motels, Restaurants, Schools, Institutions and Commercial Establishments

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Product Information

Kills: *Aspergillus niger* (ATCC 16404), *Human Herpes Simplex Virus Type 1 (ATCC VR-733) and Type 2 (ATCC VR-540), *Human Immunodeficiency Virus Type 1 [HIV-1 (AIDS virus)], *Influenza A₂/Hong Kong Virus, Methicillin Resistant *Staphylococcus aureus* (MRSA) (ATCC 33591), *Mycobacterium tuberculosis var bovis* (BCG), *Polio Virus Types 1 and 2, *Pseudomonas aeruginosa* (ATCC 15442), *Salmonella choleraesuis* (ATCC 10708), *Staphylococcus aureus* (ATCC 6538), *Trichophyton mentagrophytes* (ATCC 9972) and Vancomycin Resistant *Enterococcus faecalis* (VRE) (ATCC 51299) on hard, nonporous, inanimate environmental surfaces.

Respiratory illnesses attributable to Pandemic 2009 H1N1 are caused by Influenza A virus*. This product, is a broad-spectrum hard surface disinfectant that has been shown to be effective against Influenza A₂/Hong Kong virus* and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 (formerly called "swine flu").

Disinfects: Disinfects on such bacterial- and viral-carrying surfaces as toilet seats, telephones, garbage and refuse cans, urinals, athletic equipment, light switches, bed pans, empty hampers and other out of the way places. Disinfects hard, nonporous surfaces of shoes and slippers. **Controls Mold and Mildew** on mattresses, awnings, shower curtains, leather goods. **Controls mildew and mold** growth on painted or finished walls, ceilings and woodwork in closets, basements, attics, storage areas, summer cottages, damp and musty corners.

Deodorizes: Reduces annoying odors. Use to control odors in hospitals and nursing homes. In private homes, use in kitchen, bathroom, sick rooms, basements. Effectively suppresses odors caused by mold and mildew.

General Precautions and Restrictions

Do not spray on polished wood surfaces, rayon fabrics or on acrylic plastics. Solvents in spray may cause damage to some plastics, coatings and other materials if sprayed until wet. This product is not for use on medical devices or medical equipment surfaces.

Application Instructions

Shake well before using and occasionally while spraying. Clean surface thoroughly with an effective cleaning compound prior to treatment. Remove all gross filth or heavy soil from all surfaces to be treated.

To Disinfect and for Tuberculocidal Activity: After surface is cleaned, hold can upright 6" to 8" from surface to be treated. Spray 3-4 seconds until surface is wet. Allow to dry without wiping or allow spray to contact treated surface for a minimum of ten minutes prior to wiping. For Herpes Simplex Virus Types 1 and 2 spray 8-10 seconds until the surface is wet. Allow to dry without wiping or allow spray to contact treated surface for a minimum of ten minutes prior to wiping. Tuberculocidal in 10 minutes at 25°C.

To Control Surface Mildew: After surface is cleaned, cover surface with mist. Repeat treatment every week for effective control.

For Skate, Ski and Snowboard Boots. To Deodorize and Control Mildew on Shoes and Boots: After shoe/boot surface is cleaned, hold can upright with opening pointed away from face and 6" to 8" from shoe/boot surface to be treated. Spray interior and exterior of shoe/boot for 3-5 seconds or until surface is wet. Allow shoe/boot to air dry without wiping.

Special Instructions for Cleaning and Decontamination Against HIV on Surfaces/ Objects Soiled with Blood/Body Fluids on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings (or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV): **Personal Protection:** When handling items soiled with blood or body fluids, use appropriate barrier protection such as disposable latex gloves, gowns, masks or eye coverings. **Cleaning Procedure:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant. **Contact Time:** Spray surface to be treated 3-4 seconds, from a distance of 6-8 inches, until surface is wet. Allow spray to dry without wiping or allow spray to contact treated surface for a minimum of ten minutes prior to wiping.

Disposal of Infectious Materials: Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry (preferably locked) storage area away from direct sunlight, windows, flames and other sources of heat or ignition. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed on site or at an approved waste disposal facility. **Container Disposal:** Non-refillable container; do not reuse or refill this container. Do not incinerate or puncture! If empty: Replace cap, offer for recycling, if available; otherwise dispose of in trash. If partly filled: Call your local solid waste agency for disposal instructions.

PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Note: This product contains a chemical(s) known to the state of California to cause cancer.

First Aid

If on Skin or Clothing Take off contaminated clothing. Immediately rinse skin with plenty of water for 15-20 minutes. If in Eyes Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-866-836-8855 for emergency medical treatment information.

Physical or Chemical Hazards

Flammable. Contents under pressure. Do not use or store near fire, sparks or heated surfaces. Do not store in direct sunlight. Do not smoke while using this product. Do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting.



DISINFECTANT SPRAY

FOR HEALTH CARE USE

LAVENDER SCENT

DISINFECTS

*HIV-1 (AIDS Virus), Methicillin Resistant *Staphylococcus aureus* (MRSA), Vancomycin Resistant *Enterococcus faecalis* (VRE), *Polio Virus Types 1 and 2, *Influenza A₂/Hong Kong Virus, *Mycobacterium Tuberculosis* (TB) and *Herpes Simplex Virus Types 1 and 2

On Hard, Nonporous, Inanimate Environmental Surfaces

Kills Pandemic 2009 H1N1 Influenza A Virus* (formerly called "swine flu")

**KILLS MOST GERMS
CONTROLS MOLD AND MILDEW
ELIMINATES ODORS**

**Bactericidal - Staphylocidal - Tuberculocidal
Fungicidal - Pseudomonicidal - *Virucidal**




6000015941 8-C07515676-000 05/14 STD - EPA



STATE OF HAWAII
Department of Agriculture
ACCEPTED
LICENSE NO.
9810.19



Claire Manufacturing Company
1005 South Westgate Drive
Addison, IL 60101
800.252.4731
www.clairemfg.com



PRODUCT # C-075

Keep Out of Reach of Children

CAUTION

See back panel for First Aid and additional Precautionary Statements.

**Net Wt. 15 1/2 oz.
(439 grams)**

Active Ingredients:

Orthophenylphenol (CAS No. 90-43-7)	0.176%
Para-tertiary Amylphenol (CAS No. 80-46-6)	0.045%
Ethanol (CAS No. 64-17-5)	49.950%
+Other Ingredients	49.829%
Total	100.000%

+Contains Sodium Nitrite.
EPA Reg. No. 706-69
EPA Est. 33595-MO-2
EPA Est. 33595-MO-4
The Est. No. appears after the can code

EPA Est. 33595-MO-3

claire.

DISINFECTANT SPRAY

For Health Care Use

For Use in Homes, Hospitals, Nursing Homes, Businesses, Hotels, Motels, Restaurants, Schools, Institutions and Commercial Establishments
DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Product Information

Kills: *Aspergillus niger* (ATCC 16404), *Human Herpes Simplex Virus Type 1 (ATCC VR-733) and Type 2 (ATCC VR-540), *Human Immunodeficiency Virus Type 1 (HIV-1 (AIDS virus)), *Influenza A₂/Hong Kong Virus, Methicillin Resistant *Staphylococcus aureus* (MRSA) (ATCC 33591), *Mycobacterium tuberculosis var. bovis* (BCG), *Polio Virus Types 1 and 2, *Pseudomonas aeruginosa* (ATCC 15442), *Salmonella choleraesuis* (ATCC 10708), *Staphylococcus aureus* (ATCC 6538), *Trichophyton mentagrophytes* (ATCC 9972) and Vancomycin Resistant *Enterococcus faecalis* (VRE) (ATCC 51299) on hard, nonporous, inanimate environmental surfaces.

Respiratory illnesses attributable to Pandemic 2009 H1N1 are caused by Influenza A virus*. This product, is a broad-spectrum hard surface disinfectant that has been shown to be effective against Influenza A2/Hong Kong virus* and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 (formerly called "swine flu").

Disinfects: Disinfects on such bacterial- and viral-carrying surfaces as toilet seats, telephones, garbage and refuse cans, urinals, athletic equipment, light switches, bed pans, empty hampers and other out of the way places. Disinfects hard, non-porous surface of shoes and slippers.

Controls Mold and Mildew: on mattresses, awnings, shower curtains, leather goods. Controls mildew and mold growth on painted or finished walls, ceilings and woodwork in closets, basements, attics, storage areas, summer cottages, damp and musty corners.

Deodorizes: Reduces annoying odors. Use to control odors in hospitals and nursing homes. In private homes, use in kitchen, bathroom, sick rooms, basements. Effectively suppresses odors caused by mold and mildew.

General Precautions and Restrictions

Do not spray on polished wood surfaces, rayon fabrics or on acrylic plastics. Solvents in spray may cause damage to some plastics, coatings and other materials if sprayed until wet.

This product is not for use on medical devices or medical equipment surfaces.

Application Instructions

Shake well before using and occasionally while spraying. Clean surface thoroughly with an effective cleaning compound prior to treatment. Remove all gross filth or heavy soil from all surfaces to be treated.

To Disinfect and for Tuberculocidal Activity: After surface is cleaned, hold can upright 6" to 8" from surface to be treated. Spray 3-4 seconds until surface is wet. Allow to dry without wiping or allow spray to contact treated surface for a minimum of ten minutes prior to wiping. For Herpes Simplex Virus Types 1 and 2 spray 8-10 seconds until the surface is wet. Allow to dry without wiping or allow spray to contact treated surface for a minimum of ten minutes prior to wiping. Tuberculocidal in 10 minutes at 25°C.

To Control Surface Mildew: After surface is cleaned, cover surface with mist. Repeat treatment every week for effective control.

To Control Surface Mildew:

To Disinfect and Control Mildew on Shoes and Boots: After shoe/boot surface is cleaned, hold can upright with opening pointed away from face and 6" to 8" from shoe/boot surface to be treated. Spray interior and exterior of shoe/boot for 3-5 seconds or until surface is wet. Allow shoe/boot to air dry without wiping.

Special Instructions and Decontamination Against HIV on Surfaces / Objects Soiled with Blood/Body Fluids on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings (or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV): **Personal Protection:** When handling items soiled with blood or body fluids, use appropriate barrier protection such as disposable latex gloves, gowns, masks or eye coverings. **Cleaning Procedure:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant. **Contact Time:** Spray surface to be treated 3-4 seconds, from a distance of 6-8 inches, until surface is wet. Allow spray to dry without wiping or allow spray to contact treated surface for a minimum of ten minutes prior to wiping. **Disposal of Infectious Materials:** Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry (preferably locked) storage area away from direct sunlight, windows, flames and other sources of heat or ignition. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed on site or at an approved waste disposal facility.

Container Disposal: Non-refillable container; do not reuse or refill this container. Do not incinerate or puncture! If empty, replace cap, offer for recycling, if available; otherwise dispose of in trash. If partly filled, Call your local solid waste agency for disposal instructions.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Not for sale or distribution in California.

First Aid

If on Skin or Clothing: Take off contaminated clothing. Immediately rinse skin with plenty of water for 15-20 minutes. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-866-836-8855 for emergency medical treatment information.

Physical or Chemical Hazards

Flammable. Contents under pressure. Do not use or store near fire, sparks or heated surfaces. Do not store in direct sunlight. Do not smoke while using this product. Do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting.

A Product of:



C-018

CLAIRE MANUFACTURING COMPANY

1005 South Westgate Drive, Addison, IL 60101

www.clairemfg.com

STATE OF HAWAII
Department of Agriculture

ACCEPTED

LICENSE NO.

9810.19



DISINFECTANT SPRAY

For Health Care Use



Disinfects
*HIV-1 (AIDS Virus), Methicillin Resistant *Staphylococcus aureus* (MRSA),
Vancomycin Resistant *Enterococcus faecalis* (VRE),
*Polio Virus Types 1 and 2, *Influenza A₂/Hong Kong Virus,
Mycobacterium Tuberculosis (TB) and *Herpes Simplex Virus Types 1 and 2
On Hard, Nonporous, Inanimate Environmental Surfaces

Kills Pandemic 2009 H1N1 Influenza A Virus*
[formerly called "swine flu"]

Kills Most Germs
Controls Mold and Mildew - Eliminates Odors
Bactericidal - Staphylocidal - Tuberculocidal
Fungicidal - Pseudomonicidal - *Virucidal

Active Ingredients:

Orthophenylphenol (CAS No. 90-43-7)	0.176%
Para-tertiary Amylphenol (CAS No. 80-46-6)	0.045%
Ethanol (CAS No. 64-17-5)	49.950%
+Other Ingredients	49.829%
Total	100.000%

+Contains Sodium Nitrite.

EPA Reg. No. 706-69

EPA Est. 33595-MO-2

EPA Est. 33595-MO-4

EPA Est. 706-IL-1

EPA Est. 33595-MO-3

The Est. No. appears after the can code

Keep Out of Reach of Children
CAUTION

See back panel for First Aid and additional Precautionary Statements.

Net Wt. 15 1/2 oz. (439 grams)



WARM GRAY = WHITE

placex#

8-C01803391-001

1/11

C-018