STATE OF HAWAII
Department of Agriculture
ACCEPTED
LICENSE NO.
9810.29

FIRST AID

If on Skin or Clothing: Take off contaminated clothing. Immediately rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this product (including health concerns, medical emergencies or pesticide incidents) you may call 1-866-836-8855.

PRECAUTIONARY STATEMENTS

Hazards To Humans & Domestic Animals

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Wear protective eyewear, long-sleeved shirt and long pants, socks, shoes and gloves. Remove and wash contaminated clothing before reuse.

Environmental Hazards

This product is toxic to fish. For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Before Use, Completely Read All Directions.

For most effective results, follow directions for specific use areas.

Shake Before Use and at Intervals During Prolonged Use.

Hold container upright with nozzle pointing away from face.
Press valve down and spray as directed.

Contains a botanical insecticide, Pyrethrins that provides effective kill.
Use in listed animal quarters. Kills the listed pests. Use in listed pet quarters. Use in restaurants and other listed areas as a product for flying insect control.

For use in: Animal Holding Areas, Animal Quarters, Attics, Barns, Beef Barns, Bottling Plants, Buildings Housing Animals or Poultry, Calving Barns, Canneries, Commercial Buildings, Crematoriums, Dairy Barns, Dairies, Dried Fruit Storage Areas, Dumpsters, Factories, Farm Structures, Food Processing Plants, Food Storage Areas, Funeral Parlors, Garbage Cans, Goat Holding Areas, Grain Elevators, Grain Storage, Hog Barns, Homes, Horse Stables, Hotels, Industrial Plants, Institutions, Kennels, Kitchens, Livestock Holding Areas, Loafing Sheds, Mausoleums, Milk Houses, Milk Rooms, Milk Sheds, Milking Rooms, Mortuaries, Pet Sleeping Areas, Poultry Houses, Railroad Cars, Restaurants, Rice Mills, Seed Storage, Sheep Holding Areas, Stables, Storage Areas, Stored Products Areas, Supermarkets, Swine Houses, Theaters, Tobacco Warehouses, Trailers, Tree Nut Storage Areas, Trucks, Utility Rooms, Veterinary Clinics, Warehouses, Washrooms and Wheat Mills.
For use on: Furniture, Carpets, Mattresses, and Indoor Structural Surfaces.

INDOOR AGRICULTURAL USE:

Animal Quarters, Barns, Dairies, Milking Parlors, Milking Rooms, Poultry Houses and other listed animal areas:
Use restrictions: Do not breathe dust, vapors or spray mist. Remove or cover exposed food and water before application. When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking. Do not apply more than 1 time per day. Do not reapply within 1 day. Do not remain in treated area. Do not allow unprotected persons to enter until treated area has been thoroughly ventilated.
To kill Flies, Gnats, Stable Flies, House Flies, Horse Flies, Lesser House Flies, Deer Flies, Horn Flies and Black Flies: Spray at the rate of 5 to 10 seconds per 1000 cubic feet of space, directing the spray toward the ceiling and upper corners of the room and not directly toward the animals or birds. For best results close doors and windows, if possible, before spraying and keep them closed for 10 to 15 minutes. Vacate the treated area and ventilate prior to returning.

INDOOR USE:

Food Processing/Handling:

Space Treatment:
Use restrictions as a space spray: Remove or cover exposed food and water before application. Remove or cover dishes, utensils, food processing equipment and food preparation surfaces, or wash them thoroughly before use. Do not breathe dust, vapors or spray mist. Do not apply more than 1 time per day. Do not reapply within 1 day. Do not allow spray to contact unprotected persons. Do not remain in treated area. Do not allow unprotected persons to enter until treated area has been thoroughly ventilated. Do not make space spray applications when facility is in operation. During space spray applications, cover or remove food. During space spray applications, cover food processing surfaces or clean after treatment with a suitable detergent and rinse with potable water before use.

For Use in Food and Nonfood Areas of Food Processing Plants, Industrial Installations, Bakeries, Rice and Wheat Mills, Restaurants, Tobacco Warehouses, Grain Elevators and Warehouses: To kill exposed adult Flies, Gnats, Flying Moths, Indian Meal Moths, Angoumois Grain Moths, Tobacco Moths, Clothes Moths, Chocolate Moths, Almond Moths, Miller Moths and other listed flying insects: Close all doors and windows, turn off fans and air conditioning units and spray upward into center of room using a slow sweeping motion. Spray 5 to 10 seconds for average size room [1000 cubic feet]. Direct spray into all parts of the room, paying special attention to hiding places. Keep room closed for 15 minutes after spraying then ventilate room for 15 minutes before reentry. Sweep up and discard fallen insects.
Exposed stages of Indian Meal Moths, Angoumois Grain Moths, Tobacco Moths, Chocolate Moths, Almond Moths, Millers and other listed flying moths: Direct spray into all parts of room, especially around stored food product containers, pallets and darkened areas.
For Use in Canneries: Before bringing in produce, thoroughly clean floors, conveying equipment and walls, paying special attention to cracks and crevices. Spray entire space inside the cannery, including walls, ceilings and floors, paying special attention to forcing the spray into all cracks and crevices to kill **Fruit Flies, House Flies, Moths, and other listed insects.**
Surface Spray:
Use restrictions as a surface spray (all sites): Remove or cover exposed food and water before application. Remove or cover dishes, utensils, food processing equipment and food preparation surfaces, or wash them thoroughly before use. Do not breathe vapors or spray mist. Do not apply more than 1 time per day. Do not reapply within 1 day. Do not allow spray to contact unprotected persons. Do not allow unprotected persons to enter treated area until spray has dried. Do not wet articles to point of runoff or drip. Do not use treated article until spray has dried. Remove pets, birds and cover fish aquariums before spraying.
Contact as many insects as possible with this spray. Apply spray at the rate of 30 seconds for each 100 square feet of surface area. Keep area closed for 45 minutes after treatment then ventilate room for 20 minutes before reentry.
Exposed Stages of Cadelles, Rice Weevils, Flat Grain Beetles, Cigarette Beetles, Drugstore Beetles, Lesser Grain Borers, Merchant Grain Beetles, Warehouse Beetles, Red Flour Beetles, and Indian Mealworms: Find and destroy infested package goods. Remove all other items from shelves and drawers and thoroughly clean. Spray into cracks, crevices, shelves, drawers, cabinets, processing and handling equipment, around cartons or containers and other areas where these insects ten to congregate.
Residential Use:
Use restrictions: Remove pets, birds and cover fish aquariums before spraying.
Carpet Beetles: Directly spray as many insects as possible. Spray both interior and exterior of furniture. Thoroughly spray both top and bottom of rugs and carpets, where possible. Also treat shelves, closets, areas under furniture, floors, walls, baseboards and wherever these insects are seen or suspected.
Clothes Moths and Other Flying Moths: Remove any infested articles from storage, thoroughly brush, then air for several hours in sunlight, if possible. Liberally apply product to empty chests, closets, bureaus and other storage areas directing the spray into cracks, joints and crevices. Return clean articles after spray has thoroughly dried.

OUTDOOR USE:

Space Treatment:
Use restrictions: Remove or cover exposed food and drinking water before application. Do not apply more than 1 time per day. Do not reapply within 1 day. Do not allow spray to contact unprotected persons. Do not wet articles to point of runoff or drip. Do not breathe dust, vapors or spray mist.
To Kill Adult Gnats, Midges, Flies and Flying Insects (except mosquitoes): Use prior to outdoor activities to reduce annoyance from these and other flying pests. Spray around patios, porches, gazebos, shrubbery, vegetation and other listed areas where flying insects may rest. For best results treat when the wind velocity does not exceed 5 miles per hour.
Surface Treatment:
Use restrictions: Do not apply more than 1 time per day. Do not reapply within 1 day. Do not allow spray to contact unprotected persons. Do not use treated article until spray has dried. Do not breathe dust, vapors or spray mist. Do not allow unprotected persons to enter treated area until spray has dried.

Storage and Disposal

Do not contaminate water, food or feed by storage and disposal.
Pesticide Storage: Store this product in a cool, dry (preferably locked) storage area that is away from children or pests. Do not use near heat or open flame. **Pesticide/Container Disposal:** Non-refillable container; do not reuse or refill this container. Do not puncture or incinerate! **If empty:** Offer for recycling if available. **If partially filled:** Call your local solid waste agency for disposal instructions.

Contains no CFCs which deplete the ozone layer.
Federal regulations prohibit CFC propellants in aerosols.

CONTAINS NO CFCs WHICH DEPLETE THE OZONE LAYER
NO CFCs

7 13014 11271 2

A Product of:

claire

CLAIRE MANUFACTURING COMPANY
1005 SOUTH WESTGATE DRIVE • ADDISON, IL 60101
www.clairemfg.com
C-271

C-271 2/11 8-C27101835-001 145065

claire

BUG BUSTER

Insect Killer

Contains Pyrethrins, a Botanical Insecticide

Kills Stable Flies, Horse Flies, Face Flies, Deer Flies, House Flies and Gnats

For use in Animal Quarters, Dairies, Milk Rooms, Milking Parlors, Calving Areas, Dairy and Hog Barns and Outdoor Areas

To Kill Fruit Flies in Canneries

Pyrethrins Kill Flying Insects in Dairies, Barns and Other Listed Areas

For Indoor Use in Homes to Kill Clothes Moths, Carpet Beetles and Other Listed Pests

Cherry Blossom Fragrance

Active Ingredients:
Pyrethrins 0.25%
*Piperonyl butoxide, Technical 2.50%
Other Ingredients 97.25%
Total 100.00%
*Equivalent to 2.00% (butylcarbityl) (6-propylpiperonyl) ether and 0.50% related compounds.

EPA Reg. No. 706-107 EPA Est. 706-IL-1
EPA Est. 33595-MO-2 EPA Est. 33595-MO-3
EPA Est. 33595-MO-4 The Est. No. appears after the can code.

Keep Out of Reach of Children
CAUTION
See side panel for First Aid and additional Precautionary Statements

Net Wt. 15 oz. (425 grams)