



LICENSED

PERIOD 2011-2013 LIC. NO.



LICENSED

PERIOD 2014-2016 LIC. NO.

9814.6



LICENSED

PERIOD 2008-2010 LIC. NO.

REORDER NO. Q89072



# SANI-CLOTH® PLUS

## GERMICIDAL DISPOSABLE CLOTH

The 3 minute\* germicidal wipe  
Bactericidal • Tuberculocidal • Virucidal\*



Sani-Cloth® Plus kills bacteria listed on this label  
 ■ Escherichia coli (E. coli) O157:H7 (ATCC 35150) ■ Escherichia coli (E. coli) (ATCC 11299) ■ Methicillin Resistant Staphylococcus aureus (MRSA) (ATCC 33592) ■ Mycobacterium bovis BCG (Tuberculosis) (ATCC 35743)\* ■ Pseudomonas aeruginosa (ATCC 15442) ■ Staphylococcus aureus (ATCC 6538) ■ Salmonella enterica (ATCC 10708) ■ Vancomycin Resistant Enterococcus faecalis (VRE) (ATCC 51299)\*

Virucidal\*  
 ■ \*Herpes Simplex Type 2 (ATCC VR-734) ■ \*Influenza A2/Hong Kong (ATCC VR-544) ■ \*Respiratory Syncytial Virus (RSV) ■ \*HIV-1\* ■ \*Hepatitis B Virus\* ■ \*Hepatitis C Virus†

†KILLS HIV-1 (AIDS VIRUS), HEPATITIS B VIRUS (HBV) AND HEPATITIS C VIRUS (HCV) ON THE PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS AND PRE-CLEANED EXTERNAL SURFACES OF ULTRASOUND TRANSDUCERS AND PROBES PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in two (2) minutes at room temperature (68°-77°F) in healthcare or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).



**ACTIVE INGREDIENTS:**

n-Alkyl (68% C <sub>12</sub> , 32% C <sub>14</sub> ) dimethyl ethylbenzyl ammonium chlorides.....	0.125%
n-Alkyl (60% C <sub>14</sub> , 30% C <sub>16</sub> , 5% C <sub>12</sub> , 5% C <sub>18</sub> ) dimethyl benzyl ammonium chlorides.....	0.125%
<b>OTHER INGREDIENTS</b> .....	99.750%
<b>TOTAL</b> .....	100.000%

**CAUTION** KEEP OUT OF REACH OF CHILDREN  
See back panel for additional precautionary statements

Net Contents **160** Large Premoistened Cloths 6 x 6.75 in (15.2 x 17.1 cm)

8FC08000

A quaternary/alcohol solution impregnated in a wiping cloth. A non-woven disposable cloth for use in hospitals and other critical care areas where the control of the hazards of cross-contamination between treated surfaces is required. Use on hard non-porous surfaces and equipment listed on this label made of stainless steel, plastic, Formica® and glass. Some organisms are removed from the surface by thoroughly wiping the surface with the wipe. Most remaining organisms are killed within three (3) minutes by exposure to the liquid in the wipe\*.

**Areas of Use: Hospital and Healthcare Settings:** Clinics, Dental Offices, Dialysis Clinics, Home Health Care, Hospices, Hospitals, Laboratory, Nursing homes, Physical therapy, Physician's offices, Radiology, Rehabilitation, Transport vehicles.

**Critical Care Areas:** CCU, Emergency Rooms, ICU, Neonatal Intensive Care Units (NICU), Operating Rooms, Pediatric Intensive Care Units (PICU) and Surgery.

**Hospital, Healthcare, and Critical Care Use Sites:** May be used on hard non-porous surfaces of: bed railings, cabinets, carts, chairs, counters, exam tables, gurneys, isolettes, IV poles, stethoscopes, stretchers, tables, telephones, toilet seats; and hard non-porous outside surfaces of: diagnostic equipment, patient monitoring equipment, patient support and delivery equipment.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**Dispenser directions:** To start feed: Remove lid and discard inner seal from canister. Find center of wipe roll, remove first wipe for use, twist corner of next wipe into a point and thread through the hole in the canister lid. Pull through about one inch. Replace lid. Dispense remaining wipes as necessary by pulling out at an angle. When not in use keep center cap of lid closed to prevent moisture loss.

**Deodorizing and Disinfecting: To disinfect nonfood contact surfaces only:** Use a wipe to remove heavy soil. Unfold a clean wipe and thoroughly wet surface. Treated surface must remain visibly wet for a full three (3) minutes. Use additional wipe(s) if needed to assure continuous three (3) minute wet contact time. Let air dry. These directions also apply to Mycobacterium bovis BCG (Tuberculosis) at a five (5) minute contact time at 68°F (20°C), and to Vancomycin Resistant Enterococcus faecalis (VRE) at a five (5) minute contact time.

**Ultrasound transducers and probes:** For use on external surfaces of ultrasound transducers and probes only. To disinfect: Pre-clean gel from external surface of ultrasound transducer or probe to be disinfected by using a clean washcloth. Then thoroughly wet the probe with a towelette. Treated surface must remain visibly wet for a full three (3) minutes. Use additional wipe(s) if needed to assure continuous three (3) minute wet

\* 5 minute contact time for TB and VRE, 3 minutes for other listed organisms.

Manufactured by:  
Professional Disposables International, Inc.  
Two Nice-Pak Park, Orangeburg, NY 10962-1376 • USA  
1-800-999-6423 • www.pdipd.com

8FD089001

contact time. Let air dry. These directions also apply to Mycobacterium bovis BCG (Tuberculosis) at a five (5) minute contact time at 68°F (20°C), and to Vancomycin Resistant Enterococcus faecalis (VRE) at a five (5) minute contact time.

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HEPATITIS B VIRUS (HBV) AND HEPATITIS C VIRUS (HCV) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS**

**Personal protection:** When using this product, wear disposable protective gloves, protective gowns, face masks, or eye coverings as appropriate when handling HIV-1 (AIDS Virus), HBV or HCV infected blood or body fluids.

**Cleaning procedure:** All blood and other body fluids must be thoroughly cleaned from surfaces and objects before disinfection by the germicidal wipe. Open, unfold first germicidal cloth to remove heavy soil.

**Disposal of infectious materials:** Dispose of used towelette in accordance with local regulations for infectious waste disposal.

**Contact time:** Use second germicidal cloth to thoroughly wet surface. Allow to remain wet two (2) minutes, let air dry. Although efficacy at a two (2) minute contact time has been shown to be adequate against HIV-1, HBV and HCV this time is not sufficient for the other organisms listed on this label. Therefore a three (3) minute wet contact time must be used for other listed organisms, five (5) minutes for TB and VRE.

**PRECAUTIONARY STATEMENTS** Hazards to humans and domestic animals

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

**FIRST AID** If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**PHYSICAL OR CHEMICAL HAZARD** Combustible. Do not use or store near heat or open flame. Do not use on natural marble, windows, unpainted wood, brass, clear plastic or colored grout.

**STORAGE AND DISPOSAL** Storage: Do not store near heat or open flame. When not in use keep center cap of lid closed to prevent moisture loss. Towelette Disposal: Do not reuse towelette. Dispose of used towelette in trash. Do not flush in toilet. Dispenser Disposal: Do not reuse empty container. Triple rinse and offer for recycling. If recycling is not available, put in trash collection.

**EPA REG. NO.: 9480-6**  
**EPA EST. NO.: 9480-NY-1**  
**MADE IN USA**



\*+H776Q8907223\*

**NOT A BABY WIPE**  
**NOT FOR USE ON SKIN**