

Professional LYSOL® Brand III Disinfectant Spray meets AOAC Germicidal Spray Product Test standards for hospital aerosol disinfectants. GERMICIDAL, FUNGICIDAL, TUBERCULOCIDAL, VIRUCIDAL†

Professional LYSOL® Brand III Disinfectant Spray eliminates odors at their source: This product deodorizes by killing bacteria that cause odors. Ordinary, non-germicidal sprays can't do this.

Kills in 30 seconds:

• Avian Influenza A Virus • Campylobacter jejuni • Coxsackie Type B3 Virus • Cytomegalovirus • Hantavirus • Hepatitis B Virus • Herpes Simplex Virus Type 1 & 2 • Human Immunodeficiency Virus Type 1 (HIV-1)(AIDS Virus) • Influenza A Virus • Influenza B Virus • Respiratory Syncytial Virus • Rhinovirus Type 39 • Rotavirus Wa • Vaccinia virus

Kills in 5 minutes:

• Enterobacter aerogenes • Enterococcus faecalis (VRE) • Escherichia coli (O157:H7) • Listeria monocytogenes • Pseudomonas aeruginosa • Salmonella enterica • Staphylococcus aureus • Trichophyton mentagrophytes (Athlete's Foot Fungus)

****Kills in 10 minutes:**

BACTERIA:

• Acinetobacter calcoaceticus (Quant. tuberculosis)	• Mycobacterium bovis	• Pseudomonas putida	• Staphylococcus epidermidis
• Corynebacterium diptheriae	• Methicillin Resistant Staphylococcus aureus (MRSA)	• Salmonella enterica serovar enteritidis	• Streptococcus pyogenes
• Enterococcus faecalis	• Klebsiella pneumoniae	• Salmonella enterica serovar typhi	• Streptococcus salivarius
• Neisseria elongata	• Proteus mirabilis	• Serratia marcescens	
• Proteus vulgaris		• Shigella dysenteriae	

FUNGI:

• Aspergillus niger (mold & mildew) • Candida albicans • Fusarium solani • Penicillium chrysogenum

VIRUSES:

• Adenovirus Type 2 • Echovirus Type 12 • Hepatitis A • Poliovirus Type 1 • Feline calicivirus (Norovirus)

Professional LYSOL® Brand III Disinfectant Spray disinfects and sanitizes the following surfaces:

• Bathroom surfaces	• Door handles	• Floors	• Patient Chairs	• Shower Areas	• Telephones
• Bed Frames	• Dressing carts	• Faucets	• Plastic Toys ¹	• Sinks	• Windowsills
• Counters	• Drinking Fountains	• Glazed Porcelain	• Portable Toilets	• Sports Equipment	• Wheelchairs
• Changing Tables	• Examination tables	• Linen carts	• Salad Bar Sneeze Guards	• Stainless Steel ^A	• Whirlpool Interiors

¹ Follow directions For Toys under Directions for Use - rinsing application required. ^ANon-Medical or Fixture.

KILLS HUMAN IMMUNODEFICIENCY VIRUS TYPE 1 (HIV-1) (AIDS VIRUS) AND HEPATITIS B VIRUS ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS, in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV-1 (associated with AIDS) and Hepatitis B Virus.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 AND HEPATITIS B VIRUS ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

- **PERSONAL PROTECTION:** When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks or eye coverings.
- **CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.
- **CONTACT TIME:** Allow surface/object to remain wet for 30 seconds for HIV and Hepatitis B. For all other organisms, surfaces must remain wet for 10 minutes.
- **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

For use on hard non-porous surfaces located in:

• Ambulances	• Clinics	• Dental Offices	• Hotel/Motel	• Nurseries	• Physicians Offices	• Schools
• Blood Banks	• Colleges	• Health Clubs	• Laboratories	• Nursing Homes	• Restaurants	• Veterinary Offices
• Cattereries	• Day Care Centers	• Hospitals	• Military Installations	• Pharmacies	• Restrooms	• Waiting Rooms

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label before using the product. This product is not for use on critical & semi-critical medical devices or medical equipment surfaces. Pre-clean surfaces prior to use. Hold can upright 6" to 8" from surface. Spray 2 to 3 seconds until covered with mist.

- **To Disinfect:** Let stand for 10 minutes to air dry.
- **For Hard non-porous food contact surfaces and For Toys:** Rinse thoroughly with potable water.
- **For Tuberculocidal activity,** this product is effective in 10 minutes at 20°C (68°F) on surfaces that have been thoroughly cleaned prior to application.
- **To Sanitize:** Let stand for 30 seconds.
- **To Deodorize:** Spray on surfaces as needed.
- **To Control and Prevent Mold & Mildew and their Odors:** Pre-clean hard, non-porous surfaces. Spray surface and allow to remain wet for 10 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

Do not use on polished wood, painted surfaces, leather, rayon fabrics, or acrylic plastics.

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Do not spray in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a Poison Control Center or doctor for treatment advice.
CONTACT NUMBER	
Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.	

PHYSICAL HAZARDS: FLAMMABLE. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL: Store in original container in areas inaccessible to small children. Do not reuse empty container. Do not puncture or incinerate. Replace cap and discard in trash.

This can is made from an average of 25% recycled steel (10% post-consumer).

Questions? Comments? Call 1-800-228-4722. Visit us at www.reckittprofessional.com

Distributed by: Reckitt Benckiser Inc.
Parsippany, NJ 07054-0225
Made in U.S.A. © RBI 2008
EPA Reg. No.: 777-99-675
EPA Est. No. 054487-GA-001, 777-NJ-2
(See Bottom for Lot/Data code)
0190985



Federal regulations prohibit CFC propellants in aerosols.

ACTIVE INGREDIENTS:
Alkyl (50% C14, 40% C12, 10% C16) dimethyl benzyl ammonium saccharinate.....0.10%
Ethanol.....58.00%
OTHER INGREDIENTS:.....41.90%
TOTAL:.....100.00%

KILLS THE COLD AND FLU VIRUS*

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2009-2011 LIC. NO.

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2012-2014 LIC. NO.

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2015-2017 LIC. NO.

9833.194

DISC.



Disinfectant Spray

Kills 99.9% of Germs**

Kills Viruses, Bacteria, Mold & Mildew

Eliminates Odors

Citrus Meadows™ scent

NET WT.: 19 OZ.
(1 LB. 3 OZ.) 539 g

KEEP OUT OF REACH OF CHILDREN
CAUTION: SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Professional LYSOL® Brand III Disinfectant Spray meets AQAQ Germicidal Spray Product Test standards for hospital aerosol disinfectants. GERMICIDAL, FUNGICIDAL, TUBERCULOCIDAL, VIRUCIDAL†
 Professional LYSOL® Brand III Disinfectant Spray eliminates odors at their source. This product deodorizes by killing bacteria that cause odors. Ordinary, non-germicidal sprays can't do this.

Kills in 30 seconds:

• Avian Influenza A Virus • Campylobacter jejuni • Coxsackie Type B3 Virus • Cytomegalovirus • Hantavirus • Hepatitis B Virus • Herpes Simplex Virus Type 1 & 2 • Human Immunodeficiency Virus Type 1 (HIV-1/AIDS Virus) • Influenza A Virus • Influenza B Virus • Respiratory Syncytial Virus • Rhinovirus Type 39 • Rotavirus Wa • Vaccinia Virus

Kills in 5 minutes:

• Enterobacter aerogenes • Enterococcus faecalis (VRE) • Escherichia coli (O157:H7) • Listeria monocytogenes • Pseudomonas aeruginosa • Salmonella enterica • Staphylococcus aureus • Trichophyton mentagrophytes (Athlete's Foot Fungus)

****Kills in 10 minutes:**

BACTERIA:

• Acinetobacter calcoaceticus	• Mycobacterium bovis	• Pseudomonas putida	• Staphylococcus epidermidis
• Burkholderia cepacia	• (O157:H7) (E. coli)	• Salmonella enterica serovar enteritidis	• Streptococcus pyogenes
• Corynebacterium diphtheriae	• Methicillin Resistant	• Salmonella enterica serovar Paratyphi B	• Streptococcus salivarius
• Enterococcus faecalis	• Staphylococcus aureus (MRSA)	• Salmonella enterica serovar typhi	
• Klebsiella pneumoniae	• Neisseria elongata	• Serratia marcescens	
• Proteus vulgaris	• Proteus mirabilis	• Shigella dysenteriae	

FUNGI:

• Aspergillus niger (mold & mildew) • Candida albicans • Fusarium solani • Penicillium chrysogenum

†VIRUSES:

• Adenovirus Type 2 • Echovirus Type 12 • Hepatitis A • Poliovirus Type 1 • Feline calicivirus (Norovirus)

Professional LYSOL® Brand III Disinfectant Spray disinfects and sanitizes the following surfaces:

• Bathroom surfaces	• Door handles	• Floors	• Patient Chairs	• Shower Areas	• Telephones
• Bed Frames	• Dressing carts	• Faucets	• Plastic Toys ¹	• Sinks	• Windowsills
• Counters	• Drinking Fountains	• Glazed Porcelain	• Portable Toilets	• Sports Equipment	• Wheelchairs
• Changing Tables	• Examination tables	• Linen carts	• Salad Bar Sneeze Guards	• Stainless Steel ^A	• Whirlpool Interiors

¹ Follow directions For Toys under Directions for Use - rinsing application required. ^A Non-Medical or Fixture

KILLS HUMAN IMMUNODEFICIENCY VIRUS TYPE 1 (HIV-1 (AIDS VIRUS)) AND HEPATITIS B VIRUS ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS. In health care settings or other settings in which there is an expected likelihood of soiling of non-porous surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV-1 (associated with AIDS) and Hepatitis B Virus.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 AND HEPATITIS B VIRUS ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

- **PERSONAL PROTECTION:** When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks or eye coverings.
- **CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.
- **CONTACT TIME:** Allow surface/object to remain wet for 30 seconds for HIV and Hepatitis B. For all other organisms, surfaces must remain wet for 10 minutes.
- **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

For use on hard non-porous surfaces located in:

• Ambulances	• Clinics	• Dental Offices	• Hotel/Motel	• Nurseries	• Physicians Offices	• Schools
• Blood Banks	• Colleges	• Health Clubs	• Laboratories	• Nursing Homes	• Restaurants	• Veterinary Offices
• Cafeterias	• Day Care Centers	• Hospitals	• Military Installations	• Pharmacies	• Restrooms	• Waiting Rooms

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label before using the product. This product is not for use on critical & semi-critical medical devices or medical equipment surfaces. Pre-clean surfaces prior to use. Hold can upright 6" to 8" from surface. Spray 2 to 3 seconds until covered with mist.

- **To Disinfect:** Let stand for 10 minutes to air dry.
- **For Hard non-porous food contact surfaces and For Toys:** Rinse thoroughly with potable water.
- **For Tuberculocidal activity,** this product is effective in 10 minutes at 20°C (68°F) on surfaces that have been thoroughly cleaned prior to application.
- **To Sanitize:** Let stand for 30 seconds.
- **To Deodorize:** Spray on surfaces as needed.
- **To Control and Prevent Mold & Mildew and their Odors:** Pre-clean hard, non-porous surfaces. Spray surface and allow to remain wet for 10 minutes.

Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears. Do not use on polished wood, painted surfaces, leather, rayon fabrics, or acrylic plastics.

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Do not spray in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

FIRST AID	
If in eyes	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a Poison Control Center or doctor for treatment advice.
CONTACT NUMBER	
Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.	

PHYSICAL HAZARDS: FLAMMABLE. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL: Store in original container in areas inaccessible to small children. Do not reuse empty container. Do not puncture or incinerate. Replace cap and discard in trash.

This can is made from an average of 25% recycled steel (10% post-consumer).

Questions? Comments? Call 1-800-228-4722. Visit us at www.reckittprofessional.com

Distributed by: Reckitt Benckiser Inc.
 Parsippany, NJ 07054-0225
 Made in U.S.A. © RBI 2008
 EPA Reg. No.: 777-99-675
 EPA Est. No. 054487-GA-001, 777-NJ-2
 (See Bottom for Lot/Data code)
 0169020



Federal regulations prohibit CFC propellants in aerosols.

ACTIVE INGREDIENTS:
 Alkyl (50% C14, 40% C12, 10% C16) dimethyl benzyl ammonium saccharinate.....0.10%
 Ethanol.....58.00%
OTHER INGREDIENTS:.....41.90%
TOTAL:.....100.00%

KILLS THE COLD AND FLU VIRUS†

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2009-2011 LIC. NO.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2012-2014 LIC. NO.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2015-2017 LIC. NO.

DISC. 9833.194

DISC.



Disinfectant Spray

Kills 99.9% of Germs**

Kills Viruses†, Bacteria, Mold & Mildew

Eliminates Odors

Early Morning Breeze™ scent

NET WT.: 19 OZ.
(1 LB. 3 OZ.) 539 g

KEEP OUT OF REACH OF CHILDREN
CAUTION: SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Professional LYSOL® Brand III Disinfectant Spray meets AOAC Germicidal Spray Product Test standards for hospital aerosol disinfectants. GERMICIDAL, FUNGICIDAL, TUBERCULOCIDAL, VIRUCIDAL†
 Professional LYSOL® Brand III Disinfectant Spray eliminates odors at their source: This product deodorizes by killing bacteria that cause odors. Ordinary, non-germicidal sprays can't do this.

Kills in 30 seconds:

• Avian Influenza A Virus • Campylobacter jejuni • Coxsackie Type B3 Virus • Cytomegalovirus • Hantavirus • Hepatitis B Virus • Herpes Simplex Virus Type 1 & 2 • Human Immunodeficiency Virus Type 1 (HIV-1) (AIDS Virus) • Influenza A Virus • Influenza B Virus • Respiratory Syncytial Virus • Rhinovirus Type 39 • Rotavirus Wa • Vaccinia Virus

Kills in 5 minutes:

• Enterobacter aerogenes • Enterococcus faecalis (VRE) • Escherichia coli (O157:H7) • Listeria monocytogenes • Pseudomonas aeruginosa • Salmonella enterica • Staphylococcus aureus • Trichophyton mentagrophytes (Athlete's Foot Fungus)

****Kills in 10 minutes:**

BACTERIA:

• Acinetobacter baumannii	• Mycobacterium bovis	• Pseudomonas putida	• Staphylococcus epidermidis
• Burkholderia cepacia	• Mycobacterium tuberculosis	• Salmonella enterica serovar enteritidis	• Streptococcus pyogenes
• Corynebacterium diphtheriae	• Methicillin Resistant Staphylococcus aureus (MRSA)	• Salmonella enterica serovar Paratyphi B	• Streptococcus salivarius
• Enterococcus faecalis	• Klebsiella pneumoniae	• Salmonella enterica serovar typhi	
• Neisseria meningitidis	• Proteus mirabilis	• Serratia marcescens	
• Proteus vulgaris		• Shigella dysenteriae	

FUNGI:

• Aspergillus niger (mold & mildew) • Candida albicans • Fusarium solani • Penicillium chrysogenum

VIRUSES:

• Adenovirus Type 2 • Echovirus Type 12 • Hepatitis A • Poliovirus Type 1 • Feline calicivirus (Norovirus)

Professional LYSOL® Brand III Disinfectant Spray disinfects and sanitizes the following surfaces:

• Bathroom surfaces	• Door handles	• Floors	• Patient Chairs	• Shower Areas	• Telephones
• Bed Frames	• Dressing carts	• Faucets	• Plastic Toys ¹	• Sinks	• Windowsills
• Counters	• Drinking Fountains	• Glazed Porcelain	• Portable Toilets	• Sports Equipment	• Wheelchairs
• Changing Tables	• Examination tables	• Linen carts	• Salad Bar Sneeze Guards	• Stainless Steel ^A	• Whirlpool Interiors

¹ Follow directions For Toys under Directions for Use - rinsing application required. ^ANon-Medical or Fixture

KILLS HUMAN IMMUNODEFICIENCY VIRUS TYPE 1 (HIV-1) (AIDS VIRUS) AND HEPATITIS B VIRUS ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS, in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV-1 (associated with AIDS) and Hepatitis B Virus.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 AND HEPATITIS B VIRUS ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

- **PERSONAL PROTECTION:** When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks or eye coverings.
- **CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.
- **CONTACT TIME:** Allow surface/object to remain wet for 30 seconds for HIV and Hepatitis B. For all other organisms, surfaces must remain wet for 10 minutes.
- **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

For use on hard non-porous surfaces located in:

• Ambulances	• Clinics	• Dental Offices	• Hotel/Motel	• Nurseries	• Physicians Offices	• Schools
• Blood Banks	• Colleges	• Health Clubs	• Laboratories	• Nursing Homes	• Restaurants	• Veterinary Offices
• Cafeterias	• Day Care Centers	• Hospitals	• Military Installations	• Pharmacies	• Restrooms	• Waiting Rooms

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label before using the product. This product is not for use on critical & semi-critical medical devices or medical equipment surfaces. Pre-clean surfaces prior to use. Hold can upright 6" to 8" from surface. Spray 2 to 3 seconds until covered with mist.

- **To Disinfect:** Let stand for 10 minutes to air dry.
- **For Hard non-porous food contact surfaces and For Toys:** Rinse thoroughly with potable water.
- **For Tuberculocidal activity,** this product is effective in 10 minutes at 20°C (68°F) on surfaces that have been thoroughly cleaned prior to application.
- **To Sanitize:** Let stand for 30 seconds.
- **To Deodorize:** Spray on surfaces as needed.
- **To Control and Prevent Mold & Mildew and their Odors:** Pre-clean hard, non-porous surfaces. Spray surface and allow to remain wet for 10 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

Do not use on polished wood, painted surfaces, leather, rayon fabrics, or acrylic plastics.

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Do not spray in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

FIRST AID	
If in eyes	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a Poison Control Center or doctor for treatment advice.
CONTACT NUMBER	
Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.	

PHYSICAL HAZARDS: FLAMMABLE. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL: Store in original container in areas inaccessible to small children. Do not reuse empty container. Do not puncture or incinerate. Replace cap and discard in trash.

This can is made from an average of 25% recycled steel (10% post-consumer).

Questions? Comments? Call 1-800-228-4722. Visit us at www.reckittprofessional.com

Distributed by: Reckitt Benckiser Inc.
 Parsippany, NJ 07054-0225
 Made in U.S.A. © RBI 2008
 EPA Reg. No.: 777-99-675
 EPA Est. No. 054487-GA-001, 777-NJ-2
 (See Bottom for Lot/Data code)
 0190870



KILLS THE COLD AND FLU VIRUS*



LICENSED

PERIOD 2009-2011 LIC. NO.



LICENSED

PERIOD 2012-2014 LIC. NO.



LICENSED

PERIOD 2015-2017 LIC. NO.

9833.194

DISC.



Disinfectant Spray

Kills 99.9% of Germs**

Kills Viruses, Bacteria, Mold & Mildew

Eliminates Odors

Country Scent®

NET WT.: 19 OZ.
(1 LB. 3 OZ.) 539 g



Federal regulations prohibit CFC propellants in aerosols.

ACTIVE INGREDIENTS:
 Alkyl (50% C14, 40% C12, 10% C16) dimethyl benzyl ammonium saccharinate.....0.10%
 Ethanol.....58.00%
OTHER INGREDIENTS:.....41.90%
TOTAL:.....100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION: SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Professional LYSOL® Brand III Disinfectant Spray meets AOAC Germicidal Spray Product Test standards for hospital aerosol disinfectants. GERMICIDAL, FUNGICIDAL, TUBERCULOCIDAL, VIRUCIDAL†

Professional LYSOL® Brand III Disinfectant Spray eliminates odors at their source: This product deodorizes by killing bacteria that cause odors. Ordinary, non-germicidal sprays can't do this.

Kills in 30 seconds:

• Avian Influenza A Virus • Campylobacter jejuni • Coxsackie Type B3 Virus • Cytomegalovirus • Hantavirus • Hepatitis B Virus • Herpes Simplex Virus Type 1 & 2 • Human Immunodeficiency Virus Type 1 (HIV-1) (AIDS Virus) • Influenza A Virus • Influenza B Virus • Respiratory Syncytial Virus • Rhinovirus Type 39 • Rotavirus Wa • Vaccinia virus

Kills in 5 minutes:

• Enterobacter aerogenes • Enterococcus faecalis (VRE) • Escherichia coli (O157:H7) • Listeria monocytogenes • Pseudomonas aeruginosa • Salmonella enterica • Staphylococcus aureus • Trichophyton mentagrophytes (Athlete's Foot Fungus)

****Kills in 10 minutes:**

BACTERIA:

• Acinetobacter calcoaceticus • Mycobacterium bovis • Pseudomonas putida • Staphylococcus epidermidis
 • Burkholderia cepacia • Floors • Salmonella enterica serovar enteritidis • Streptococcus pyogenes
 • Corynebacterium diptheriae • Methicillin Resistant Staphylococcus aureus (MRSA) • Salmonella enterica serovar Paratyphi B • Streptococcus salivarius
 • Enterococcus faecalis • Staphylococcus aureus serovar typhi • Salmonella enterica serovar typhi
 • Klebsiella pneumoniae • Neisseria elongata • Serratia marcescens
 • Proteus vulgaris • Proteus mirabilis • Shigella dysenteriae

FUNGI:

• Aspergillus niger (mold & mildew) • Candida albicans • Fusarium solani • Penicillium chrysogenum

VIRUSES:

• Adenovirus Type 2 • Echovirus Type 12 • Hepatitis A • Poliovirus Type 1 • Feline calicivirus (Norovirus)

Professional LYSOL® Brand III Disinfectant Spray disinfects and sanitizes the following surfaces:

• Bathroom surfaces • Door handles • Floors • Patient Chairs • Telephones
 • Bed Frames • Dressing carts • Faucets • Plastic Toys¹ • Sinks • Windowsills
 • Counters • Drinking Fountains • Glazed Porcelain • Portable Toilets • Sports Equipment • Wheelchairs
 • Changing Tables • Examination tables • Linen carts • Salad Bar Sneeze Guards • Stainless Steel¹ • Whirlpool Interiors

¹ Follow directions For Toys under Directions for Use - rinsing application required. ¹Non-Medical or Fixture

KILLS HUMAN IMMUNODEFICIENCY VIRUS TYPE 1 (HIV-1) (AIDS VIRUS) AND HEPATITIS B VIRUS ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS. In health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV-1 (associated with AIDS) and Hepatitis B Virus.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 AND HEPATITIS B VIRUS ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

- **PERSONAL PROTECTION:** When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks or eye coverings.
- **CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.
- **CONTACT TIME:** Allow surface/object to remain wet for 30 seconds for HIV and Hepatitis B. For all other organisms, surfaces must remain wet for 10 minutes.
- **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

For use on hard non-porous surfaces located in:

• Ambulances • Clinics • Dental Offices • Hotel/Motel • Nurseries • Physicians Offices • Schools
 • Blood Banks • Colleges • Health Clubs • Laboratories • Nursing Homes • Restaurants • Veterinary Offices
 • Cafeterias • Day Care Centers • Hospitals • Military Installations • Pharmacies • Restrooms • Waiting Rooms

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label before using the product. This product is not for use on critical & semi-critical medical devices or medical equipment surfaces. Pre-clean surfaces prior to use. Hold can upright 6" to 8" from surface. Spray 2 to 3 seconds until covered with mist.

- **To Disinfect:** Let stand for 10 minutes to air dry.
- **For Hard non-porous food contact surfaces and For Toys:** Rinse thoroughly with potable water.
- **For Tuberculocidal activity,** this product is effective in 10 minutes at 20°C (68°F) on surfaces that have been thoroughly cleaned prior to application.
- **To Sanitize:** Let stand for 30 seconds.
- **To Deodorize:** Spray on surfaces as needed.
- **To Control and Prevent Mold & Mildew and their Odors:** Pre-clean hard, non-porous surfaces. Spray surface and allow to remain wet for 10 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

Do not use on polished wood, painted surfaces, leather, rayon fabrics, or acrylic plastics.

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Do not spray in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

FIRST AID	
If in eyes	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a Poison Control Center or doctor for treatment advice.
CONTACT NUMBER	
Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.	

PHYSICAL HAZARDS: FLAMMABLE. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL: Store in original container in areas inaccessible to small children. Do not reuse empty container. Do not puncture or incinerate. Replace cap and discard in trash.

This can is made from an average of 25% recycled steel (10% post-consumer).

Questions? Comments? Call 1-800-228-4722. Visit us at www.reckittprofessional.com

Distributed by: Reckitt Benckiser Inc.
 Parsippany, NJ 07054-0225
 Made in U.S.A. © RBI 2008
 EPA Reg. No.: 777-99-675
 EPA Est. No. 054487-GA-001, 777-NJ-2
 (See Bottom for Lot/Data code)
 0190837



KILLS THE COLD AND FLU VIRUS*



LICENSED

PERIOD 2009-2011 LIC. NO.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2012-2014 LIC. NO.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2015-2017 LIC. NO.

9833.194

DISC.



Federal regulations prohibit CFC propellants in aerosols.

ACTIVE INGREDIENTS:
 Alkyl (50% C14, 40% C12, 10% C16) dimethyl benzyl ammonium saccharinate.....0.10%
 Ethanol.....58.00%
OTHER INGREDIENTS:.....41.90%
TOTAL:.....100.00%



Disinfectant Spray

Kills 99.9% of Germs**

Kills Viruses, Bacteria, Mold & Mildew

Eliminates Odors

Crisp Linen® Scent

**NET WT.: 19 OZ.
 (1 LB. 3 OZ.) 539 g**

KEEP OUT OF REACH OF CHILDREN
CAUTION: SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Professional LYSOL® Brand III Disinfectant Spray meets AQAQ Germicidal Spray Product Test standards for hospital aerosol disinfectants. GERMICIDAL, FUNGICIDAL, TUBERCULOCIDAL, VIRUCIDAL†
 Professional LYSOL® Brand III Disinfectant Spray eliminates odors at their source. This product deodorizes by killing bacteria that cause odors. Ordinary, non-germicidal sprays can't do this.

Kills in 30 seconds:			
• Avian Influenza A Virus • Campylobacter jejuni • Coxsackie Type B3 Virus • Cytomegalovirus • Hantavirus • Hepatitis B Virus • Herpes Simplex Virus Type 1 & 2 • Human Immunodeficiency Virus Type 1 (HIV-1) (AIDS Virus) • Influenza A Virus • Influenza B Virus • Respiratory Syncytial Virus • Rhinovirus Type 39 • Rotavirus Wa • Vaccinia virus			
Kills in 5 minutes:			
• Enterobacter aerogenes • Enterococcus faecalis (VRE) • Escherichia coli (O157:H7) • Listeria monocytogenes • Pseudomonas aeruginosa • Salmonella enterica • Staphylococcus aureus • Trichophyton mentagrophytes (Athlete's Foot Fungus)			
**Kills in 10 minutes:			
BACTERIA:			
• Acinetobacter calcoaceticus	• Mycobacterium bovis	• Pseudomonas putida	• Staphylococcus epidermidis
• Burkholderia cepacia	• (Quant tuberculosis)	• Salmonella enterica serovar enteritidis	• Streptococcus pyogenes
• Corynebacterium diphtheriae	• Methicillin Resistant	• Salmonella enterica serovar Paratyphi B	• Streptococcus salivarius
• Enterococcus faecalis	• Staphylococcus aureus (MRSA)	• Salmonella enterica serovar typhi	
• Klebsiella pneumoniae	• Neisseria elongata	• Serratia marcescens	
• Proteus vulgaris	• Proteus mirabilis	• Shigella dysenteriae	
FUNGI:			
• Aspergillus niger (mold & mildew) • Candida albicans • Fusarium solani • Penicillium chrysogenum			
†VIRUSES:			
• Adenovirus Type 2 • Echovirus Type 12 • Hepatitis A • Poliovirus Type 1 • Feline calicivirus (Norovirus)			

Professional LYSOL® Brand III Disinfectant Spray disinfects and sanitizes the following surfaces:

• Bathroom surfaces	• Door handles	• Floors	• Patient Chairs	• Shower Areas	• Telephones
• Bed Frames	• Dressing carts	• Faucets	• Plastic Toys ¹	• Sinks	• Windowsills
• Counters	• Drinking Fountains	• Glazed Porcelain	• Portable Toilets	• Sports Equipment	• Wheelchairs
• Changing Tables	• Examination tables	• Linen carts	• Salad Bar Sneeze Guards	• Stainless Steel ¹	• Whirlpool Interiors

¹ Follow directions for Toys under Directions for Use - rinsing application required. ¹Non-Medical or Fixture.

KILLS HUMAN IMMUNODEFICIENCY VIRUS TYPE 1 (HIV-1) (AIDS VIRUS) AND HEPATITIS B VIRUS ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS. In health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV-1 (associated with AIDS) and Hepatitis B Virus.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 AND HEPATITIS B VIRUS ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

- **PERSONAL PROTECTION:** When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks or eye coverings.
- **CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.
- **CONTACT TIME:** Allow surface/object to remain wet for 30 seconds for HIV and Hepatitis B. For all other organisms, surfaces must remain wet for 10 minutes.
- **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

For use on hard non-porous surfaces located in:

• Ambulances	• Clinics	• Dental Offices	• Hotel/Motel	• Nurseries	• Physicians Offices	• Schools
• Blood Banks	• Colleges	• Health Clubs	• Laboratories	• Nursing Homes	• Restaurants	• Veterinary Offices
• Cafeterias	• Day Care Centers	• Hospitals	• Military Installations	• Pharmacies	• Restrooms	• Waiting Rooms

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label before using the product. This product is not for use on critical & semi-critical medical devices or medical equipment surfaces. Pre-clean surfaces prior to use. Hold can upright 6" to 8" from surface. Spray 2 to 3 seconds until covered with mist.

- **To Disinfect:** Let stand for 10 minutes to air dry.
- **For Hard non-porous food contact surfaces and For Toys:** Rinse thoroughly with potable water.
- **For Tuberculocidal activity,** this product is effective in 10 minutes at 20°C (68°F) on surfaces that have been thoroughly cleaned prior to application.
- **To Sanitize:** Let stand for 30 seconds.
- **To Deodorize:** Spray on surfaces as needed.
- **To Control and Prevent Mold & Mildew and their Odors:** Pre-clean hard, non-porous surfaces. Spray surface and allow to remain wet for 10 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

Do not use on polished wood, painted surfaces, leather, rayon fabrics, or acrylic plastics.

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals
CAUTION: Causes moderate eye irritation. Do not spray in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

FIRST AID	
If in eyes	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a Poison Control Center or doctor for treatment advice.
CONTACT NUMBER	
Questions? Comments? or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.	

PHYSICAL HAZARDS: FLAMMABLE. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL: Store in original container in areas inaccessible to small children. Do not reuse empty container. Do not puncture or incinerate. Replace cap and discard in trash.

This can is made from an average of 25% recycled steel (10% post-consumer).

Questions? Comments? Call 1-800-228-4722.
 Visit us at www.reckittprofessional.com

Distributed by: Reckitt Benckiser Inc.
 Parsippany, NJ 07054-0225
 Made in U.S.A. © RBI 2008
 EPA Reg. No.: 777-99-675
 EPA Est. No. 054487-GA-001, 777-NJ-2
 (See Bottom for Lot/Data code)
 0190864



KILLS THE COLD AND FLU VIRUS*



LICENSED
 PERIOD 2009-2011 LIC. NO.



LICENSED
 PERIOD 2012-2014 LIC. NO.



LICENSED
 PERIOD 2015-2017 LIC. NO.

9833.194

DISC.



Disinfectant Spray

Kills 99.9% of Germs**

Kills Viruses*, Bacteria, Mold & Mildew

Eliminates Odors

Fresh Scent

NET WT.: 19 OZ. (1 LB. 3 OZ.) 539 g



Federal regulations prohibit CFC propellants in aerosols.

ACTIVE INGREDIENTS:

Alkyl (50% C14, 40% C12, 10% C16) dimethyl benzyl ammonium saccharinate.....	0.10%
Ethanol.....	58.00%
OTHER INGREDIENTS:	41.90%
TOTAL:	100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION:
 SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Professional LYSOL® Brand III Disinfectant Spray meets AOAC Germicidal Spray Product Test standards for hospital aerosol disinfectants. GERMICIDAL, FUNGICIDAL, TUBERCULOCIDAL, VIRUCIDAL†

Professional LYSOL® Brand III Disinfectant Spray eliminates odors at their source: This product deodorizes by killing bacteria that cause odors. Ordinary, non-germicidal sprays can't do this.

Kills in 30 seconds:

• Avian Influenza A Virus • Campylobacter jejuni • Coxsackie Type B3 Virus • Cytomegalovirus • Hantavirus • Hepatitis B Virus • Herpes Simplex Virus Type 1 & 2 • Human Immunodeficiency Virus Type 1 (HIV-1) (AIDS Virus) • Influenza A Virus • Influenza B Virus • Respiratory Syncytial Virus • Rhinovirus Type 39 • Rotavirus Wa • Vaccinia Virus

Kills in 5 minutes:

• Enterobacter aerogenes • Enterococcus faecalis (VRE) • Escherichia coli (O157:H7) • Listeria monocytogenes • Pseudomonas aeruginosa • Salmonella enterica • Staphylococcus aureus • Trichophyton mentagrophytes (Athlete's Foot Fungus)

****Kills in 10 minutes:**

BACTERIA:

• Acinetobacter calcoaceticus • Burkholderia cepacia • Corynebacterium diptheriae • Enterococcus faecalis • Klebsiella pneumoniae • Proteus vulgaris • Mycobacterium bovis (Quant tuberculosis) • Methicillin Resistant Staphylococcus aureus (MRSA) • Neisseria elongata • Proteus mirabilis • Pseudomonas putida • Salmonella enterica serovar enteritidis • Salmonella enterica serovar Paratyphi B • Salmonella enterica serovar typhi • Serratia marcescens • Shigella dysenteriae • Staphylococcus epidermidis • Streptococcus pyogenes • Streptococcus salivarius

FUNGI:

• Aspergillus niger (mold & mildew) • Candida albicans • Fusarium solani • Penicillium chrysogenum

†VIRUSES:

• Adenovirus Type 2 • Echovirus Type 12 • Hepatitis A • Poliovirus Type 1 • Feline calicivirus (Norovirus)

Professional LYSOL® Brand III Disinfectant Spray disinfects and sanitizes the following surfaces:

• Bathroom surfaces • Bed Frames • Counters • Changing Tables • Shower Areas • Floors • Patient Chairs • Sinks • Sports Equipment • Wheelchairs • Windowsills • Stainless Steel* • Whirlpool Interiors

† Follow directions For Toys under Directions for Use - rinsing application required. *Non-Medical or Fixture

KILLS HUMAN IMMUNODEFICIENCY VIRUS TYPE 1 (HIV-1) (AIDS VIRUS) AND HEPATITIS B VIRUS ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS. In health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV-1 (associated with AIDS) and Hepatitis B Virus.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 AND HEPATITIS B VIRUS ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

- **PERSONAL PROTECTION:** When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks or eye coverings.
- **CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.
- **CONTACT TIME:** Allow surface/object to remain wet for 30 seconds for HIV and Hepatitis B. For all other organisms, surfaces must remain wet for 10 minutes.
- **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

For use on hard non-porous surfaces located in:

• Ambulances • Clinics • Dental Offices • Hotel/Motel • Nurseries • Physicians Offices • Schools • Blood Banks • Colleges • Health Clubs • Laboratories • Military Installations • Pharmacies • Restrooms • Restaurants • Veterinary Offices • Cafeterias • Day Care Centers • Hospitals • Waiting Rooms

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label before using the product. This product is not for use on critical & semi-critical medical devices or medical equipment surfaces. Pre-clean surfaces prior to use. Hold can upright 6" to 8" from surface. Spray 2 to 3 seconds until covered with mist.

- **To Disinfect:** Let stand for 10 minutes to air dry.
- **For Hard non-porous food contact surfaces and For Toys:** Rinse thoroughly with potable water.
- **For Tuberculocidal activity,** this product is effective in 10 minutes at 20°C (68°F) on surfaces that have been thoroughly cleaned prior to application.
- **To Sanitize:** Let stand for 30 seconds.
- **To Deodorize:** Spray on surfaces as needed.
- **To Control and Prevent Mold & Mildew and their Odors:** Pre-clean hard, non-porous surfaces. Spray surface and allow to remain wet for 10 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

Do not use on polished wood, painted surfaces, leather, rayon fabrics, or acrylic plastics.

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Do not spray in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

FIRST AID

If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a Poison Control Center or doctor for treatment advice.
-------------------	--

CONTACT NUMBER

Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

PHYSICAL HAZARDS: FLAMMABLE. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL: Store in original container in areas inaccessible to small children. Do not reuse empty container. Do not puncture or incinerate. Replace cap and discard in trash.

This can is made from an average of 25% recycled steel (10% post-consumer).

Questions? Comments? Call 1-800-228-4722. Visit us at www.reckittprofessional.com

Distributed by: Reckitt Benckiser Inc. Parsippany, NJ 07054-0225 Made in U.S.A. © RBI 2008

EPA Reg. No.: 777-99-675 EPA Est. No. 054487-GA-001, 777-NJ-2 (See Bottom for Lot/Data code) 0190859



PLEASE RECYCLE WHEN EMPTY
RECKITT BENCKISER
PROFESSIONAL

INSERT 90% UPC

0 36241 80571 5

KILLS THE COLD AND FLU VIRUS*

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2009-2011 LIC. NO.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2012-2014 LIC. NO.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2015-2017 LIC. NO.

9833.194

DISC.

PROFESSIONAL
LYSOL
BRAND III®

Disinfectant Spray

Kills 99.9% of Germs**

Kills Viruses, Bacteria, Mold & Mildew

Eliminates Odors

Garden Mist™ Scent



Federal regulations prohibit CFC propellants in aerosols.

ACTIVE INGREDIENTS:
Alkyl (50% C14, 40% C12, 10% C16) dimethyl benzyl ammonium saccharinate.....0.10%
Ethanol.....58.00%
OTHER INGREDIENTS:.....41.90%
TOTAL:.....100.00%

NET WT.: 19 OZ.
(1 LB. 3 OZ.) 539 g

KEEP OUT OF REACH OF CHILDREN
CAUTION: SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Professional LYSOL® Brand III Disinfectant Spray meets AOAC Germicidal Spray Product Test standards for hospital aerosol disinfectants. GERMICIDAL, FUNGICIDAL, TUBERCULOCIDAL, VIRUCIDAL

Professional LYSOL® Brand III Disinfectant Spray eliminates odors at their source. This product deodorizes by killing bacteria that cause odors. Ordinary, non-germicidal sprays can't do this.

Kills in 30 seconds:

• Avian Influenza A Virus • Campylobacter jejuni • Coxsackie Type B3 Virus • Cytomegalovirus • Hantavirus • Hepatitis B Virus • Herpes Simplex Virus Type 1 & 2 • Human Immunodeficiency Virus Type 1 (HIV-1) (AIDS Virus) • Influenza A Virus • Influenza B Virus • Respiratory Syncytial Virus • Rhinovirus Type 39 • Rotavirus Wa • Vaccinia virus

Kills in 5 minutes:

• Enterobacter aerogenes • Enterococcus faecalis (VRE) • Escherichia coli (O157:H7) • Listeria monocytogenes • Pseudomonas aeruginosa • Salmonella enterica • Staphylococcus aureus • Trichophyton mentagrophytes (Athlete's Foot Fungus)

****Kills in 10 minutes:**

BACTERIA:

• Acinetobacter calcoaceticus	• Mycobacterium bovis	• Pseudomonas putida	• Staphylococcus epidermidis
• Burkholderia cepacia	• Quant (tuberculosis)	• Salmonella enterica serovar enteritidis	• Streptococcus pyogenes
• Corynebacterium diphtheriae	• Methicillin Resistant Staphylococcus aureus (MRSA)	• Salmonella enterica serovar Paratyphi B	• Streptococcus salivarius
• Enterococcus faecalis	• Klebsiella pneumoniae	• Serratia marcescens	
• Proteus vulgaris	• Proteus mirabilis	• Shigella dysenteriae	

FUNGI:

• Aspergillus niger (mold & mildew) • Candida albicans • Fusarium solani • Penicillium chrysogenum

†VIRUSES:

• Adenovirus Type 2 • Echovirus Type 12 • Hepatitis A • Poliovirus Type 1 • Feline calicivirus (Norovirus)

Professional LYSOL® Brand III Disinfectant Spray disinfects and sanitizes the following surfaces:

• Bathroom surfaces	• Door handles	• Floors	• Patient Chairs	• Shower Areas	• Telephones
• Bed Frames	• Dressing carts	• Faucets	• Plastic Toys 1	• Sinks	• Windowsills
• Counters	• Drinking Fountains	• Glazed Porcelain	• Portable Toilets	• Sports Equipment	• Wheelchairs
• Changing Tables	• Examination tables	• Linen carts	• Salad Bar Sneeze Guards	• Stainless Steel ^A	• Whirlpool Interiors

1 Follow directions For Toys under Directions for Use - rinsing application required. ^ANon-Medical or Fixture

KILLS HUMAN IMMUNODEFICIENCY VIRUS TYPE 1 (HIV-1) (AIDS VIRUS) AND HEPATITIS B VIRUS ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS. In health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV-1 (associated with AIDS) and Hepatitis B Virus.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 AND HEPATITIS B VIRUS ON SURFACES/OBJECTS SOILED WITH BLOOD/ BODY FLUIDS:

- **PERSONAL PROTECTION:** When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks or eye coverings.
- **CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.
- **CONTACT TIME:** Allow surface/object to remain wet for 30 seconds for HIV and Hepatitis B. For all other organisms, surfaces must remain wet for 10 minutes.
- **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

For use on hard non-porous surfaces located in:

• Ambulances	• Clinics	• Dental Offices	• Hotel/Motel	• Nurseries	• Physicians Offices	• Schools
• Blood Banks	• Colleges	• Health Clubs	• Laboratories	• Nursing Homes	• Restaurants	• Veterinary Offices
• Cafeterias	• Day Care Centers	• Hospitals	• Military Installations	• Pharmacies	• Restrooms	• Waiting Rooms

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label before using the product. This product is not for use on critical & semi-critical medical devices or medical equipment surfaces. Pre-clean surfaces prior to use. Hold can upright 6" to 8" from surface. Spray 2 to 3 seconds until covered with mist.

- **To Disinfect:** Let stand for 10 minutes to air dry.
- **For Hard non-porous food contact surfaces and For Toys:** Rinse thoroughly with potable water.
- **For Tuberculocidal activity,** this product is effective in 10 minutes at 20°C (68°F) on surfaces that have been thoroughly cleaned prior to application.
- **To Sanitize:** Let stand for 30 seconds.
- **To Deodorize:** Spray on surfaces as needed.
- **To Control and Prevent Mold & Mildew and their Odors:** Pre-clean hard, non-porous surfaces. Spray surface and allow to remain wet for 10 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

Do not use on polished wood, painted surfaces, leather, rayon fabrics, or acrylic plastics.

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Do not spray in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

FIRST AID	
If in eyes	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a Poison Control Center or doctor for treatment advice.
CONTACT NUMBER	
Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.	

PHYSICAL HAZARDS: FLAMMABLE. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL: Store in original container in areas inaccessible to small children. Do not reuse empty container. Do not puncture or incinerate. Replace cap and discard in trash.

This can is made from an average of 25% recycled steel (10% post-consumer).

Questions? Comments? Call 1-800-228-4722. Visit us at www.reckittprofessional.com

Distributed by: Reckitt Benckiser Inc.
Parsippany, NJ 07054-0225
Made in U.S.A. © RBI 2008
EPA Reg. No.: 777-99-675
EPA Est. No. 054487-GA-001, 777-NJ-2
(See Bottom for Lot/Data code)
0190854



KILLS THE COLD AND FLU VIRUS[†]

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2009-2011 LIC. NO.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2012-2014 LIC. NO.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2015-2017 LIC. NO.

9833.194

DISC.



Disinfectant Spray

Kills 99.9% of Germs**

Kills Viruses[†], Bacteria, Mold & Mildew

Eliminates Odors

Original Scent

NET WT.: 19 OZ.
(1 LB. 3 OZ.) 539 g



Federal regulations prohibit CFC propellants in aerosols.

ACTIVE INGREDIENTS:

Alkyl (50% C14, 40% C12, 10% C16)	0.10%
dimethyl benzyl ammonium saccharinate	58.00%
Ethanol	41.90%
OTHER INGREDIENTS:	100.00%
TOTAL:	100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION: SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Professional LYSOL® Brand III Disinfectant Spray meets AOAC Germicidal Spray Product Test standards for hospital aerosol disinfectants. GERMICIDAL FUNGICIDAL TUBERCULOCIDAL VIRUCIDAL

Professional LYSOL® Brand III Disinfectant Spray eliminates odors at their source. This product deodorizes by killing bacteria that cause odors. Ordinary, non-germicidal sprays can't do this.

Kills in 30 seconds:

• Avian Influenza A Virus • Campylobacter jejuni • Coxsackie Type B3 Virus • Cytomegalovirus • Hantavirus • Hepatitis B Virus • Herpes Simplex Virus Type 1 & 2 • Human Immunodeficiency Virus Type 1 (HIV-1) [AIDS Virus] • Influenza A Virus • Influenza B Virus • Respiratory Syncytial Virus • Rhinovirus Type 39 • Rotavirus Wa • Vaccinia virus

Kills in 5 minutes:

• Enterobacter aerogenes • Enterococcus faecalis (VRE) • Escherichia coli (O157:H7) • Listeria monocytogenes • Pseudomonas aeruginosa • Salmonella enterica • Staphylococcus aureus • Trichophyton mentagrophytes (Athlete's Foot Fungus)

****Kills in 10 minutes:**

BACTERIA:

• Acinetobacter calcoaceticus	• Mycobacterium bovis (Quant tuberculosis)	• Pseudomonas putida	• Staphylococcus epidermidis
• Burkholderia cepacia	• Methicillin Resistant Staphylococcus aureus (MRSA)	• Salmonella enterica serovar enteritidis	• Streptococcus pyogenes
• Enterococcus faecalis	• Neisseria elongata	• Salmonella enterica serovar Paratyphi B	• Streptococcus salivarius
• Klebsiella pneumoniae	• Proteus mirabilis	• Serratia marcescens	
• Proteus vulgaris		• Shigella dysenteriae	

FUNGI:

• Aspergillus niger (mold & mildew) • Candida albicans • Fusarium solani • Penicillium chrysogenum

↑ VIRUSES:

• Adenovirus Type 2 • Echovirus Type 12 • Hepatitis A • Poliovirus Type 1 • Feline calicivirus (Norovirus)

Professional LYSOL® Brand III Disinfectant Spray disinfects and sanitizes the following surfaces:

• Bathroom surfaces	• Door handles	• Floors	• Patient Chairs	• Shower Areas	• Telephones
• Bed Frames	• Dressing carts	• Faucets	• Plastic Toys ¹	• Sinks	• Windowsills
• Counters	• Drinking Fountains	• Glazed Porcelain	• Portable Toilets	• Sports Equipment	• Wheelchairs
• Changing Tables	• Examination tables	• Linen carts	• Salad Bar Sneez Guards	• Stainless Steel ^A	• Whirlpool Interiors

¹ Follow directions For Toys under Directions for Use - rinsing application required. ^A Non-Medical or Fixture

KILLS HUMAN IMMUNODEFICIENCY VIRUS TYPE 1 (HIV-1) [AIDS VIRUS] AND HEPATITIS B VIRUS ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS. In health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV-1 (associated with AIDS) and Hepatitis B Virus.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 AND HEPATITIS B VIRUS ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

- **PERSONAL PROTECTION:** When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks or eye coverings.
- **CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.
- **CONTACT TIME:** Allow surface/object to remain wet for 30 seconds for HIV and Hepatitis B. For all other organisms, surfaces must remain wet for 10 minutes.
- **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

For use on hard non-porous surfaces located in:

• Ambulances	• Clinics	• Dental Offices	• Hotel/Motel	• Nurseries	• Physicians Offices	• Schools
• Blood Banks	• Colleges	• Health Clubs	• Laboratories	• Nursing Homes	• Restaurants	• Veterinary Offices
• Cattereries	• Day Care Centers	• Hospitals	• Military Installations	• Pharmacies	• Restrooms	• Waiting Rooms

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label before using the product. This product is not for use on critical & semi-critical medical devices or medical equipment surfaces. Pre-clean surfaces prior to use. Hold can upright 6" to 8" from surface. Spray 2 to 3 seconds until covered with mist.

- **To Disinfect:** Let stand for 10 minutes to air dry.
- **For Hard non-porous food contact surfaces and For Toys:** Rinse thoroughly with potable water.
- **For Tuberculocidal activity,** this product is effective in 10 minutes at 20°C (68°F) on surfaces that have been thoroughly cleaned prior to application.
- **To Sanitize:** Let stand for 30 seconds.
- **To Deodorize:** Spray on surfaces as needed.
- **To Control and Prevent Mold & Mildew and their Odors:** Pre-clean hard, non-porous surfaces. Spray surface and allow to remain wet for 10 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

Do not use on polished wood, painted surfaces, leather, rayon fabrics, or acrylic plastics.

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Do not spray in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

FIRST AID	
If in eyes	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a Poison Control Center or doctor for treatment advice.
CONTACT NUMBER	
Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.	

PHYSICAL HAZARDS: FLAMMABLE. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL: Store in original container in areas inaccessible to small children. Do not reuse empty container. Do not puncture or incinerate. Replace cap and discard in trash.

This can is made from an average of 25% recycled steel (10% post-consumer).

Questions? Comments? Call 1-800-228-4722. Visit us at www.reckittprofessional.com

Distributed by: Reckitt Benckiser Inc.
Parsippany, NJ 07054-0225
Made in U.S.A. © RBI 2008
EPA Reg. No.: 777-99-675
EPA Est. No. 054487-GA-001, 777-NJ-2
(See Bottom for Lot/Data code)
0191003



KILLS THE COLD AND FLU VIRUS*

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2009-2011 LIC. NO.

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2012-2014 LIC. NO.

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2015-2017 LIC. NO.

9833.194

DISC.



Federal regulations prohibit CFC propellants in aerosols.

ACTIVE INGREDIENTS:
Alkyl (50% C14, 40% C12, 10% C16) dimethyl benzyl ammonium saccharinate.....0.10%
Ethanol.....58.00%
OTHER INGREDIENTS:.....41.90%
TOTAL:.....100.00%

PROFESSIONAL
LYSOL
BRAND III®

Disinfectant Spray

Kills 99.9% of Germs**

**Kills Viruses,[†]
Bacteria, Mold
& Mildew**

Eliminates Odors

Spring Waterfall® Scent

NET WT.: 19 OZ.
(1 LB. 3 OZ.) 539 g

KEEP OUT OF REACH OF CHILDREN
CAUTION:
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS