

- Germicidal • Virucidal<sup>†</sup> • Fungicidal • Tuberculocidal • Bactericidal • Mildewcidal • Kills antibiotic resistant bacteria\*
- Kills the source of mold allergens and prevents it from coming back for up to 7 days<sup>††</sup>
- Deodorizes by killing odor-causing bacteria at their source. Ordinary, non-germicidal sprays can't do this.
- Use on soft surfaces where bacteria can hide\*\*\* Meets OSHA Bloodborne Pathogens Standards<sup>§§</sup>
- Meets AOAC Germicidal Spray Product Test standards for hospital aerosol disinfectants
- \*\*\*Kills 99.9% of Staphylococcus aureus and Klebsiella pneumoniae on soft surfaces in 30 seconds

<b>Kills in 30 seconds:</b>	• Avian Influenza A Virus	• Hepatitis C Virus	• Type 1 (HIV-1) (AIDS Virus)	• Rhinovirus Type 39 <sup>†</sup>
• Campylobacter jejuni	• Herpes Simplex Virus Type 1	• Influenza A Virus <sup>†</sup>	• Influenza B Virus	• Rotavirus WA <sup>††</sup>
• Coxsackie Type B3 Virus	• Herpes Simplex Virus Type 2	• Newcastle Disease Virus	• Respiratory Syncytial Virus (RSV) <sup>†††</sup>	• SARS Coronavirus
• Cytomegalovirus	• Human Coronavirus	• Staphylococcus aureus	• Staphylococcus epidermidis	• Swine Influenza A Virus
• Hepatitis B Virus	• Human Immunodeficiency Virus	• Proteus mirabilis	• Proteus vulgaris	• Vaccinia Virus
<b>Kills in 2 minutes:</b>	• Acinetobacter baumannii MDR*	• Enterovirus Type 68	• Escherichia coli	• Staphylococcus haemolyticus
• Bordetella pertussis	• Burkholderia cepacia	• Haemophilus influenzae	• Klebsiella pneumoniae	• Staphylococcus saprophyticus
• Candida albicans	• Candida parapsilosis	• Klebsiella pneumoniae	• Klebsiella pneumoniae NDM-1 positive	• Streptococcus pneumoniae PRSP*
• Citrobacter freundii	• Corynebacterium diphtheriae	• Klebsiella pneumoniae	• Listeria monocytogenes	• Streptococcus pyogenes (Strep)
• Cronobacter sakazakii	• Enterobacter aerogenes MDR*	• Klebsiella pneumoniae	• Neisseria elongata	• Streptococcus salivarius (Pink Eye)
• Enterobacter aerogenes MDR*	• Enterococcus faecalis	• Klebsiella pneumoniae	• Pasteurella multocida	• Trichophyton mentagrophytes (Athlete's Foot Fungus) (Ringworm)
• Enterococcus faecalis	• Enterococcus faecium VRE + MDR	• Poliovirus Type 1	• Poliovirus Type 1	• Vibrio cholerae
				• Yersinia enterocolitica
<b>Kills in 3 minutes:</b>	• Adenovirus 14	• Aspergillus niger <sup>††</sup>	• Bordetella avium	
<b>Kills in 10 minutes:</b>	• Feline Calicivirus (Norovirus)	• Mycobacterium bovis BCG (Quant tuberculosis)		

**Intended for use in:**

- Ambulances • Clinics • Dental Offices • Hotel/Motel • Office Buildings • Physicians Offices • Schools
- Blood Banks • Colleges • Health Clubs • Laboratories • Nursing Homes • Restaurants • Veterinary Offices
- Cafeterias • Day Care Centers • Hospitals • Military Installations • Pharmacies • Restrooms • Waiting Rooms

**This product disinfects and sanitizes the following surfaces:**

<b>Hard, non-porous surfaces</b>	• Bathroom Surfaces	• Door Handles	• Light Switches	• Sports Equipment
• Chairs	• Counters	• Desks	• Examination Tables	• Portable Toilets
			• Floors	• Shower Areas
			• Garbage Cans	• Sinks
				• Toilet Seats
<b>Soft surfaces</b>	• Bedding	• Couches	• Curtains	• Mattresses

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label before using the product. Pre-clean surfaces prior to use. Hold can upright 6" to 8" from surface. Spray 3 to 4 seconds until covered with mist.

**To Disinfect:** Surfaces must remain wet for 3 minutes then allow to air dry. For Norovirus and Mycobacterium bovis BCG surfaces must remain wet for 10 minutes then allow to air dry. **To Sanitize:** Surfaces must remain wet for 10 seconds then allow to air dry. **Fabric Sanitizer:** To Sanitize Soft Surfaces: Spray until fabric is wet. DO NOT SATURATE. Fabric must remain wet for 30 seconds. Let air dry. For difficult odors, repeat application.

**Rinse toys and food contact surfaces with potable water after use.**

**To Control and Prevent Mold & Mildew:** Apply to pre-cleaned surface. Allow to remain wet for 3 minutes. Let air dry. Repeat applications in weekly intervals or when mold and mildew growth appears. **To Deodorize:** Spray on surfaces as needed. Do not use on polished wood, painted surfaces, leather, rayon fabrics, or acrylic plastics.

**For Tuberculocidal Activity:** This product is effective in 10 minutes at 20°C (68°F) on surfaces that have been thoroughly cleaned prior to application.

**†KILLS HUMAN IMMUNODEFICIENCY VIRUS TYPE 1 (HIV-1 AIDS VIRUS), HEPATITIS B VIRUS (HBV), AND HEPATITIS C VIRUS (HCV) ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids; and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV-1 (associated with AIDS), Hepatitis B Virus, and Hepatitis C Virus.

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV, AND HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/ BODY FLUIDS: PERSONAL PROTECTION:** When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks and eye coverings. **CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product. **CONTACT TIME:** Allow surface/object to remain wet for 30 seconds for HIV-1, HBV, and HCV. For other organisms, surfaces must remain wet for 3 minutes. For Norovirus and Mycobacterium bovis BCG surfaces must remain wet for 10 minutes. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids must be autoclaved and disposed of according to local regulations for infectious waste disposal.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** Causes moderate eye irritation. Do not spray in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**FIRST AID: If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

**CONTACT NUMBER:** Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**PHYSICAL HAZARDS: FLAMMABLE:** Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

**STORAGE AND DISPOSAL:** Do not contaminate water, food or feed by storage and disposal. **STORAGE:** Store in original container in areas inaccessible to children. Keep securely closed. **DISPOSAL:** Do Not Puncture or Incinerate! Non-refillable container. Do not reuse or refill this container. To avoid waste, use all material in this container according to label directions. If empty, place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. This can is made from an average of 25% recycled steel (10% post-consumer).

**Questions? Call 1-800-228-4722**

For ingredient and other information,

visit [www.rhinofa.com](http://www.rhinofa.com)

Distributed by: Reckitt Benckiser,  
Parsippany, NJ 07054-0224  
Made in U.S.A. © 2016 RB

EPA Reg. No.: 777-99-6175

EPA Est. No.: 777-NU-2 (See Bottom for Lot/Date code)

8255862



PLEASE RECYCLE  
WHEN EMPTY



3

0 36241 95029



# Disinfectant Spray

STATE OF HAWAII  
Department of Agriculture

ACCEPTED

LICENSE NO. 9833.206

- Multi-Surface Disinfectant
- Tuberculocidal
- Virucidal<sup>†</sup> • Fungicidal

**ACTIVE INGREDIENTS:**

Alkyl (50% C14, 40% C12, 10% C16)	0.10%
dimethyl benzyl ammonium saccharinate	58.00%
Ethanol	41.90%
<b>OTHER INGREDIENTS:</b>	100.00%
<b>TOTAL:</b>	100.00%

KEEP OUT OF REACH OF CHILDREN

**CAUTION:** SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

NET WT.: 19 OZ. (1 LB. 3 OZ.) 538 g