

**NEW BAIT STATION DESIGN**

**d-CON**  
Bait Station™ II

**KILLS  
MICE**  
MATA RATONES

**DISC.**



\*MICE MAY CONSUME A LETHAL DOSE IN ONE FEEDING WITH FIRST DEAD RODENTS APPEARING 4 OR 5 DAYS AFTER FEEDING BEGINS.

**LICENSED**

PERIOD 2015-2017 LIC. NO.

**9833.227**



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD 2012-2014 LIC. NO.



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD 2009-2011 LIC. NO.

IMAGES PRINT F  
dcbs2\_bait\_stati  
dcbs2\_bait\_stati  
WITH PROCESS I

**DIRECTIONS FOR USE:**



**\*\*Fits in almost any corner**




**Compact design -  
\*\*Use in tight places**



**Disposable**

**\*\*Must adhere to the Use  
Restrictions in the Directions  
for Use section of this label**

**CAN KILL  
IN ONE FEEDING\***  
PUEDE MATAR CON UNA RACIÓN\*



KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
Read additional precautionary statements on back panel.

ACTIVE INGREDIENT:  
Brodifacoum 3-(3-(4'-bromo-[1,1'-biphenyl]-4-yl)-1,2,3,4-tetrahydro-1-naphthalenyl)-4-hydroxy-2H-1-benzopyran-2-one...0.005%  
OTHER INGREDIENTS...99.995%  
TOTAL: 100.000%

**CORNER FIT™**

NET CONTENTS: 20 g (0.7 OZ.)

**1 Disposable Bait Station**  
Bait Station desechables

- ✓ **GUARANTEED TO KILL!**
- ✓ **HELPS REDUCE MOUSE PROBLEMS**
- ✓ **PREBAITED - READY TO USE**

**No Loose Bait**  
No need to touch the bait



**Clear window lets you know when to dispose it**



**Mice go in, eat the bait, mice go out**

**†SATISFACTION GUARANTEED OR YOUR MONEY BACK**

INSERT  
100%  
UPC

0 19200 82752 2

Questions?/Preguntas? ☎ 1-800-228-4722  
For ingredient information/Para información de ingredientes,  
[www.d-conproducts.com](http://www.d-conproducts.com)  
Distributed by/Distribuido por:  
Reckitt Benckiser Inc., Parsippany, NJ 07054-0224  
Assembled in USA. Components from USA and Mexico./  
Ensamblado en E.E.U.U. Partes de E.E.U.U. y México.  
© RBI 2009



EPA Reg. No.: 3282-91  
EPA Est. No.: 67517-MO-1  
Patent Pending

0226937

**IMPORTANTE:** Para instrucciones de uso y primeros auxilios en español por favor llame al 1-866-648-1819.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions.

**USE RESTRICTIONS:** THIS IS NOT A TAMPER RESISTANT BAIT STATION. DO NOT USE THIS PRODUCT IN AREAS ACCESSIBLE TO CHILDREN, PETS, DOMESTIC ANIMALS OR NONTARGET WILDLIFE. DO NOT USE THIS PRODUCT OUTDOORS.

Use only to control house mice in homes. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

**SELECTION OF TREATMENT AREAS:** Determine areas where mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where mice or their signs have been observed.

**HOUSE MICE**

1. Remove this product from the carton.

2. Placement: Place along walls or in corners with the entrance holes exposed.

For best performance, use this product spaced 8 to 12 feet apart along walls where mice or their signs have been seen.

Replace bait station when contents are consumed. Replace bait station if station is damaged and the bait is exposed. If bait is not touched after 3 days it should be moved to a new location where mouse activity is evident. Wearing gloves, collect and dispose of all dead animals and leftover bait properly, as specified on this label.

To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.

**PRECAUTIONARY STATEMENTS:**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** May be harmful or fatal if swallowed. Keep away from humans, domestic animals, and pets. Wear gloves when handling bait station or animals. Wash hands with soap and water after handling bait station. IF BAIT IS EATEN BY ANIMALS OR PETS, CALL A VETERINARIAN AT ONCE.

**FIRST AID**

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

If swallowed:

- Call a Poison Control Center, or doctor IMMEDIATELY for treatment advice.
- Have person sip a glass of water if able to swallow.
- DO NOT induce vomiting unless told to do so by the Poison Control Center or doctor.

**NOTE TO PHYSICIAN AND VETERINARIAN**

This product may reduce the clotting ability of the blood and cause hemorrhaging. If poisoning occurs, intramuscular and oral administration of Vitamin K1 are indicated, as in poisoning from overdose of bishydroxy coumarin. **FOR HUMAN CASES:** Vitamin K1 is antidotal at doses of 10 to 20 mg (not mg/kg). **FOR ANIMAL CASES:** Vitamin K1 is antidotal at 2-5 mg/kg intramuscularly. Repeated doses may need to be given for up to 2 weeks (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish, birds and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water.

**STORAGE AND DISPOSAL**

This is a non-refillable container. Do not reuse or refill this container.

**PESTICIDE STORAGE:** Store in original container in a dry place inaccessible to children and pets.

**PESTICIDE DISPOSAL:** If empty, do not reuse this container. Place in trash or offer for recycling if available. If partly filled, call your local solid waste agency for disposal instructions. Never place unused products down any indoor or outdoor drains.

**NOTICE TO BUYER AND USER:** Buyer and User assume all responsibility for safety and risk associated with any use not in accordance with directions. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

**d-CON®  
Bait Station II**

**ACTIVE INGREDIENT:**

Brodifacoum 3-[3-(4'-bromo-[1,1'-biphenyl]-4-yl)-  
-1,2,3,4-tetrahydro-1-naphthalenyl]  
-4-hydroxy-2H-1-benzopyran-2-one.....0.005%

**OTHER INGREDIENTS** ..... 99.995%

**TOTAL:** ..... 100.000%

EPA Reg. No.: 3282-91  
EPA Est. No.: 074291-MO-1

**NET CONTENTS: 20 grams (0.7 OZ.)**

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION:** Contains anticoagulant rodenticide. If swallowed, call a physician at once. See outer package label for additional precautionary statements, first aid information and directions for use. This is not a tamper-resistant bait station. Do not use in areas accessible to children, pets, domestic animals or nontarget wildlife.

Questions? Comments? ¿Preguntas? ¿Comentarios? Call/Llame al 1-800-228-4722 (U.S./EE.UU.)

Visit us at [www.d-conproducts.com](http://www.d-conproducts.com)

Distributed by/Distribuido por: Reckitt Benckiser Inc.  
Parsippany, NJ 07054-0224

Assembled in USA. Components from USA and  
Mexico./ Ensamblado en EE.UU. Partes de

EE.UU.y México.

© RBI 2009

0216132



**NEW BAIT STATION DESIGN**



**DISC.**

**DIRECTIONS FOR USE:**



**\*\*Fits in almost any corner**



**Compact design - \*\*Use in tight places**



**Disposable**

**\*\*Must adhere to the Use Restrictions in the Directions for Use section of this label**

Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD 2012-2014 LIC. NO.

**\*MICE MAY CONSUME A LETHAL DOSE IN ONE FEEDING WITH FIRST DEAD RODENTS APPEARING 4 OR 5 DAYS AFTER FEEDING BEGINS.**


**CAN KILL IN ONE FEEDING\***  
**PUEDA MATAR CON UNA RACION\***

Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD 2015-2017 LIC. NO.

**9833.227**



**KEEP OUT OF REACH OF CHILDREN CAUTION:**  
Read additional precautionary statements on back panel.

**NET CONTENTS:**  
2 / 20 g (0.7 OZ.)  
40 g (1.4 OZ.)

**CORNER FIT™**

**ACTIVE INGREDIENT:**  
Brodifacoum 3-(3-(4-bromo-(1,1'-biphenyl)-4-yl)-1,2,3,4-tetrahydro-1-naphthalenyl)-4-hydroxy-2H-1-benzopyran-2-one...0.005%  
**OTHER INGREDIENTS**...99.995%  
**TOTAL:**...100.000%

Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD 2009-2011 LIC. NO.

**2 Disposable Bait Stations**  
Bait Stations desechables

**2 Disposable Bait Stations**  
Bait Stations desechables



Questions?/Preguntas? (1-800-228-4722  
For ingredient information/Para información de ingredientes, [www.d-conproducts.com](http://www.d-conproducts.com)  
Distributed by/Distribuido por:  
Reckitt Benckiser Inc., Parsippany, NJ 07054-0224  
Assembled in USA. Components from USA and Mexico./Ensamblado en EE.UU. Partes de EE.UU. y México.  
© RBI 2009



- ✓ **GUARANTEED TO KILL\***
- ✓ **HELPS REDUCE MOUSE PROBLEMS**
- ✓ **PREBAITED - READY TO USE**

**No Loose Bait**  
**No need to touch the bait**



**Clear window lets you know when to dispose it**



**Mice go in, eat the bait, mice go out**

**2 Disposable Bait Stations**  
 Bait Stations desechables

**IMPORTANTE:** Para instrucciones de uso y primeros auxilios en español por favor llame al 1-866-648-1819.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions.

**USE RESTRICTIONS:** THIS IS NOT A TAMPER RESISTANT BAIT STATION. DO NOT USE THIS PRODUCT IN AREAS ACCESSIBLE TO CHILDREN, PETS, DOMESTIC ANIMALS OR NONTARGET WILDLIFE. DO NOT USE THIS PRODUCT OUTDOORS.

Use only to control house mice in homes. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

**SELECTION OF TREATMENT AREAS:** Determine areas where mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where mice or their signs have been observed.

**HOUSE MICE**

1. Remove this product from the carton.
2. Placement: Place along walls or in corners with the entrance holes exposed.

For best performance, use this product spaced 8 to 12 feet apart along walls where mice or their signs have been seen.

Replace bait station when contents are consumed. Replace bait station if station is damaged and the bait is exposed. If bait is not touched after 3 days it should be moved to a new location where mouse activity is evident. Wearing gloves, collect and dispose of all dead animals and leftover bait properly, as specified on this label. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.

**PRECAUTIONARY STATEMENTS:**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** May be harmful or fatal if swallowed. Keep away from humans, domestic animals, and pets. Wear gloves when handling bait station or animals. Wash hands with soap and water after handling bait station. IF BAIT IS EATEN BY ANIMALS OR PETS, CALL A VETERINARIAN AT ONCE.

**FIRST AID**

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

If swallowed:	<ul style="list-style-type: none"> <li>• Call a Poison Control Center, or doctor IMMEDIATELY for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• DO NOT induce vomiting unless told to do so by the Poison Control Center or doctor.</li> </ul>
---------------	--

**NOTE TO PHYSICIAN AND VETERINARIAN**

This product may reduce the clotting ability of the blood and cause hemorrhaging. If poisoning occurs, intramuscular and oral administration of Vitamin K1 are indicated, as in poisoning from overdose of bishydroxy coumarin. **FOR HUMAN CASES:** Vitamin K1 is antidotal at doses of 10 to 20 mg (not mg/kg). **FOR ANIMAL CASES:** Vitamin K1 is antidotal at 2-5 mg/kg intramuscularly. Repeated doses may need to be given for up to 2 weeks (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish, birds and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water.

**STORAGE AND DISPOSAL**

This is a non-refillable container. Do not reuse or refill this container.

**PESTICIDE STORAGE:** Store in original container in a dry place inaccessible to children and pets.

**PESTICIDE DISPOSAL:** If empty, do not reuse this container. Place in trash or offer for recycling if available. If partly filled, call your local solid waste agency for disposal instructions. Never place unused products down any indoor or outdoor drains.

**NOTICE TO BUYER AND USER:** Buyer and User assume all responsibility for safety and risk associated with any use not in accordance with directions. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

EPA Reg. No.: 3282-91

EPA Est. No.: 074291-MO-1

Patent Pending

\*SATISFACTION GUARANTEED OR YOUR MONEY BACK

**d-CON®**  
**Bait Station II**

**ACTIVE INGREDIENT:**

Brodifacoum 3-[3-(4'-bromo-[1,1'-biphenyl]-4-yl)-  
-1,2,3,4-tetrahydro-1-naphthalenyl]  
-4-hydroxy-2H-1-benzopyran-2-one.....0.005%

**OTHER INGREDIENTS** ..... 99.995%

**TOTAL:** ..... 100.000%

EPA Reg. No.: 3282-91  
EPA Est. No.: 074291-MO-1

**NET CONTENTS: 20 grams (0.7 OZ.)**

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION:** Contains anticoagulant rodenticide. If swallowed, call a physician at once. See outer package label for additional precautionary statements, first aid information and directions for use. This is not a tamper-resistant bait station. Do not use in areas accessible to children, pets, domestic animals or nontarget wildlife.

Questions? Comments? ¿Preguntas? ¿Comentarios? Call/Llame al 1-800-228-4722 (U.S./EE.UU.)

Visit us at [www.d-conproducts.com](http://www.d-conproducts.com)

Distributed by/Distribuido por: **Reckitt Benckiser Inc.**  
Parsippany, NJ 07054-0224

Assembled in USA. Components from USA and  
Mexico./ Ensamblado en EE.UU. Partes de

EE.UU.y México.

© RBI 2009

0216132

# d-CON

Bait Station II  
**KILLS  
MICE**



**DISC.**



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD 2015-2017 LIC. NO. **9833.227**

← TOP PANEL, INSERT PSD FILE NAMED:  
dcbs2\_4ct\_km\_ctn\_us\_top.psd

**NEW BAIT STATION DESIGN**

# d-CON

Bait Station II  
**KILLS  
MICE**  
MATA RATONES



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD 2009-2011 LIC. NO.



Department of Agriculture  
STATE OF HAWAII

**LICENSED**

PERIOD 2012-2014 LIC. NO.

\*MICE MAY CONSUME A  
LETHAL DOSE IN ONE FEEDING  
WITH FIRST DEAD RODENTS  
APPEARING 4 OR 5 DAYS  
AFTER FEEDING BEGINS.

**CAN KILL  
IN ONE FEEDING\***  
PUEDE MATAR CON UNA RACIÓN\*



KEEP OUT OF  
REACH OF CHILDREN  
**CAUTION:** Read additional  
precautionary statements on back panel.

NET CONTENTS  
4 / 20 g (0.7 OZ.)  
80 g (2.8 OZ.)

**CORNERFIT™**

ACTIVE INGREDIENT:  
Brodifacoum 3-(3-(4-bromo-1,1'-biphenyl)-4-yl)-  
1-(2,3,4-tetrahydro-1-naphthalenyl)  
4-hydroxy-2H-1-benzopyran-2-one.....0.005%  
OTHER INGREDIENTS.....99.995%  
TOTAL.....100.000%

- ✓ **GUARANTEED TO KILL\***
- ✓ **HELPS REDUCE MOUSE PROBLEMS**
- ✓ **PREBAITED - READY TO USE**

**No Loose Bait**

**No need to  
touch the bait**



**Clear window lets you  
know when to dispose it**



**Mice go in, eat the bait,  
mice go out**

**4 Disposable Bait Stations**  
Bait Stations desechables

**4 Disposable Bait Stations**  
Bait Stations desechables

**IMPORTANTE:** Para instrucciones de uso y primeros auxilios en español por favor llame al 1-866-648-1819.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions.

**USE RESTRICTIONS:** THIS IS NOT A TAMPER RESISTANT BAIT STATION. DO NOT USE THIS PRODUCT IN AREAS ACCESSIBLE TO CHILDREN, PETS, DOMESTIC ANIMALS OR NONTARGET WILDLIFE. DO NOT USE THIS PRODUCT OUTDOORS.

Use only to control house mice in homes. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

**SELECTION OF TREATMENT AREAS:** Determine areas where mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where mice or their signs have been observed.

**HOUSE MICE**

1. Remove this product from the carton.
2. Placement: Place along walls or in corners with the entrance holes exposed. For best performance, use this product spaced 8 to 12 feet apart along walls where mice or their signs have been seen.

Replace bait station when contents are consumed. Replace bait station if station is damaged and the bait is exposed. If bait is not touched after 3 days it should be moved to a new location where mouse activity is evident. Wearing gloves, collect and dispose of all dead animals and leftover bait properly, as specified on this label.

To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.

**PRECAUTIONARY STATEMENTS:**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** May be harmful or fatal if swallowed. Keep away from humans, domestic animals, and pets. Wear gloves when handling bait station or animals. Wash hands with soap and water after handling bait station. IF BAIT IS EATEN BY ANIMALS OR PETS, CALL A VETERINARIAN AT ONCE.

**FIRST AID**

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

- If swallowed:
- Call a Poison Control Center, or doctor IMMEDIATELY for treatment advice.
  - Have person sip a glass of water if able to swallow.
  - DO NOT induce vomiting unless told to do so by the Poison Control Center or doctor.

**NOTE TO PHYSICIAN AND VETERINARIAN**

This product may reduce the clotting ability of the blood and cause hemorrhaging. If poisoning occurs, intramuscular and oral administration of Vitamin K1 are indicated, as in poisoning from overdose of bishydroxy coumarin. **FOR HUMAN CASES:** Vitamin K1 is antidotal at doses of 10 to 20 mg (not mg/kg). **FOR ANIMAL CASES:** Vitamin K1 is antidotal at 2-5 mg/kg intramuscularly. Repeated doses may need to be given for up to 2 weeks (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish, birds and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water.

**STORAGE AND DISPOSAL**

This is a non-refillable container. Do not reuse or refill this container.

**PESTICIDE STORAGE:** Store in original container in a dry place inaccessible to children and pets.

**PESTICIDE DISPOSAL:** If empty, do not reuse this container. Place in trash or offer for recycling if available. If partly filled, call your local solid waste agency for disposal instructions. Never place unused products down any indoor or outdoor drains.

**NOTICE TO BUYER AND USER:** Buyer and User assume all responsibility for safety and risk associated with any use not in accordance with directions. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

EPA Reg. No.: 3282-91  
EPA Est. No.: 074291-MO-1

Patent Pending

†SATISFACTION GUARANTEED OR YOUR MONEY BACK

**DIRECTIONS FOR USE:**



**\*\*Fits in almost any corner**



**Compact design**




**\*\*Use in tight places**



**Disposable**

**\*\*Must adhere to the Use Restrictions in the Directions for Use section of this label**

Questions? ¿Preguntas? ( 1-800-228-4722  
For ingredient information/Para información de ingredientes,  
[www.d-conproducts.com](http://www.d-conproducts.com)  
Distributed by/Distribuido por:  
Reckitt Benckiser Inc., Parsippany, NJ 07054-0224  
Assembled in USA. Components from USA and Mexico./  
Ensamblado en EE.UU. Partes de EE.UU. y México.  
© RBI 2009



**4 Disposable Bait Stations**  
Bait Stations desechables

**d-CON®  
Bait Station II**

**ACTIVE INGREDIENT:**

Brodifacoum 3-[3-(4'-bromo-[1,1'-biphenyl]-4-yl)-  
-1,2,3,4-tetrahydro-1-naphthalenyl]  
-4-hydroxy-2H-1-benzopyran-2-one.....0.005%

**OTHER INGREDIENTS** ..... 99.995%

**TOTAL:** ..... 100.000%

EPA Reg. No.: 3282-91  
EPA Est. No.: 074291-MO-1

**NET CONTENTS: 20 grams (0.7 OZ.)**

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION:** Contains anticoagulant rodenticide. If swallowed, call a physician at once. See outer package label for additional precautionary statements, first aid information and directions for use. This is not a tamper-resistant bait station. Do not use in areas accessible to children, pets, domestic animals or nontarget wildlife.

Questions? Comments? ¿Preguntas? ¿Comentarios? Call/Llame al 1-800-228-4722 (U.S./EE.UU.)

Visit us at [www.d-conproducts.com](http://www.d-conproducts.com)

Distributed by/Distribuido por: Reckitt Benckiser Inc.  
Parsippany, NJ 07054-0224

Assembled in USA. Components from USA and  
Mexico./ Ensamblado en EE.UU. Partes de

EE.UU.y México.

© RBI 2009

0216132