


# BONUS 35% FREE

# 110 WIPES FOR THE PRICE OF 80

# BONUS 35% FREE

# 110 WIPES FOR THE PRICE OF 80



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO.

9833.256

## KILLS 99.9% OF VIRUSES & BACTERIA\*\*

### DISINFECTING WIPES

LEMON SCENT

**110** Wet Wipes  
24.4 OZ. (1 LB. 8.4 OZ.) 692 g

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride..... 0.26%  
OTHER INGREDIENTS..... 99.74%  
TOTAL..... 100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

- ✓ **KILLS SALMONELLA, E. COLI, HA-MRSA, RSV, STAPH, STREP<sup>11</sup>**
- ✓ **KILLS COLD AND FLU VIRUSES<sup>3</sup>**
- ✓ **KILLS ANTIBIOTIC RESISTANT BACTERIA<sup>4</sup>**
- ✓ **TRAP AND LIFT MESSSES**



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

\*Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. \*\*Kills Salmonella enterica, Escherichia coli O157:H7, Staphylococcus aureus-Methicillin resistant, Respiratory Syncytial Virus, Staphylococcus aureus, Streptococcus pyogenes. \*Kills Klebsiella pneumoniae - NDM-1 and Escherichia coli with extended beta-lactamase resistance [ESBL] on hard, non-porous surfaces in 4 minutes. \*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes. \*\*\*This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



**Kitchen**

- Sink & Counter\*\*\*
- Garbage Cans
- Refrigerator Exteriors\*\*\*
- Light Switches



**Bathroom**

- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



**Electronics**

- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)

**SANITIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>11</sup>:** Use fresh wipe on surface. Repeat for stubborn stains. **To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds. **To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away. \*\*\*\***For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water. **To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE. DO NOT FLUSH IN TOILET.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID: If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

**CONTACT NUMBER:** Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Store unopened package in a cool, dry place in areas inaccessible to small children. Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224


Made in U.S.A. © 2017 RB

EPA Reg. No.: 777-114, EPA Est. No.: 777-MO-1 (S), 475-MO-1 (SM), 8251-WI-5 (KT)

Beginning of lot code indicates EPA Est. No. 8285486



HEALTH • HYGIENE • HOME



# BONUS 35% FREE

## 110 WIPES FOR THE PRICE OF 80

# BONUS 35% FREE

## 110 WIPES FOR THE PRICE OF 80



### KILLS 99.9% OF VIRUSES & BACTERIA\*\*

### DISINFECTING WIPES

FRESH SCENT

# 110 Wet Wipes

24.4 OZ. (1 LB. 8.4 OZ.) 692 g

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>12</sub>, 40% C<sub>17</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl  
ammonium chloride..... 0.26%  
OTHER INGREDIENTS..... 99.74%  
TOTAL:..... 100.00%

✓ KILLS SALMONELLA, E. COLI, HA-MRSA, RSV, STAPH, STREP<sup>11</sup>

✓ KILLS COLD AND FLU VIRUSES<sup>3</sup>

✓ KILLS ANTIBIOTIC RESISTANT BACTERIA<sup>4</sup>

✓ TRAP AND LIFT MESSSES



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. <sup>11</sup>Kills Salmonella enterica, Escherichia coli O157:H7, Staphylococcus aureus-Methicillin resistant, Respiratory Syncytial Virus, Staphylococcus aureus, Streptococcus pyogenes. <sup>4</sup>Kills Klebsiella pneumoniae - NDM-1 and Escherichia coli with extended beta-lactamase resistance (ESBL) on hard, non-porous surfaces in 4 minutes. <sup>5</sup>Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes. <sup>6</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Kitchen**
- Sink & Counter<sup>\*\*\*</sup>
  - Garbage Cans
  - Refrigerator Exteriors<sup>\*\*\*</sup>
  - Light Switches



- Bathroom**
- Bath tub & Faucets
  - Toilet Seats
  - Shower Areas
  - Door Knobs



- Electronics**
- Laptops & Tablets
  - Smartphones
  - Gaming Consoles
  - Remote Controls


<b>DISINFECTS:</b> <ul style="list-style-type: none"><li>• Influenza A Virus (H1N1)</li><li>• Respiratory Syncytial Virus</li><li>• Salmonella enterica (Salmonella)</li><li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li><li>• Escherichia coli O157:H7 (E. coli)</li><li>• Listeria monocytogenes</li><li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li><li>• Herpes Simplex Virus Type 1</li><li>• Staphylococcus aureus (Staph)</li><li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li></ul>	<b>FUNGISTATIC:</b> <ul style="list-style-type: none"><li>• Aspergillus niger (Mold &amp; Mildew)</li></ul>
<b>SANITIZES:</b> <ul style="list-style-type: none"><li>• Enterobacter aerogenes</li><li>• Staphylococcus aureus</li></ul>	<b>DISINFECTS (continued):</b> <ul style="list-style-type: none"><li>• Human Coronavirus</li><li>• Pseudomonas aeruginosa</li><li>• Streptococcus pyogenes (Strep)</li><li>• Campylobacter jejuni</li><li>• Shigella flexneri serotype 1B</li></ul>

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.  
**To Clean / Remove Allergens<sup>6</sup>:** Use fresh wipe on surface. Repeat for stubborn stains. **To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.  
**To Sanitize:** Allow to remain wet for 10 seconds. **To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away. <sup>\*\*\*</sup>**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water. **To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.  
**NOT INTENDED FOR PERSONAL HYGIENE. DO NOT FLUSH IN TOILET.**  
**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals  
**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID: If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.  
**CONTACT NUMBER:** Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Store unopened package in a cool, dry place in areas inaccessible to small children. Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722  
For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)  
Distributed by: Reckitt Benckiser  
Parsippany, NJ 07054-0224  
Made in U.S.A. © 2017 RB  
EPA Reg. No.: 777-114, EPA Est. No.: 777-MO-1 (S), 475-MO-1 (SM), 8251-WI-5 (KT)  
Beginning of lot code indicates EPA Est. No. 8285485



# Lysol®

BRAND II

**KILLS 99.9%  
OF VIRUSES  
& BACTERIA\*\***

**DISINFECTING  
WIPES**

**35** Wet Wipes  
7.7 OZ. (220 g)

KEEP OUT OF  
REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>12</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS.....99.74%  
TOTAL.....100.00%



STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO.  
**9833.256**

- ✓ **KILLS SALMONELLA,  
E. COLI, HA-MRSA,  
RSV, STAPH, STREP<sup>11</sup>**
- ✓ **KILLS COLD AND  
FLU VIRUSES<sup>3</sup>**
- ✓ **KILLS ANTIBIOTIC  
RESISTANT BACTERIA\***
- ✓ **TRAP AND LIFT  
MESSES**



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

\*Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. <sup>11</sup>Kills Salmonella enterica, Escherichia coli O157:H7, Staphylococcus aureus-Methicillin resistant, Respiratory Syncytial Virus, Staphylococcus aureus, Streptococcus pyogenes. <sup>3</sup>Kills Klebsiella pneumoniae - NDM-1 and Escherichia coli with extended beta-lactamase resistance (ESBL) on hard, non-porous surfaces in 4 minutes. <sup>\*</sup>Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes. <sup>11</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



**Kitchen**

- Sink & Counter<sup>1111</sup>
- Garbage Cans
- Refrigerator Exteriors<sup>1111</sup>
- Light Switches



**Bathroom**

- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



**Electronics**

- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

<b>DISINFECTS:</b>		
<ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> </ul>	<ul style="list-style-type: none"> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> </ul>	<ul style="list-style-type: none"> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>
<b>SANITIZES:</b>		
<ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> <li>• Staphylococcus aureus</li> </ul>		<ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss. **To Clean / Remove Allergens<sup>11</sup>:** Use fresh wipe on surface. Repeat for stubborn stains. **To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time. **To Sanitize:** Allow to remain wet for 10 seconds. **To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away. <sup>1111</sup>**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water. **To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

**NOT INTENDED FOR PERSONAL HYGIENE. DO NOT FLUSH IN TOILET.**  
**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals  
**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID: If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. **CONTACT NUMBER:** Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Store unopened package in a cool, dry place in areas inaccessible to small children. Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.  
**Questions? ☎ 1-800-228-4722**  
For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)  
Distributed by: Reckitt Benckiser  
Parsippany, NJ 07054-0224  
Made in U.S.A. © 2017 RB  
EPA Reg. No.: 777-114  
EPA Est. No.: 777-110-1 (S), 475-110-1 (SM), 825-111-5 (KT)  
Beginning of lot code indicates EPA Est. No. 8285351



# Lysol®

BRAND II

**KILLS 99.9%  
OF VIRUSES  
& BACTERIA\*\***

**DISINFECTING  
WIPES**

**80** Wet Wipes  
17.7 OZ. (1LB. 1.7 OZ.) 503 g

✓ **KILLS SALMONELLA,  
E. COLI, HA-MRSA,  
RSV, STAPH, STREP<sup>†††</sup>**

✓ **KILLS COLD AND  
FLU VIRUSES<sup>3</sup>**

✓ **KILLS ANTIBIOTIC  
RESISTANT BACTERIA\***

✓ **TRAP AND LIFT  
MESSES**

KEEP OUT OF  
REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>16</sub>, 40% C<sub>17</sub>, 10% C<sub>18</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

\*Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica, Escherichia coli O157:H7, Staphylococcus aureus-Methicillin resistant, Respiratory Syncytial Virus, Staphylococcus aureus, Streptococcus pyogenes.

†Kills Klebsiella pneumoniae - NDM-1 and Escherichia coli with extended beta-lactamase resistance [ESBL] on hard, non-porous surfaces in 4 minutes.

††Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

†††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



**Kitchen**

- Sink & Counter†††
- Garbage Cans
- Refrigerator Exteriors†††
- Light Switches



**Bathroom**

- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



**Electronics**

- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)

- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)

- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes

- Staphylococcus aureus

**FUNGISTATIC:**


- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.  
**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains. **To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time. **To Sanitize:** Allow to remain wet for 10 seconds. **To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away. ††††**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water. **To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.  
**NOT INTENDED FOR PERSONAL HYGIENE. DO NOT FLUSH IN TOILET.**  
**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals  
**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID:** If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.  
**CONTACT NUMBER:** Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Store unopened package in a cool, dry place in areas inaccessible to small children. Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.  
 Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722  
 For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)  
 Distributed by: Reckitt Benckiser  
 Parsippany, NJ 07054-0224  
 Made in U.S.A. © 2017 RB  
 EPA Reg. No.: 777-114  
 EPA Est. No.: 777-MO-1 (S), 475-MO-1 (SM), 8251-WI-5 (KT)  
 Beginning of lot code indicates EPA Est. No. 8285342



# BONUS 35% FREE

## 110 WIPES FOR THE PRICE OF 80

# BONUS 35% FREE

## 110 WIPES FOR THE PRICE OF 80



### KILLS 99.9% OF VIRUSES & BACTERIA\*\*

### DISINFECTING WIPES

### 110 Wet Wipes 24.4 OZ. (1 LB. 8.4 OZ.) 692 g

- ✓ KILLS SALMONELLA, E. COLI, HA-MRSA, RSV, STAPH, STREP<sup>11</sup>
- ✓ KILLS COLD AND FLU VIRUSES<sup>3</sup>
- ✓ KILLS ANTIBIOTIC RESISTANT BACTERIA<sup>4</sup>
- ✓ TRAP AND LIFT MESSSES

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride..... 0.26%  
OTHER INGREDIENTS..... 99.74%  
TOTAL..... 100.00%



STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO.  
**9833.256**



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.  
\*Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. \*\*Kills Salmonella enterica, Escherichia coli O157:H7, Staphylococcus aureus-Methicillin resistant, Respiratory Syncytial Virus, Staphylococcus aureus, Streptococcus pyogenes. \*Kills Klebsiella pneumoniae - NDM-1 and Escherichia coli with extended beta-lactamase resistance [ESBL] on hard, non-porous surfaces in 4 minutes. \*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes. \*\*\*This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

<b>Kitchen</b>  <ul style="list-style-type: none"> <li>• Sink &amp; Counter****</li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors****</li> <li>• Light Switches</li> </ul>	<b>Bathroom</b>  <ul style="list-style-type: none"> <li>• Bathtub &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<b>Electronics</b>  <ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>
--	--	--


<b>DISINFECTS:</b>		
<ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> </ul>	<ul style="list-style-type: none"> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> </ul>	<ul style="list-style-type: none"> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>
<b>SANITIZES:</b>		<b>FUNGISTATIC:</b>
<ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> </ul>	<ul style="list-style-type: none"> <li>• Staphylococcus aureus</li> </ul>	<ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.  
**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains. **To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.  
**To Sanitize:** Allow to remain wet for 10 seconds. **To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away. \*\*\*\***For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water. **To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.  
**NOT INTENDED FOR PERSONAL HYGIENE. DO NOT FLUSH IN TOILET.**  
**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals  
**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID: If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.  
**CONTACT NUMBER:** Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Store unopened package in a cool, dry place in areas inaccessible to small children. Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722  
 For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)  
 Distributed by: Reckitt Benckiser  
 Parsippany, NJ 07054-0224  
 Made in U.S.A. © 2017 RB  
 EPA Reg. No.: 777-114, EPA Est. No.: 777-MO-1 (S), 475-MO-1 (SM), 8251-WI-5 (KT)  
 Beginning of lot code indicates EPA Est. No. 8285363





STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO.  
**9833.256**

**KILLS 99.9%  
OF VIRUSES  
& BACTERIA\*\***

**DISINFECTING  
WIPES**

CRISP LINEN® SCENT

ACTIVE INGREDIENT:  
Alkyl (50% $C_{17}$ , 40% $C_{12}$ , 10% $C_{14}$ )  
dimethyl benzyl  
ammonium chloride..... 0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%

**35** Wet  
Wipes  
7.7 OZ. (220 g)

KEEP OUT OF  
REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.

- ✓ **KILLS SALMONELLA,  
E. COLI, HA-MRSA,  
RSV, STAPH, STREP<sup>11</sup>**
- ✓ **KILLS COLD AND  
FLU VIRUSES<sup>3</sup>**
- ✓ **KILLS ANTIBIOTIC  
RESISTANT BACTERIA\***
- ✓ **TRAP AND LIFT  
MESSES**



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

with extended beta-lactamase resistance (ESBL) on hard, non-porous surfaces in 4 minutes. \*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes. \*\*This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

Kitchen	Bathroom	Electronics
<ul style="list-style-type: none"> <li>• Sink &amp; Counter<sup>1111</sup></li> <li>• Garbage Cans</li> <li>• Refrigerator Exterior<sup>1111</sup></li> <li>• Light Switches</li> </ul>	<ul style="list-style-type: none"> <li>• Bathtub &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>

**DISINFECTS:**

<ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> </ul>	<ul style="list-style-type: none"> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus</li> <li>• Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> </ul>	<ul style="list-style-type: none"> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>
---	--	--

**SANITIZES:**

<ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> <li>• Staphylococcus aureus</li> </ul>	<b>FUNGICIDAL:</b> <ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>
---	--

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss. **To Clean / Remove Allergens<sup>11</sup>:** Use fresh wipe on surface. Repeat for stubborn stains. **To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time. **To Sanitize:** Allow to remain wet for 10 seconds. **To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away. <sup>1111</sup>**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water. **To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears. **NOT INTENDED FOR PERSONAL HYGIENE. DO NOT FLUSH IN TOILET.**

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals  
**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID: If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. **CONTACT NUMBER:** Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Store unopened package in a cool, dry place in areas inaccessible to small children. Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.  
**Questions? ☎ 1-800-228-4722**  
For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)  
Distributed by: Reckitt Benckiser  
Parsippany, NJ 07054-0224  
Made in U.S.A. © 2017 RB  
EPA Reg. No. 777-114  
EPA Est. No. 777-410-1 (S), 475-410-1 (SM), 8251-WI-5 (KT)  
Beginning of lot code indicates EPA Est. No. 8285353



# Lysol®

BRAND II

**KILLS 99.9%  
OF VIRUSES  
& BACTERIA\*\***

**DISINFECTING  
WIPES**

CRISP LINEN® SCENT

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%

**80** Wet Wipes  
17.7 OZ. (1LB. 1.7 OZ.) 503 g

KEEP OUT OF  
REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.

✓ **KILLS SALMONELLA,  
E. COLI, HA-MRSA,  
RSV, STAPH, STREP<sup>11</sup>**

✓ **KILLS COLD AND  
FLU VIRUSES<sup>3</sup>**

✓ **KILLS ANTIBIOTIC  
RESISTANT BACTERIA\***

✓ **TRAP AND LIFT  
MESSES**



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

<sup>11</sup>Kills Salmonella enterica, Escherichia coli O157:H7, Staphylococcus aureus-Methicillin resistant, Respiratory Syncytial Virus, Staphylococcus aureus, Streptococcus pyogenes.

\*Kills Klebsiella pneumoniae - NDM-1 and Escherichia coli with extended beta-lactamase resistance (ESBL) on hard, non-porous surfaces in 4 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>11</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Kitchen**
- Sink & Counter<sup>††††</sup>
  - Garbage Cans
  - Refrigerator Exterior<sup>††††</sup>
  - Light Switches



- Bathroom**
- Bath tub & Faucets
  - Toilet Seats
  - Shower Areas
  - Door Knobs



- Electronics**
- Laptops & Tablets
  - Smartphones
  - Gaming Consoles
  - Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)

- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)

- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes

- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.  
**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains. **To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.  
**To Sanitize:** Allow to remain wet for 10 seconds. **To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away. <sup>††††</sup>**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water. **To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.  
 NOT INTENDED FOR PERSONAL HYGIENE. DO NOT FLUSH IN TOILET.  
**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals  
**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.


**FIRST AID:** If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.  
**CONTACT NUMBER:** Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Store unopened package in a cool, dry place in areas inaccessible to small children. Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722  
 For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser  
 Parsippany, NJ 07054-0224  
 Made in U.S.A. © 2017 RB

EPA Reg. No.: 777-114  
 EPA Est. No.: 777-MO-1 (S), 475-MO-1 (SM), 8251-WI-5 (KT)  
 Beginning of lot code indicates EPA Est. No. 8285339



# Lysol®

BRAND II

## KILLS 99.9% OF VIRUSES & BACTERIA\*\*

### DISINFECTING WIPES

CRISP LINEN® SCENT

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>12</sub>, 40% C<sub>17</sub>, 10% C<sub>18</sub>)  
dimethyl benzyl  
ammonium chloride..... 0.26%  
OTHER INGREDIENTS..... 99.74%  
TOTAL..... 100.00%

**80** Wet Wipes  
17.7 OZ. (1LB. 1.7 OZ.) 503 g

KEEP OUT OF  
REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.

✓ **KILLS SALMONELLA,  
E. COLI, HA-MRSA,  
RSV, STAPH, STREP<sup>11</sup>**

✓ **KILLS COLD AND  
FLU VIRUSES<sup>3</sup>**

✓ **KILLS ANTIBIOTIC  
RESISTANT BACTERIA\***

✓ **TRAP AND LIFT  
MESSES**



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

<sup>11</sup>Kills Salmonella enterica, Escherichia coli O157:H7, Staphylococcus aureus-Methicillin resistant, Respiratory Syncytial Virus, Staphylococcus aureus, Streptococcus pyogenes.

\*Kills Klebsiella pneumoniae - NDM-1 and Escherichia coli with extended beta-lactamase resistance [ESBL] on hard, non-porous surfaces in 4 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

#### Kitchen



- Sink & Counter<sup>††††</sup>
- Garbage Cans
- Refrigerator Exteriors<sup>††††</sup>
- Light Switches

#### Bathroom



- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs

#### Electronics



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains. **To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds. **To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away. <sup>††††</sup>**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water. **To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

**NOT INTENDED FOR PERSONAL HYGIENE. DO NOT FLUSH IN TOILET.**

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID: If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

**CONTACT NUMBER:** Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Store unopened package in a cool, dry place in areas inaccessible to small children. Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2017 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1 (S), 475-MO-1 (SM), 8251-WI-5 (KT)

Beginning of lot code indicates EPA Est. No. 8285343



# BONUS 35% FREE

## 110 WIPES FOR THE PRICE OF 80

# BONUS 35% FREE

## 110 WIPES FOR THE PRICE OF 80

# Lysol®

BRAND II

## KILLS 99.9% OF VIRUSES & BACTERIA\*\*

### DISINFECTING WIPES

CRISP LINEN® SCENT

# 110 Wet Wipes

24.4 OZ. (1 LB. 8.4 OZ.) 692 g

✓ **KILLS SALMONELLA, E. COLI, HA-MRSA, RSV, STAPH, STREP<sup>11</sup>**

✓ **KILLS COLD AND FLU VIRUSES<sup>3</sup>**

✓ **KILLS ANTIBIOTIC RESISTANT BACTERIA\***

✓ **TRAP AND LIFT MESSSES**



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO.

9833.256

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride..... 0.26%  
OTHER INGREDIENTS..... 99.74%  
TOTAL..... 100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

\*Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. \*\*Kills Salmonella enterica, Escherichia coli O157:H7, Staphylococcus aureus-Methicillin resistant, Respiratory Syncytial Virus, Staphylococcus aureus, Streptococcus pyogenes. \*Kills Klebsiella pneumoniae - NDM-1 and Escherichia coli with extended beta-lactamase resistance (ESBL) on hard, non-porous surfaces in 4 minutes. \*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes. \*\*\*This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



**Kitchen**

- Sink & Counter\*\*\*\*
- Garbage Cans
- Refrigerator Exteriors\*\*\*\*
- Light Switches



**Bathroom**

- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



**Electronics**

- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)

- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)

- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains. **To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds. **To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away. \*\*\*\***For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water. **To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE. DO NOT FLUSH IN TOILET.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID: If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

**CONTACT NUMBER:** Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Store unopened package in a cool, dry place in areas inaccessible to small children. Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)


Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2017 RB

EPA Reg. No.: 777-114, EPA Est. No.: 777-MO-1 (S), 475-MO-1 (SM), 8251-WI-5 (KT)

Beginning of lot code indicates EPA Est. No. 8285359



# Lysol®

BRAND II



STATE OF HAWAII  
Department of Agriculture

ACCEPTED

LICENSE NO.

9833.256



## KILLS 99.9% OF VIRUSES & BACTERIA\*\*

### DISINFECTING WIPES

EARLY MORNING BREEZE™ SCENT

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>17</sub>, 40% C<sub>12</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl  
ammonium chloride..... 0.26%  
OTHER INGREDIENTS:..... 99.74%  
TOTAL:..... 100.00%

**35** Wet  
Wipes  
7.7 OZ. (220 g)

KEEP OUT OF  
REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.

- ✓ **KILLS SALMONELLA,  
E. COLI, HA-MRSA,  
RSV, STAPH, STREP<sup>11</sup>**
- ✓ **KILLS COLD AND  
FLU VIRUSES<sup>3</sup>**
- ✓ **KILLS ANTIBIOTIC  
RESISTANT BACTERIA\*<sup>4</sup>**
- ✓ **TRAP AND LIFT  
MESSES**



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. <sup>11</sup>Kills Salmonella enterica, Escherichia coli O157:H7, Staphylococcus aureus-Methicillin resistant, Respiratory Syncytial Virus, Staphylococcus aureus, Streptococcus pyogenes. <sup>4</sup>Kills Klebsiella pneumoniae - NDM-1 and Escherichia coli with extended beta-lactamase resistance [ESBL] on hard, non-porous surfaces in 4 minutes. <sup>\*</sup>Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes. <sup>\*\*</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

Kitchen	Bathroom	Electronics
<ul style="list-style-type: none"> <li>• Sink &amp; Counter<sup>††††</sup></li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors<sup>††††</sup></li> <li>• Light Switches</li> </ul>	<ul style="list-style-type: none"> <li>• Bathtub &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGICIDAL:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains. **To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time. **To Sanitize:** Allow to remain wet for 10 seconds. **To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. **††††**For surfaces that come in contact with food: Use only on hard, non-porous surfaces and rinse thoroughly with water. **To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

**NOT INTENDED FOR PERSONAL HYGIENE. DO NOT FLUSH IN TOILET.**  
**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals  
**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID: If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. **CONTACT NUMBER:** Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Store unopened package in a cool, dry place in areas inaccessible to small children. Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

**Questions? ☎ 1-800-228-4722**  
For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)  
Distributed by: Reckitt Benckiser  
Parsippany, NJ 07054-0224  
Made in U.S.A. © 2017 RB  
EPA Reg. No.: 777-114  
EPA Est. No.: 77740-1 (S), 475-40-1 (SM),  
8251-WI-5 (KT)  
Beginning of lot code indicates EPA Est. No. 8286354



# Lysol®

BRAND II



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**  
LICENSE NO.

9833.256

**KILLS 99.9%  
OF VIRUSES  
& BACTERIA\*\***

**DISINFECTING  
WIPES**

EARLY MORNING BREEZE™ SCENT

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>12</sub>, 40% C<sub>17</sub>, 10% C<sub>18</sub>)  
dimethyl benzyl  
ammonium chloride..... 0.26%  
OTHER INGREDIENTS..... 99.74%  
TOTAL..... 100.00%

**80** Wet Wipes  
17.7 OZ. (1LB. 1.7 OZ.) 503 g

KEEP OUT OF  
REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.

✓ **KILLS SALMONELLA,  
E. COLI, HA-MRSA,  
RSV, STAPH, STREP<sup>11</sup>**

✓ **KILLS COLD AND  
FLU VIRUSES<sup>3</sup>**

✓ **KILLS ANTIBIOTIC  
RESISTANT BACTERIA\***

✓ **TRAP AND LIFT  
MESSES**



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

<sup>11</sup>Kills Salmonella enterica, Escherichia coli O157:H7, Staphylococcus aureus-Methicillin resistant, Respiratory Syncytial Virus, Staphylococcus aureus, Streptococcus pyogenes.

\*Kills Klebsiella pneumoniae - NDM-1 and Escherichia coli with extended beta-lactamase resistance (ESBL) on hard, non-porous surfaces in 4 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



**Kitchen**

- Sink & Counter<sup>††††</sup>
- Garbage Cans
- Refrigerator Exteriors<sup>††††</sup>
- Light Switches



**Bathroom**

- Bath tub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



**Electronics**

- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains. **To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds. **To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away. <sup>††††</sup>**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water. **To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE. DO NOT FLUSH IN TOILET.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID:** If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. **CONTACT NUMBER:** Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Store unopened package in a cool, dry place in areas inaccessible to small children. Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser


Parsippany, NJ 07054-0224

Made in U.S.A. © 2017 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1 (S), 475-MO-1 (SM), 8251-WI-5 (KT)

Beginning of lot code indicates EPA Est. No. 8285340





**KILLS 99.9%  
OF VIRUSES  
& BACTERIA\*\***

**DISINFECTING  
WIPES**

EARLY MORNING BREEZE™ SCENT

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride..... 0.26%  
OTHER INGREDIENTS:..... 99.74%  
TOTAL:..... 100.00%

**80** Wet Wipes  
17.7 OZ. (1LB. 1.7 OZ.) 503 g

KEEP OUT OF  
REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.

- ✓ **KILLS SALMONELLA,  
E. COLI, HA-MRSA,  
RSV, STAPH, STREP<sup>11</sup>**
- ✓ **KILLS COLD AND  
FLU VIRUSES<sup>3</sup>**
- ✓ **KILLS ANTIBIOTIC  
RESISTANT BACTERIA\***
- ✓ **TRAP AND LIFT  
MESSES**



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.  
<sup>11</sup>Kills Salmonella enterica, Escherichia coli O157:H7, Staphylococcus aureus-Methicillin resistant, Respiratory Syncytial Virus, Staphylococcus aureus, Streptococcus pyogenes.

\*Kills Klebsiella pneumoniae - NDM-1 and Escherichia coli with extended beta-lactamase resistance [ESBL] on hard, non-porous surfaces in 4 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Kitchen**
- Sink & Counter<sup>††††</sup>
  - Garbage Cans
  - Refrigerator Exterior<sup>††††</sup>
  - Light Switches



- Bathroom**
- Bathtub & Faucets
  - Toilet Seats
  - Shower Areas
  - Door Knobs



- Electronics**
- Laptops & Tablets
  - Smartphones
  - Gaming Consoles
  - Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains. **To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time. **To Sanitize:** Allow to remain wet for 10 seconds. **To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away. <sup>††††</sup>**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water. **To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

**NOT INTENDED FOR PERSONAL HYGIENE. DO NOT FLUSH IN TOILET.**  
**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals  
**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID: If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.  
**CONTACT NUMBER:** Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Store unopened package in a cool, dry place in areas inaccessible to small children. Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722  
For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser  
Parsippany, NJ 07054-0224  
Made in U.S.A. © 2017 RB

EPA Reg. No.: 777-114  
EPA Est. No.: 777-MO-1 (S), 475-MO-1 (SM), 8251-WI-5 (KT)  
Beginning of lot code indicates EPA Est. No. 8285344



# BONUS 35% FREE

# 110 WIPES FOR THE PRICE OF 80

# BONUS 35% FREE

# 110 WIPES FOR THE PRICE OF 80



## KILLS 99.9% OF VIRUSES & BACTERIA\*\*

### DISINFECTING WIPES

EARLY MORNING BREEZE™ SCENT

**110** Wet Wipes  
24.4 OZ. (1 LB. 8.4 OZ.) 692 g

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:** SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

✓ KILLS SALMONELLA, E. COLI, HA-MRSA, RSV, STAPH, STREP<sup>11</sup>

✓ KILLS COLD AND FLU VIRUSES<sup>3</sup>

✓ KILLS ANTIBIOTIC RESISTANT BACTERIA\*

✓ TRAP AND LIFT MESSSES



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**  
LICENSE NO.

9833.256



ACTIVE INGREDIENT:  
Alkyl (50% C<sub>12</sub>, 40% C<sub>17</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS.....99.74%  
TOTAL.....100.00%



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. <sup>11</sup>Kills Salmonella enterica, Escherichia coli O157:H7, Staphylococcus aureus-Methicillin resistant, Respiratory Syncytial Virus, Staphylococcus aureus, Streptococcus pyogenes. <sup>\*</sup>Kills Klebsiella pneumoniae -NDM-1 and Escherichia coli with extended beta-lactamase resistance (ESBL) on hard, non-porous surfaces in 4 minutes. <sup>\*</sup>Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes. <sup>†††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Sink & Counter<sup>†††</sup>
- Garbage Cans
- Refrigerator Exteriors<sup>††††</sup>
- Light Switches



- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains. **To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds. **To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away. <sup>††††</sup>**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water. **To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE. DO NOT FLUSH IN TOILET.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID: If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

**CONTACT NUMBER:** Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Store unopened package in a cool, dry place in areas inaccessible to small children. Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)


Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2017 RB

EPA Reg. No.: 777-114, EPA Est. No.: 777-MO-1 (S), 475-MO-1 (SM), 8251-WI-5 (WT)

Beginning of lot code indicates EPA Est. No. 8285360





1 BOX TOPS



STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO.  
**9833.256**

# Lysol®

BRAND II

## KILLS 99.9% OF VIRUSES & BACTERIA\*\*

### DISINFECTING WIPES

OCEAN FRESH®SCENT

ACTIVE INGREDIENT:  
Alkyl (50% $C_{17}$ , 40% $C_{12}$ , 10% $C_{14}$ )  
dimethyl benzyl  
ammonium chloride..... 0.26%  
OTHER INGREDIENTS..... 99.74%  
TOTAL..... 100.00%

**35** Wet Wipes  
7.7 OZ. (220 g)

KEEP OUT OF  
REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.

- ✓ **KILLS SALMONELLA, E. COLI, HA-MRSA, RSV, STAPH, STREP<sup>11</sup>**
- ✓ **KILLS COLD AND FLU VIRUSES<sup>3</sup>**
- ✓ **KILLS ANTIBIOTIC RESISTANT BACTERIA\*<sup>4</sup>**
- ✓ **TRAP AND LIFT MESSES**



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. <sup>4</sup>Kills Salmonella enterica, Escherichia coli O157:H7, Staphylococcus aureus-Methicillin resistant, Respiratory Syncytial Virus, Staphylococcus aureus, Streptococcus pyogenes. <sup>5</sup>Kills Klebsiella pneumoniae - NDM-1 and Escherichia coli with extended beta-lactamase resistance [ESBL] on hard, non-porous surfaces in 4 minutes. <sup>6</sup>Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes. <sup>11</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Kitchen**
- Sink & Counter<sup>11†††</sup>
  - Garbage Cans
  - Refrigerator Exteriors<sup>11†††</sup>
  - Light Switches



- Bathroom**
- Bathtub & Faucets
  - Toilet Seats
  - Shower Areas
  - Door Knobs



- Electronics**
- Laptops & Tablets
  - Smartphones
  - Gaming Consoles
  - Remote Controls


<b>DISINFECTS:</b>		
<ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> </ul>	<ul style="list-style-type: none"> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> </ul>	<ul style="list-style-type: none"> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>
<b>SANITIZES:</b>		
<ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> </ul>	<ul style="list-style-type: none"> <li>• Staphylococcus aureus</li> </ul>	<ul style="list-style-type: none"> <li>• FUNGISTATIC: • Aspergillus niger (Mold &amp; Mildew)</li> </ul>

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss. **To Clean / Remove Allergens<sup>11†††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains. **To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time. **To Sanitize:** Allow to remain wet for 10 seconds. **To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away. <sup>††††</sup>**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water. **To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

**NOT INTENDED FOR PERSONAL HYGIENE. DO NOT FLUSH IN TOILET.**  
**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals  
**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.  
**FIRST AID:** If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. **CONTACT NUMBER:** Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Store unopened package in a cool, dry place in areas inaccessible to small children. Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.  
**Questions? ☎ 1-800-228-4722**  
For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)  
Distributed by: Reckitt Benckiser  
Parsippany, NJ 07054-0224  
Made in U.S.A. © 2017 BR  
EPA Reg. No.: 777-114  
EPA Est. No.: 777-M0-1 (S), 475-M0-1 (SM), 825-1W-5 (KT)  
Beginning of lot code indicates EPA Est. No. 8285349

Do Not Remove label/cut out Box Tops for Education proof of purchase until product has been completely used.  
Go to [boxtops4education.com](http://boxtops4education.com) for details



# Lysol®

BRAND II

1 BOX TOPS



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**  
LICENSE NO.

9833.256

**KILLS 99.9%  
OF VIRUSES  
& BACTERIA\*\***

**DISINFECTING  
WIPES**

OCEAN FRESH®SCENT

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>12</sub>, 40% C<sub>13</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl  
ammonium chloride..... 0.26%  
OTHER INGREDIENTS:..... 99.74%  
TOTAL:..... 100.00%

**80** Wet Wipes  
17.7 OZ. (1LB. 1.7 OZ.) 503 g

KEEP OUT OF  
REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.

✓ **KILLS SALMONELLA,  
E. COLI, HA-MRSA,  
RSV, STAPH, STREP<sup>††</sup>**

✓ **KILLS COLD AND  
FLU VIRUSES<sup>3</sup>**

✓ **KILLS ANTIBIOTIC  
RESISTANT BACTERIA\***

✓ **TRAP AND LIFT  
MESSES**



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

<sup>††</sup>Kills Salmonella enterica, Escherichia coli O157:H7, Staphylococcus aureus-Methicillin resistant, Respiratory Syncytial Virus, Staphylococcus aureus, Streptococcus pyogenes.

\*Kills Klebsiella pneumoniae - NDM-1 and Escherichia coli with extended beta-lactamase resistance [ESBL] on hard, non-porous surfaces in 4 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>†††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



**Kitchen**

- Sink & Counter<sup>††††</sup>
- Garbage Cans
- Refrigerator Exterior<sup>††††</sup>
- Light Switches



**Bathroom**

- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



**Electronics**

- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)

- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)

- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes

- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains. **To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds. **To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away. <sup>††††</sup>**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water. **To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE. DO NOT FLUSH IN TOILET.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID:** If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

**CONTACT NUMBER:** Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Store unopened package in a cool, dry place in areas inaccessible to small children. Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2017 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1 (S), 475-MO-1 (SM), 8251-WI-5 (KT)

Beginning of lot code indicates EPA Est. No. 8285199

Do Not Remove label/cut out Box Tops for Education proof of purchase until product has been completely used.

Go to [boxtops4education.com](http://boxtops4education.com) for details

INSERT  
85%  
UPC

0 19200 77925 8



# Lysol®

BRAND II

**KILLS 99.9%  
OF VIRUSES  
& BACTERIA\*\***

**DISINFECTING  
WIPES**

OCEAN FRESH®SCENT

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>12</sub>, 40% C<sub>13</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl  
ammonium chloride..... 0.26%  
OTHER INGREDIENTS:..... 99.74%  
TOTAL:..... 100.00%

**80** Wet Wipes  
**17.7 OZ. (1LB. 1.7 OZ.) 503 g**

KEEP OUT OF  
REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.

✓ **KILLS SALMONELLA,  
E. COLI, HA-MRSA,  
RSV, STAPH, STREP<sup>††</sup>**

✓ **KILLS COLD AND  
FLU VIRUSES<sup>3</sup>**

✓ **KILLS ANTIBIOTIC  
RESISTANT BACTERIA\***

✓ **TRAP AND LIFT  
MESSES**



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

<sup>††</sup>Kills Salmonella enterica, Escherichia coli O157:H7, Staphylococcus aureus-Methicillin resistant, Respiratory Syncytial Virus, Staphylococcus aureus, Streptococcus pyogenes.

<sup>\*</sup>Kills Klebsiella pneumoniae - NDM-1 and Escherichia coli with extended beta-lactamase resistance [ESBL] on hard, non-porous surfaces in 4 minutes.

<sup>\*\*</sup>Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>†††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Kitchen**
- Sink & Counter<sup>††††</sup>
  - Garbage Cans
  - Refrigerator Exterior<sup>†††††</sup>
  - Light Switches



- Bathroom**
- Bathtub & Faucets
  - Toilet Seats
  - Shower Areas
  - Door Knobs



- Electronics**
- Laptops & Tablets
  - Smartphones
  - Gaming Consoles
  - Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)

- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)

- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes

- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.  
**To Clean / Remove Allergens<sup>†††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains. **To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.  
**To Sanitize:** Allow to remain wet for 10 seconds. **To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away. <sup>†††††</sup>**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water. **To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.  
**NOT INTENDED FOR PERSONAL HYGIENE. DO NOT FLUSH IN TOILET.**  
**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals  
**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.  
**FIRST AID:** If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.  
**CONTACT NUMBER:** Questions? Comments? In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Store unopened package in a cool, dry place in areas inaccessible to small children. Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.  
**Questions? ☎ 1-800-228-4722**  
 For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)  
 Distributed by: Reckitt Benckiser  
 Parsippany, NJ 07054-0224  
 Made in U.S.A. © 2017 RB  
 EPA Reg. No.: 777-114  
 EPA Est. No.: 777-MO-1 (S), 475-MO-1 (SM), 8251-WI-5 (KT)  
 Beginning of lot code indicates EPA Est. No. 8285366



# BONUS 35% FREE

## 110 WIPES FOR THE PRICE OF 80

# BONUS 35% FREE

## 110 WIPES FOR THE PRICE OF 80



### KILLS 99.9% OF VIRUSES & BACTERIA\*\*

### DISINFECTING WIPES

OCEAN FRESH®SCENT

**110** Wet Wipes  
24.4 OZ. (1 LB. 8.4 OZ.) 692 g

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO.

9833.256

✓ **KILLS SALMONELLA, E. COLI, HA-MRSA, RSV, STAPH, STREP<sup>11</sup>**

✓ **KILLS COLD AND FLU VIRUSES<sup>3</sup>**

✓ **KILLS ANTIBIOTIC RESISTANT BACTERIA<sup>4</sup>**

✓ **TRAP AND LIFT MESSSES**

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>12</sub>, 40% C<sub>17</sub>, 10% C<sub>18</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

\*Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. \*\*Kills Salmonella enterica, Escherichia coli O157:H7, Staphylococcus aureus-Methicillin resistant, Respiratory Syncytial Virus, Staphylococcus aureus, Streptococcus pyogenes. \*Kills Klebsiella pneumoniae - NDM-1 and Escherichia coli with extended beta-lactamase resistance (ESBL) on hard, non-porous surfaces in 4 minutes. \*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes. \*\*\*This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Sink & Counter\*\*\*\*
- Garbage Cans
- Refrigerator Exteriors\*\*\*\*
- Light Switches



- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)

- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)

- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains. **To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds. **To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away. \*\*\*\***For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water. **To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE. DO NOT FLUSH IN TOILET.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID: If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

**CONTACT NUMBER:** Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.


**STORAGE AND DISPOSAL:** Store unopened package in a cool, dry place in areas inaccessible to small children. Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser  
Parsippany, NJ 07054-0224  
Made in U.S.A. © 2017 RB

EPA Reg. No.: 777-114, EPA Est. No.: 777-MO-1 (S), 475-MO-1 (SM), 8251-WI-5 (KT)  
Beginning of lot code indicates EPA Est. No. 8285358



# Lysol®

BRAND II

**KILLS 99.9%  
OF VIRUSES  
& BACTERIA\*\***

**DISINFECTING  
WIPES**

OCEAN FRESH®SCENT

**110** Wet Wipes  
24.4 OZ. (1 LB. 8.4 OZ.) 692 g

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

✓ **KILLS SALMONELLA,  
E. COLI, HA-MRSA,  
RSV, STAPH, STREP<sup>11</sup>**

✓ **KILLS COLD AND  
FLU VIRUSES<sup>3</sup>**

✓ **KILLS ANTIBIOTIC  
RESISTANT BACTERIA\***

✓ **TRAP AND LIFT  
MESSES**



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**  
LICENSE NO.

9833.256

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>12</sub>, 40% C<sub>17</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl  
ammonium chloride..... 0.26%  
OTHER INGREDIENTS..... 99.74%  
TOTAL..... 100.00%



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

\*Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica, Escherichia coli O157:H7, Staphylococcus aureus-Methicillin resistant, Respiratory Syncytial Virus, Staphylococcus aureus, Streptococcus pyogenes.

\*Kills Klebsiella pneumoniae - NDM-1 and Escherichia coli with extended beta-lactamase resistance [ESBL] on hard, non-porous surfaces in 4 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

**Kitchen**



- Sink & Counter<sup>††††</sup>
- Garbage Cans
- Refrigerator Exteriors<sup>††††</sup>
- Light Switches

**Bathroom**



- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs

**Electronics**



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains. **To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds. **To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away. <sup>††††</sup>**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water. **To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE. DO NOT FLUSH IN TOILET.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID:** If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

**CONTACT NUMBER:** Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Store unopened package in a cool, dry place in areas inaccessible to small children. Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser  
Parsippany, NJ 07054-0224

Made in U.S.A. © 2017 RB

EPA Reg. No.: 777-114, EPA Est. No.: 777-MO-1 (S), 475-MO-1 (SM), 8251-WI-5 (KT)

Beginning of lot code indicates EPA Est. No. 8285361



INSERT  
85%  
UPC

0 19200 93010 9

# Lysol®

BRAND II



## KILLS 99.9% OF VIRUSES & BACTERIA\*\*

### DISINFECTING WIPES

LEMON & LIME BLOSSOM®SCENT



ACTIVE INGREDIENT:  
Alkyl (50% C<sub>12</sub>, 40% C<sub>13</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl  
ammonium chloride..... 0.26%  
OTHER INGREDIENTS..... 99.74%  
TOTAL..... 100.00%

**110** Wet Wipes  
24.4 OZ. (1 LB. 8.4 OZ.) 692 g

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

- ✓ KILLS SALMONELLA, E. COLI, HA-MRSA, RSV, STAPH, STREP<sup>11</sup>
- ✓ KILLS COLD AND FLU VIRUSES<sup>3</sup>
- ✓ KILLS ANTIBIOTIC RESISTANT BACTERIA<sup>4</sup>
- ✓ TRAP AND LIFT MESSSES



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.  
<sup>11</sup>Kills Salmonella enterica, Escherichia coli O157:H7, Staphylococcus aureus-Methicillin resistant, Respiratory Syncytial Virus, Staphylococcus aureus, Streptococcus pyogenes.  
<sup>4</sup>Kills Klebsiella pneumoniae - NDM-1 and Escherichia coli with extended beta-lactamase resistance [ESBL] on hard, non-porous surfaces in 4 minutes.  
<sup>5</sup>Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.  
<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Kitchen**
- Sink & Counter<sup>††††</sup>
  - Garbage Cans
  - Refrigerator Exterior<sup>††††</sup>
  - Light Switches



- Bathroom**
- Bathtub & Faucets
  - Toilet Seats
  - Shower Areas
  - Door Knobs



- Electronics**
- Laptops & Tablets
  - Smartphones
  - Gaming Consoles
  - Remote Controls


<b>DISINFECTS:</b>		
<ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> </ul>	<ul style="list-style-type: none"> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> </ul>	<ul style="list-style-type: none"> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>
<b>SANITIZES:</b>		<b>FUNGISTATIC:</b>
<ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> </ul>	<ul style="list-style-type: none"> <li>• Staphylococcus aureus</li> </ul>	<ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.  
**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains. **To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.  
**To Sanitize:** Allow to remain wet for 10 seconds. **To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away. <sup>††††</sup>**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water. **To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.  
**NOT INTENDED FOR PERSONAL HYGIENE. DO NOT FLUSH IN TOILET.**  
**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals  
**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID:** If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.  
**CONTACT NUMBER:** Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Store unopened package in a cool, dry place in areas inaccessible to small children. Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722  
For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)  
Distributed by: Reckitt Benckiser  
Parsippany, NJ 07054-0224  
Made in U.S.A. © 2017 RB  
EPA Reg. No.: 777-114, EPA Est. No.: 777-MO-1 (S), 475-MO-1 (SM), 8251-WI-5 (KT)  
Beginning of lot code indicates EPA Est. No. 8265357







HEALTH INFORMATION

Do Not Remove Labels for Box Tops for Education... EPA Est. No. 77-MO-1(S), 475-MO-1(SM), 07054-0224



PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals... CAUTION: May cause eye irritation.

STORAGE AND DISPOSAL... DIRECTIONS FOR USE... KILLS 99.9% OF VIRUSES & BACTERIA\*\*



ONE WIPE MANY SURFACES. Kitchen, Bathroom, Electronics

4 PACK 320 wipes



4 PACK 320 wipes



KILLS 99.9% OF VIRUSES & BACTERIA\*\* DISINFECTING WIPES



LEMON & LIME BLOSSOM SCENT

4 BOX TOPS

- KILLS SALMONELLA, E. COLI, HA-MRSA, RSV, STAPH, STREP11
KILLS COLD AND FLU VIRUSES3
KILLS ANTIBIOTIC RESISTANT BACTERIA\*
TRAP AND LIFT MESSSES

4 x 80 Wet Wipes EACH: 80 Wet Wipes 17.7 OZ. (1 LB. 1.7 OZ.) 503 g TOTAL: 320 Wet Wipes 70.8 OZ. (4 LBS. 6.8 OZ.) 2.0 kg

ACTIVE INGREDIENT: Alkyl (50% C12, 40% C11, 10% C14) dimethyl benzyl ammonium chloride 0.26% OTHER INGREDIENTS: 99.74% TOTAL: 100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION: SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.





HEALTH-HYGIENE-HOME  
 0285303  
 EPA Reg. No. 777-114  
 EPA Est. No. 777-AM-1 (S), 475-AM-1 (SM), 8251-W5 (KT)  
 Made in U.S.A. © 2017 RB  
 Participated by: Beckitt Benckiser  
 Parsippany, NJ 07054-0224  
 www.dynaflo.com  
 For ingredient information,  
 Questions? Call 1-800-228-4722

**STORAGE AND DISPOSAL:** Store unopened package in a cool, dry place in areas inaccessible to small children.  
 Dispose of wipe in trash after use. Do not re-use or refill this container.  
 Discard in trash or other for recycling.  
 Contains no phosphates.  
 This canister is made of 25% post-consumer recycled plastic.  
 Do Not Remove Label! Put the box for Education proof of purchase with product has been completely used.  
 Go to [boxtopreducation.com](http://boxtopreducation.com) for details.



**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals  
**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.  
**FIRST AID:** If in eyes: Hold eye open and rinse slowly and gently with water for 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. If a poison control center or doctor for treatment advice has been contacted, have the product container or label with you when calling a poison control center, or doctor, or going for treatment.  
 See 1-800-228-2222-7222. Have the product container or label with you when calling a poison control center, or doctor, or going for treatment.  
**COMBAT NUMBER:** Disasters/Contaminants  
 In case of an emergency, call toll-free 1-800-228-2222-7222.  
 For more information, visit [www.dynaflo.com](http://www.dynaflo.com).

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*, whatever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Lifting small electrical appliances before use. Microbial disinfecting has never been easier. Lifting small electrical appliances before use. Microbial disinfecting has never been easier. Lifting small electrical appliances before use.

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Clean / Remove Allergens:** Use these wipes on surfaces. Repeat for stubborn stains and slightly to side. Always read and securely shut between uses to prevent moisture loss.

**To Remove Grease:** Spray on surface. Use enough wipes to thoroughly wet surface. Surface must remain wet for the entire contact time. To remove, allow to remain wet for 10 seconds. To Disinfect: Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water. To prevent the growth of mold, mildew and other fungi, use on hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Repeat applications in weekly intervals or when mold and mildew growth appears. NOT INTENDED FOR PERSONAL HYGIENE. DO NOT FLUSH IN TOILET.

<b>DISINFECTS:</b>	• Adenovirus (H1N1) • Respiratory Syncytial Virus (RSV) • Influenza A Virus (H1N1) • Listeria monocytogenes
<b>SANITIZES:</b>	• Enterobacter aerogenes • Staphylococcus aureus
<b>FUNGICIDAL:</b>	• Aspergillus niger (Mold & Mildew)
<b>DISINFECTS:</b>	• Klebsiella pneumoniae (Klebsiella) • Staphylococcus aureus (Staph) • Pseudomonas aeruginosa (Pseudomonas) • Human Coronavirus • Influenza A Virus (H1N1) • Respiratory Syncytial Virus (RSV) • Adenovirus (H1N1) • Listeria monocytogenes
<b>FUNGICIDAL:</b>	• Aspergillus niger (Mold & Mildew)

- Sink & Counter\*\*
- Refrigerator Exterior\*\*
- Light Switches
- Bathroom
- Bathing & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs
- Electronics
- Laptops & Tablets
- Gaming Consoles
- Smartphones
- Remote Controls



**2 PACK**  
**160**  
 wipes

**2 PACK**  
**160**  
 wipes



**KILLS 99.9% OF VIRUSES & BACTERIA\*\***  
**DISINFECTING WIPES**

LEMON & LIME BLOSSOM® SCENT



**2 x 80** Wet Wipes  
 EACH: 80 Wet Wipes 17.7 OZ. (1 LB. 1.7 OZ.) 503 g  
 TOTAL: 160 Wet Wipes 35.4 OZ. (2 LBS. 3.4 OZ.) 1.0 kg

**ACTIVE INGREDIENT:**  
 Alkyl (50% C<sub>12</sub>, 40% C<sub>10</sub>, 10% C<sub>14</sub>)  
 dimethyl benzyl ammonium chloride.....0.26%  
**OTHER INGREDIENTS:**.....99.74%  
**TOTAL:**.....100.00%

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION:**  
 SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



- ✓ **KILLS SALMONELLA, E. COLI, HA-MRSA, RSV, STAPH, STREP<sup>11</sup>**
- ✓ **KILLS COLD AND FLU VIRUSES<sup>3</sup>**
- ✓ **KILLS ANTIBIOTIC RESISTANT BACTERIA\***
- ✓ **TRAP AND LIFT MESSSES**









# Lysol®

BRAND II



STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO.

9833.256

## KILLS 99.9% OF VIRUSES & BACTERIA\*\*

### DISINFECTING WIPES

LEMON & LIME BLOSSOM® SCENT



ACTIVE INGREDIENT:  
Alkyl (50% C<sub>12</sub>, 40% C<sub>14</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS.....99.74%  
TOTAL.....100.00%

**35** Wet  
Wipes  
7.7 OZ. (220 g)

KEEP OUT OF  
REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.

✓ **KILLS SALMONELLA,  
E. COLI, HA-MRSA,  
RSV, STAPH, STREP<sup>11</sup>**

✓ **KILLS COLD AND  
FLU VIRUSES<sup>3</sup>**

✓ **KILLS ANTIBIOTIC  
RESISTANT BACTERIA<sup>4</sup>**

✓ **TRAP AND LIFT  
MESSES**



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. <sup>11</sup>Kills Salmonella enterica, Escherichia coli O157:H7, Staphylococcus aureus-Methicillin resistant, Respiratory Syncytial Virus, Staphylococcus aureus, Streptococcus pyogenes. <sup>4</sup>Kills Klebsiella pneumoniae - NDM-1 and Escherichia coli with extended beta-lactamase resistance (ESBL) on hard, non-porous surfaces in 4 minutes. <sup>11</sup>Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes. <sup>11</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



#### Kitchen

- Sink & Counter<sup>1111</sup>
- Garbage Cans
- Refrigerator Exteriors<sup>1111</sup>
- Light Switches



#### Bathroom

- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



#### Electronics

- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus
- FUNGICIDAL:  
• Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>11</sup>:** Use fresh wipe on surface. Repeat for stubborn stains. **To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time. **To Sanitize:** Allow to remain wet for 10 seconds. **To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away. <sup>1111</sup>**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water. **To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

**NOT INTENDED FOR PERSONAL HYGIENE. DO NOT FLUSH IN TOILET.**

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals  
**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID: If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. **CONTACT NUMBER:** Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Store unopened package in a cool, dry place in areas inaccessible to small children. Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

**Questions? ☎ 1-800-228-4722**

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)  
Distributed by: Reckitt Benckiser  
Parsippany, NJ 07054-0224  
Made in U.S.A. © 2017 RB

EPA Reg. No. 777-114  
EPA Est. No. 777-M0-1 (S), 475-M0-1 (SM),  
825-1W-5 (KT)

Beginning of lot code indicates EPA Est. No. 8286350



HEALTH • HYGIENE • HOME



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO.

9833.256



# Lysol®

BRAND II

1 BOX  
TOPS



**KILLS 99.9%  
OF VIRUSES  
& BACTERIA\*\***

**DISINFECTING  
WIPES**

LEMON & LIME BLOSSOM® SCENT

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>12</sub>, 40% C<sub>14</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride..... 0.26%  
OTHER INGREDIENTS..... 99.74%  
TOTAL..... 100.00%

**35** Wet  
Wipes  
**7.7 OZ. (220 g)**

KEEP OUT OF  
REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.

- ✓ **KILLS SALMONELLA,  
E. COLI, HA-MRSA,  
RSV, STAPH, STREP<sup>11</sup>**
- ✓ **KILLS COLD AND  
FLU VIRUSES<sup>3</sup>**
- ✓ **KILLS ANTIBIOTIC  
RESISTANT BACTERIA\***
- ✓ **TRAP AND LIFT  
MESSES**



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

\*Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. \*\*Kills Salmonella enterica, Escherichia coli O157:H7, Staphylococcus aureus-Methicillin resistant, Respiratory Syncytial Virus, Staphylococcus aureus, Streptococcus pyogenes. \*\*\*Kills Klebsiella pneumoniae - NDMA-1 and Escherichia coli with extended beta-lactamase resistance [ESBL] on hard, non-porous surfaces in 4 minutes. \*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes. \*\*\*This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



**Kitchen**

- Sink & Counter\*\*\*\*
- Garbage Cans
- Refrigerator Exteriors\*\*\*\*
- Light Switches



**Bathroom**

- Bath tub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



**Electronics**

- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls


DISINFECTS:		
• Influenza A Virus (H1N1)	• Listeria monocytogenes	• Human Coronavirus
• Respiratory Syncytial Virus	• Staphylococcus aureus	• Pseudomonas aeruginosa
• Salmonella enterica (Salmonella)	• Methicillin resistant (HA-MRSA)	• Streptococcus pyogenes (Strep)
• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)	• Herpes Simplex Virus Type 1	• Campylobacter jejuni
• Escherichia coli O157:H7 (E. coli)	• Staphylococcus aureus (Staph)	• Shigella flexneri serotype 1B
	• Influenza H7N9 (wildtype A/Anhui/1/2013)	
SANITIZES:		FUNGICIDAL:
• Enterobacter aerogenes	• Staphylococcus aureus	• Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss. **To Clean / Remove Allergens:** Use fresh wipe on surface. Repeat for stubborn stains. **To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time. **To Sanitize:** Allow to remain wet for 10 seconds. **To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away. \*\*\*\***For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water. **To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

**NOT INTENDED FOR PERSONAL HYGIENE. DO NOT FLUSH IN TOILET.**  
**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals  
**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.  
**FIRST AID: If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. **CONTACT NUMBER:** Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Store unopened package in a cool, dry place in areas inaccessible to small children. Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.  
**Questions? Call 1-800-228-4722**  
For ingredient information, [www.rbininfo.com](http://www.rbininfo.com)  
Distributed by: Reckitt Benckiser  
Parsippany, NJ 07054-0224  
Made in U.S.A. © 2017 RB  
EPA Reg. No: 777-114  
EPA Est. No: 777-MO-1 (S), 475-MO-1 (SM), 8251-WI-5 (KT)  
Beginning of lot code indicates EPA Est. No. 8286365

Do Not Remove Label/Seal on Box Tops for Education proof of purchase until product has been completely used.  
Go to [boxtops4education.com](http://boxtops4education.com) for details



# Lysol®

BRAND II

1 BOX TOPS



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO.

9833.256

**KILLS 99.9%  
OF VIRUSES  
& BACTERIA\*\***

**DISINFECTING  
WIPES**

LEMON & LIME BLOSSOM®SCENT



ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>15</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%

**80** Wet Wipes  
17.7 OZ. (1LB. 1.7 OZ.) 503 g

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

✓ **KILLS SALMONELLA, E. COLI, HA-MRSA, RSV, STAPH, STREP<sup>††</sup>**

✓ **KILLS COLD AND FLU VIRUSES<sup>3</sup>**

✓ **KILLS ANTIBIOTIC RESISTANT BACTERIA\***

✓ **TRAP AND LIFT MESSSES**



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

<sup>††</sup>Kills Salmonella enterica, Escherichia coli O157:H7, Staphylococcus aureus-Methicillin resistant, Respiratory Syncytial Virus, Staphylococcus aureus, Streptococcus pyogenes.

\*Kills Klebsiella pneumoniae - NDM-1 and Escherichia coli with extended beta-lactamase resistance [ESBL] on hard, non-porous surfaces in 4 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>†††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



**Kitchen**

- Sink & Counter\*\*\*\*
- Garbage Cans
- Refrigerator Exteriors\*\*\*\*
- Light Switches



**Bathroom**

- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



**Electronics**

- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)

- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)

- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes

- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)


**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.  
**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains. **To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.  
**To Sanitize:** Allow to remain wet for 10 seconds. **To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away. <sup>††††</sup>**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water. **To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.  
**NOT INTENDED FOR PERSONAL HYGIENE. DO NOT FLUSH IN TOILET.**  
**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals  
**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID:** If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.  
**CONTACT NUMBER:** Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Store unopened package in a cool, dry place in areas inaccessible to small children. Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722  
 For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)  
 Distributed by: Reckitt Benckiser  
 Parsippany, NJ 07054-0224  
 Made in U.S.A. © 2017 RB  
 EPA Reg. No.: 777-114  
 EPA Est. No.: 777-MO-1 (S), 475-MO-1 (SM), 8251-WI-5 (KT)  
 Beginning of lot code indicates EPA Est. No. 8285196

Do Not Remove label/cut out Box Tops for Education proof of purchase until product has been completely used.  
 Go to [boxtops4education.com](http://boxtops4education.com) for details



# Lysol®

BRAND II

**KILLS 99.9%  
OF VIRUSES  
& BACTERIA\*\***

**DISINFECTING  
WIPES**

LEMON & LIME BLOSSOM® SCENT

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS.....99.74%  
TOTAL:.....100.00%

**80** Wet Wipes  
17.7 OZ. (1LB. 1.7 OZ.) 503 g

KEEP OUT OF  
REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.

✓ **KILLS SALMONELLA,  
E. COLI, HA-MRSA,  
RSV, STAPH, STREP<sup>11</sup>**

✓ **KILLS COLD AND  
FLU VIRUSES<sup>3</sup>**

✓ **KILLS ANTIBIOTIC  
RESISTANT BACTERIA\***

✓ **TRAP AND LIFT  
MESSES**



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

<sup>11</sup>Kills Salmonella enterica, Escherichia coli O157:H7, Staphylococcus aureus-Methicillin resistant, Respiratory Syncytial Virus, Staphylococcus aureus, Streptococcus pyogenes.

\*Kills Klebsiella pneumoniae - NDM-1 and Escherichia coli with extended beta-lactamase resistance [ESBL] on hard, non-porous surfaces in 4 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>11</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



**Kitchen**

- Sink & Counter\*\*\*\*
- Garbage Cans
- Refrigerator Exteriors\*\*\*\*
- Light Switches



**Bathroom**

- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



**Electronics**

- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>11</sup>:** Use fresh wipe on surface. Repeat for stubborn stains. **To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds. **To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away. **\*\*\*\*For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water. **To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE. DO NOT FLUSH IN TOILET.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID: If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

**CONTACT NUMBER:** Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Store unopened package in a cool, dry place in areas inaccessible to small children. Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2017 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1 (S), 475-MO-1 (SM), 8251-WI-5 (KT)

Beginning of lot code indicates EPA Est. No. 8285338



# BONUS 35% FREE

## 110 WIPES FOR THE PRICE OF 80

# BONUS 35% FREE

## 110 WIPES FOR THE PRICE OF 80

# Lysol®

BRAND II

### 1 BOX TOPS



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO.

9833.256

## KILLS 99.9% OF VIRUSES & BACTERIA\*\*

### DISINFECTING WIPES

LEMON & LIME BLOSSOM® SCENT



ACTIVE INGREDIENT:  
Alkyl (50% C<sub>12</sub>, 40% C<sub>10</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl  
ammonium chloride..... 0.26%  
OTHER INGREDIENTS..... 99.74%  
TOTAL..... 100.00%

**110** Wet Wipes  
24.4 OZ. (1 LB. 8.4 OZ.) 692 g

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

✓ **KILLS SALMONELLA, E. COLI, HA-MRSA, RSV, STAPH, STREP<sup>11</sup>**

✓ **KILLS COLD AND FLU VIRUSES<sup>3</sup>**

✓ **KILLS ANTIBIOTIC RESISTANT BACTERIA<sup>4</sup>**

✓ **TRAP AND LIFT MESSES**



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. <sup>11</sup>Kills Salmonella enterica, Escherichia coli O157:H7, Staphylococcus aureus-Methicillin resistant, Respiratory Syncytial Virus, Staphylococcus aureus, Streptococcus pyogenes. <sup>4</sup>Kills Klebsiella pneumoniae - NDM-1 and Escherichia coli with extended beta-lactamase resistance (ESBL) on hard, non-porous surfaces in 4 minutes. <sup>11</sup>Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes. <sup>11</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



**Kitchen**

- Sink & Counter<sup>†††</sup>
- Garbage Cans
- Refrigerator Exteriors<sup>†††</sup>
- Light Switches



**Bathroom**

- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



**Electronics**

- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)

- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)

- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains. **To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds. **To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away. <sup>††††</sup>**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water. **To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE. DO NOT FLUSH IN TOILET.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID: If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

**CONTACT NUMBER:** Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Store unopened package in a cool, dry place in areas inaccessible to small children. Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2017 RB



HEALTH + HYGIENE + HOME

EPA Reg. No.: 777-114, EPA Est. No.: 777-MO-1 (S), 475-MO-1 (SM), 8251-WI-5 (KT)

Beginning of lot code indicates EPA Est. No. 8285364

Do Not Remove label/cut out Box Tops for Education proof of purchase until product has been completely used.

Go to [boxtops4education.com](http://boxtops4education.com) for details



0 19200 83307 3

INSERT  
100%  
UPC  
19200 90658



HEALTH-HYGIENE-HOME

828483

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.



QUESTIONS? 1-800-228-4722

For ingredient information, visit [www.lorenz.com](http://www.lorenz.com)

Distributed by: Reckitt Benckiser

Parippany, NJ 07054-0224

Made in U.S.A. © 2017 RB

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\* wherever you use it. No bottles, no sponges, no mess. Children disinfecting has never been easier. Lifting small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils. Kills Salmonella enterica, Escherichia coli O157:H7, Staphylococcus aureus, and Methicillin-resistant Staphylococcus aureus. Kills Klebsiella pneumoniae, Respiratory Syncytial Virus, and Influenza A Virus (H1N1) on hard, non-porous surfaces. Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes. This product removes the following allergens: dust mite debris, pet dander and pollen particles from linoleum floors.

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID:** If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call Poison Control Center or doctor for treatment advice.

**CONTACT NUMBERS:** Questions? Call Poison Control Center or doctor for treatment advice. Free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

Discard in trash or offer for recycling.

This canister is made of 25% post-consumer recycled plastic.

Do Not Remove Label/Insert Box Tops for Education Proof of Purchase until Product Has Been Completely Used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to [boxtopeducation.com](http://boxtopeducation.com) for details.

EPH Reg. No. 777-114

EPH Est. No. 777-40-1 (S) 475-MO-1 (SM) 8251-WI-5 (KT)

475-PH-1 (PA) 777-54-1 (A)

Education proof of purchase until product has

been completely used.

Go to













**PRECAUTIONARY STATEMENTS:** Irritant to humans and Domestic Animals.

**CAUTION:** Avoid contact with eyes. Wash hands after use.

**WARNING:** If you have a respiratory condition, avoid use in enclosed spaces. If you have a respiratory condition, avoid use in enclosed spaces.

**STORAGE AND DISPOSAL:** Store unopened package in a cool, dry place in an inaccessible to children container. Do not reuse or refill. Do not use in food preparation areas. Do not use on food contact surfaces. Do not use on electrical equipment. Do not use on leather, vinyl, or plastic. Do not use on stone, tile, or grout. Do not use on waxed or polished surfaces. Do not use on painted surfaces. Do not use on metal. Do not use on wood. Do not use on fabric. Do not use on carpet. Do not use on upholstery. Do not use on drapery. Do not use on curtains. Do not use on blinds. Do not use on shutters. Do not use on doors. Do not use on windows. Do not use on glass. Do not use on mirrors. Do not use on artwork. Do not use on antiques. Do not use on valuables. Do not use on irreplaceable items. Do not use on sensitive items. Do not use on delicate items. Do not use on fragile items. Do not use on brittle items. Do not use on flammable items. Do not use on explosive items. Do not use on radioactive items. Do not use on toxic items. Do not use on corrosive items. Do not use on oxidizing items. Do not use on reducing items. Do not use on incompatible items. Do not use on incompatible materials. Do not use on incompatible substances. Do not use on incompatible products. Do not use on incompatible equipment. Do not use on incompatible machinery. Do not use on incompatible tools. Do not use on incompatible instruments. Do not use on incompatible devices. Do not use on incompatible systems. Do not use on incompatible networks. Do not use on incompatible services. Do not use on incompatible applications. Do not use on incompatible software. Do not use on incompatible hardware. Do not use on incompatible components. Do not use on incompatible parts. Do not use on incompatible accessories. Do not use on incompatible peripherals. Do not use on incompatible add-ons. Do not use on incompatible extensions. Do not use on incompatible upgrades. Do not use on incompatible replacements. Do not use on incompatible alternatives. Do not use on incompatible options. Do not use on incompatible features. Do not use on incompatible functions. Do not use on incompatible capabilities. Do not use on incompatible features. Do not use on incompatible functions. Do not use on incompatible capabilities. Do not use on incompatible features. Do not use on incompatible functions. Do not use on incompatible capabilities.

**Directions:** 1-800-228-4722

**UPC 19200 89949 0**

**Lysol** BRAND II  
KILLS 99.9% OF VIRUSES & BACTERIA\*\*  
DISINFECTING WIPES

**6 PACK 480 wipes**

**ONE WIPE MANY SURFACES**

**Kitchen**  
Bathroom  
Electronics

**DISINFECTS:**  
• Listeria monocytogenes  
• Salmonella enteritidis  
• Staphylococcus aureus  
• Escherichia coli O157:H7 (E. coli)  
• Bacillus anthracis  
• Clostridium difficile  
• Pseudomonas aeruginosa  
• Klebsiella pneumoniae  
• Enterobacteriaceae  
• Enterococcus faecalis  
• Enterococcus faecium  
• Staphylococcus epidermidis  
• Staphylococcus saprophyticus  
• Staphylococcus sciuri  
• Staphylococcus carnosus  
• Staphylococcus hominis  
• Staphylococcus lugdunensis  
• Staphylococcus pasteurianus  
• Staphylococcus pettenkoferi  
• Staphylococcus saprophyticus  
• Staphylococcus aureus  
• Staphylococcus epidermidis  
• Staphylococcus saprophyticus  
• Staphylococcus sciuri  
• Staphylococcus carnosus  
• Staphylococcus hominis  
• Staphylococcus lugdunensis  
• Staphylococcus pasteurianus  
• Staphylococcus pettenkoferi

**FUNGICIDES:**  
• Trichophyton rubrum  
• Trichophyton mentagrophytes  
• Trichophyton tonsurans  
• Trichophyton interdigitale  
• Trichophyton violaceum  
• Trichophyton asteroides  
• Trichophyton dactyloides  
• Trichophyton echinulatum  
• Trichophyton gypseum  
• Trichophyton indotineae  
• Trichophyton megnini  
• Trichophyton oerstedii  
• Trichophyton schoenleinii  
• Trichophyton violaceum  
• Trichophyton asteroides  
• Trichophyton dactyloides  
• Trichophyton echinulatum  
• Trichophyton gypseum  
• Trichophyton indotineae  
• Trichophyton megnini  
• Trichophyton oerstedii  
• Trichophyton schoenleinii

**UPC 19200 89949 0**

**6 PACK 480 wipes**



**KILLS 99.9% OF VIRUSES & BACTERIA\*\***  
DISINFECTING WIPES

- ✓ KILLS SALMONELLA, E. COLI, HA-MRSA, RSV, STAPH, STREP<sup>11</sup>
- ✓ KILLS COLD AND FLU VIRUSES<sup>3</sup>
- ✓ KILLS ANTIBIOTIC RESISTANT BACTERIA\*
- ✓ TRAP AND LIFT MESSES

3X LEMON & LIME BLOSSOM<sup>®</sup> SCENT

3X OCEAN FRESH<sup>®</sup> SCENT

**6 x 80 Wet Wipes**  
EACH: 80 Wet Wipes 17.7 OZ. (1 LB. 1.7 OZ.) 503 g  
TOTAL: 480 Wet Wipes 106 OZ. (6 LBS. 10 OZ.) 3.0 kg

ACTIVE INGREDIENT:  
Allyl (29% C, 40% H, 31% N)  
dimethyl benzyl ammonium chloride..... 0.26%  
OTHER INGREDIENTS..... 99.74%  
TOTAL..... 100.00%

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION:** SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

**UPC 19200 89949 0**




STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO.

**9833.256**

**KILLS COLD & FLU VIRUSES<sup>3</sup>**



**Disinfecting Wipes**

brighter horizon

**75 WET WIPES**

**17.7 OZ. (1 LB. 1.7 OZ.) 502 g**

**ACTIVE INGREDIENT:**  
Alkyl (50% C<sub>12</sub>, 40% C<sub>15</sub>, 10% C<sub>16</sub>) dimethyl benzyl ammonium chloride.....0.26%  
**OTHER INGREDIENTS:**.....99.74%  
**TOTAL:**.....100.00%

**KEEP OUT OF REACH OF CHILDREN  
CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



**Kitchen**

- Sink & Counters†††
- Garbage Cans
- Refrigerator Exteriors††††
- Light Switches



**Bathroom**

- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



**Electronics**

- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

††††For surfaces that come in contact with food: Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE. DO NOT FLUSH IN TOILET.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID**

- If in eyes:**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
  - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
  - Call a Poison Control Center or doctor for treatment advice.

**CONTACT NUMBER**

Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:**

Store unopened package in a cool, dry place in areas inaccessible to small children. Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? Call 1-800-228-4722 For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2016 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MD-1, 475-MO-1

See bottom or side for Lot / Date Code



8274551


0

INSERT  
85%  
UPC

19200 97180

5

KILLS COLD & FLU VIRUSES<sup>3</sup>



Disinfecting Wipes

brand new day

75 WET WIPES

17.7 OZ. (1 LB. 1.7 OZ.) 502 g

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO.

9833.256

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



**Kitchen**

- Sink & Counters†††
- Garbage Cans
- Refrigerator Exteriors††††
- Light Switches



**Bathroom**

- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



**Electronics**

- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

††††For surfaces that come in contact with food: Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE. DO NOT FLUSH IN TOILET.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID**

- If in eyes:**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
  - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
  - Call a Poison Control Center or doctor for treatment advice.

**CONTACT NUMBER**

Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:**

Store unopened package in a cool, dry place in areas inaccessible to small children. Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? Call 1-800-228-4722 For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Beckitt Benckiser

Parsippany, NJ 07054-4224

Made in U.S.A. © 2016 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side for Lot / Date Code



8274552


0

INSERT  
85%  
UPC

19200 97181

2

# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes

**KILLS 99.9% OF VIRUSES & BACTERIA\*\***

STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**



Lemon & Lime  
Blossom<sup>®</sup> scent

**35**  
WET WIPES

8.6 OZ. (244 g)

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>16</sub>, 40% C<sub>12</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS.....99.74%  
TOTAL.....100.00%

KEEP OUT OF  
REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

Kitchen	Bathroom	Electronics
<ul style="list-style-type: none"> <li>• Sink &amp; Counters</li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors</li> <li>• Light Switches</li> </ul>	<ul style="list-style-type: none"> <li>• Bathroom &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>
<b>DISINFECTS:</b> <ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>		
<b>SANITIZES:</b> <ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> <li>• Staphylococcus aureus</li> </ul>		
<b>FUNGISTATIC:</b> <ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>		

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

FIRST AID	
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
CONTACT NUMBER	
Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.	

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? **1-800-228-4722**

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1


See bottom or side

8232175



0 19200 81145 3

# KILLS COLD & FLU VIRUSES<sup>3</sup>



**KILLS 99.9% OF VIRUSES & BACTERIA\*\***

## Disinfecting Wipes

**APPROVED TO KILL MORE KINDS OF GERMS\***



Lemon & Lime Blossom<sup>®</sup> scent

**35**  
WET WIPES

8.6 OZ. (244 g)

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>12</sub>, 40% C<sub>13</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. <sup>6</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

### Kitchen



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches

### Bathroom



- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs

### Electronics



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)

- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)

- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

**NOT INTENDED FOR PERSONAL HYGIENE.**

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a Poison Control Center or doctor for treatment advice.

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114


EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232181



# KILLS COLD & FLU VIRUSES<sup>3</sup>



**KILLS 99.9% OF VIRUSES & BACTERIA\*\***

## Disinfecting Wipes



Lemon & Lime Blossom<sup>®</sup> scent

**80**  
WET WIPES

19.7 OZ. (1 LB. 3.7 OZ.) 558 g

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>12</sub>, 40% C<sub>13</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS.....99.74%  
TOTAL.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



- Bathub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID**

- If in eyes:**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
  - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
  - Call a Poison Control Center or doctor for treatment advice.

**CONTACT NUMBER**

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side


8232161



INSERT  
85%  
**UPC**

0 19200 77182 5

# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes

# 80 WET WIPES

19.7 OZ. (1 LB. 3.7 OZ.) 558 g



Lemon & Lime Blossom<sup>®</sup> scent

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>16</sub>, 40% C<sub>12</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO. **9833.256**

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. <sup>6</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

<b>Kitchen</b>  <ul style="list-style-type: none"> <li>• Sink &amp; Counters</li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors</li> <li>• Light Switches</li> </ul>	<b>Bathroom</b>  <ul style="list-style-type: none"> <li>• Bathub &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<b>Electronics</b>  <ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>
---	---	--

<b>DISINFECTS:</b> <ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> </ul>	<ul style="list-style-type: none"> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> </ul>	<ul style="list-style-type: none"> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>
<b>SANITIZES:</b> <ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> </ul>	<ul style="list-style-type: none"> <li>• Staphylococcus aureus</li> </ul>	
<b>FUNGISTATIC:</b> <ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>		

**DIRECTIONS FOR USE:**  
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.  
**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.  
**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.  
**To Sanitize:** Allow to remain wet for 10 seconds.  
**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.  
**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.  
**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.  
**NOT INTENDED FOR PERSONAL HYGIENE.**  
**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals  
**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

FIRST AID	
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
CONTACT NUMBER	
Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.	

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.


Questions? **1-800-228-4722**  
For ingredient information, [www.tbnaifo.com](http://www.tbnaifo.com)

Distributed by: Beckitt Benckiser  
Parsippany, NJ 07054-0224  
Made in U.S.A. © 2015 RB  
EPA Reg. No.: 777-114  
EPA Est. No.: 777-MO-1, 475-MO-1  
See bottom or side



8232172

# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes



Lemon & Lime Blossom<sup>®</sup> scent

# 110

WET WIPES

27.1 OZ. (1 LB. 11.1 OZ.) 768 g

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS.....99.74%  
TOTAL.....100.00%

KEEP OUT OF REACH OF CHILDREN

**CAUTION:** SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Kitchen**
- Sink & Counters
  - Garbage Cans
  - Refrigerator Exteriors
  - Light Switches



- Bathroom**
- Bathtub & Faucets
  - Toilet Seats
  - Shower Areas
  - Door Knobs



- Electronics**
- Laptops & Tablets
  - Smartphones
  - Gaming Consoles
  - Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID**

- |                    |   |
|--------------------|---|
| <b>If in eyes:</b> | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul> |
|--------------------|---|

**CONTACT NUMBER**

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? **1-800-228-4722**

For ingredient information, [www.tbmainfo.com](http://www.tbmainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232169




INSERT  
85%  
UPC

0 19200 78849 6

# BONUS 35% FREE

# 110 WIPES FOR THE PRICE OF 80



## Disinfecting Wipes



Lemon & Lime Blossom<sup>®</sup> scent

# 110 WET WIPES

27.1 OZ. (1 LB. 11.1 OZ.) 768 g

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>16</sub>, 40% C<sub>12</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl ammonium chloride.....0.26%  
OTHER INGREDIENTS.....99.74%  
TOTAL.....100.00%

KEEP OUT OF REACH OF CHILDREN

**CAUTION:** SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**  
LICENSE NO. 9833.256

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

### Kitchen



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches

### Bathroom



- Bath tub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs

### Electronics



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANTIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry.

Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

CAUTION: May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

- |                    |   |
|--------------------|---|
| <b>If in eyes:</b> | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul> |
|--------------------|---|

#### CONTACT NUMBER

Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

#### STORAGE AND DISPOSAL:

Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? Call 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232183



INSERT  
85%  
UPC

0 19200 83307 3

**BONUS 35% FREE**  
110 WIPES FOR THE PRICE OF 80

**1 BOX TOP**



**Disinfecting Wipes**



Lemon & Lime Blossom<sup>™</sup> scent

**110**  
WET WIPES

27.1 OZ. (1 LB. 11.1 OZ.) 768 g

ACTIVE INGREDIENT:  
Allyl (50% C<sub>12</sub>, 40% C<sub>15</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl  
ammonium chloride..... 0.26%  
OTHER INGREDIENTS..... 99.74%  
TOTAL..... 100.00%

KEEP OUT OF REACH OF CHILDREN

**CAUTION:** SEE BACK PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

**Kitchen**



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches

**Bathroom**



- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs

**Electronics**



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANTIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry.

Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID**

**If in eyes:**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a Poison Control Center or doctor for treatment advice.

**CONTACT NUMBER**

Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:**

Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? Call 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2016 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8253321



HEALTH • HYGIENE • HOME

Do Not Remove label/cut out Box Tops for Education proof of purchase until product has been completely used.


Go to [boxtops4education.com](http://boxtops4education.com) for details

INSERT  
85%  
UPC

0 19200 83307 3

# BONUS 35% FREE

# 110 WIPES FOR THE PRICE OF 80



# 110 WET WIPES

27.1 OZ. (1 LB. 11.1 OZ.) 768 g

ACTIVE INGREDIENT:  
 Alkyl (50% C<sub>16</sub>, 40% C<sub>12</sub>, 10% C<sub>14</sub>)  
 dimethyl benzyl  
 ammonium chloride.....0.26%  
 OTHER INGREDIENTS.....99.74%  
 TOTAL.....100.00%

KEEP OUT OF REACH OF CHILDREN

**CAUTION:** SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
 Department of Agriculture

**ACCEPTED**

LICENSE NO.

**9833.256**

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

### Kitchen



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches

### Bathroom



- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs

### Electronics



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry.

Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

CAUTION: May cause eye irritation. Avoid contact with eyes. Wash hands after use.

### FIRST AID

- If in eyes:**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
  - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
  - Call a Poison Control Center or doctor for treatment advice.

### CONTACT NUMBER

Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

### STORAGE AND DISPOSAL:

Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? Call 1-800-228-4722

For ingredient information, [www.tbmainfo.com](http://www.tbmainfo.com)

Distributed by: Reckitt Benckiser

Parlissippany, NJ 07054-0224

Made in U.S.A. © 2016 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8239946



HEALTH + HYGIENE + HOME

INSERT  
 85%  
 UPC

0 19200 96147 9


# KILLS COLD & FLU VIRUSES<sup>3</sup>



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**  
LICENSE NO. **9833.256**

**70**  
**Wipes**  
**2 PACK**



APPROVED TO  
**KILL MORE KINDS  
OF GERMS<sup>6</sup>**

- Influenza A Virus (H1N1)
- Staphylococcus aureus (Staph)
- Staphylococcus aureus (HA-MRSA)
- Escherichia Coli O157:H7 (E. coli)
- Salmonella enterica
- Respiratory Syncytial Virus

## Disinfecting Wipes



Lemon & Lime Blossom<sup>®</sup> scent

2 x 35 ct.  
EACH: 35 Wet Wipes 8.6 OZ. 244 g  
TOTAL: 70 Wet Wipes 17.2 OZ. (1 LB. 1.2 OZ.) 488 g

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl ammonium chloride..... 0.26%  
OTHER INGREDIENTS:..... 99.74%  
TOTAL:..... 100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:** SEE BACK PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>†</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

<sup>‡</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

<sup>\*\*</sup>Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Kitchen**
- Sink & Counters
  - Garbage Cans
  - Refrigerator Exteriors
  - Light Switches



- Bathroom**
- Bathtub & Faucets
  - Toilet Seats
  - Shower Areas
  - Door Knobs



- Electronics**
- Laptops & Tablets
  - Smartphones
  - Gaming Consoles
  - Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes.

Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID**

- |             |  |
|-------------|--|
| If in eyes: | • Hold eye open and rinse slowly and gently with water for 15-20 minutes.                  |
|             | • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. |
|             | • Call a Poison Control Center or doctor for treatment advice.                             |

**CONTACT NUMBER**

Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

**Questions? ☎ 1-800-228-4722**

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232404




# KILLS COLD & FLU VIRUSES<sup>3</sup>



STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO. **9833.256**

**160**  
**Wipes**  
**2 PACK**



## Disinfecting Wipes

APPROVED TO  
**KILL MORE KINDS  
OF GERMS<sup>8</sup>**

- Influenza A Virus (H1N1)
- Staphylococcus aureus (Staph)
- Staphylococcus aureus (HA-MRSA)
- Escherichia Coli O157:H7 (E. coli)
- Salmonella enterica
- Respiratory Syncytial Virus



Lemon & Lime Blossom<sup>®</sup> scent

2 x 80 ct.  
EACH: 80 Wet Wipes 19.7 OZ. (1 LB. 3.7 OZ.) 558 g  
TOTAL: 160 Wet Wipes 39.4 OZ. (2 LBS. 7.4 OZ.) 1.1 kg

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl ammonium chloride..... 0.26%  
OTHER INGREDIENTS:..... 99.74%  
TOTAL:..... 100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:** SEE BACK PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

<sup>6</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Kitchen**
- Sink & Counters
  - Garbage Cans
  - Refrigerator Exteriors
  - Light Switches



- Bathroom**
- Bathtub & Faucets
  - Toilet Seats
  - Shower Areas
  - Door Knobs



- Electronics**
- Laptops & Tablets
  - Smartphones
  - Gaming Consoles
  - Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes.

Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID**

- If in eyes:**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
  - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
  - Call a Poison Control Center or doctor for treatment advice.

**CONTACT NUMBER**

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates.

This canister is made of 25% post-consumer recycled plastic.

**Questions? ☎ 1-800-228-4722**

For ingredient information,

[www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114


EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side


8232174



# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**



Lemon & Lime  
Blossom<sup>®</sup> scent

**35**  
WET WIPES

8.6 OZ. (244 g)

ACTIVE INGREDIENT:  
Alkyl (50%<sub>C<sub>12</sub></sub>, 40%<sub>C<sub>13</sub></sub>, 10%<sub>C<sub>14</sub></sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%

KEEP OUT OF  
REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

Kitchen	Bathroom	Electronics
<ul style="list-style-type: none"> <li>• Sink &amp; Counters</li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors</li> <li>• Light Switches</li> </ul>	<ul style="list-style-type: none"> <li>• Bathroom &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>
<b>DISINFECTS:</b> <ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>		
<b>SANITIZES:</b> <ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> <li>• Staphylococcus aureus</li> </ul>		
<b>FUNGISTATIC:</b> <ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>		

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

**NOT INTENDED FOR PERSONAL HYGIENE.**

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

FIRST AID	
If in eyes:	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
CONTACT NUMBER	
Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.	

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? **1-800-228-4722**

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parisiappan, NJ 07054-0224

Made in U.S.A. © 2016 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8250408



Do Not Remove label/cut out Box Tops for Education proof of purchase until production has been completely used.

Go to [boxtops4education.com](http://boxtops4education.com) for details

INSERT  
85%  
UPC

0 19200 81145 3

**KILLS COLD & FLU VIRUSES<sup>3</sup>**

**3 BOX TOPS**



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**

**105  
Wipes  
3 PACK**



**KILLS 99.9% OF VIRUSES & BACTERIA\*\***

**Disinfecting Wipes**



*Lemon & Lime Blossom<sup>®</sup> scent*

3 x 35 ct.

EACH: 35 Wet Wipes 8.6 OZ. (244 g)

TOTAL: 105 Wet Wipes 25.8 OZ. (1 LB. 9.8 OZ.) 732 g

**ACTIVE INGREDIENT:**

Alkyl (50% C <sub>14</sub> , 40% C <sub>12</sub> , 10% C <sub>16</sub> )	0.26%
dimethyl benzyl ammonium chloride	0.26%
<b>OTHER INGREDIENTS:</b>	<b>99.74%</b>
<b>TOTAL:</b>	<b>100.00%</b>

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:** SEE BACK PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

<sup>\*\*</sup>Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Kitchen**
- Sink & Counters
  - Garbage Cans
  - Refrigerator Exteriors
  - Light Switches



- Bathroom**
- Bathtub & Faucets
  - Toilet Seats
  - Shower Areas
  - Door Knobs



- Electronics**
- Laptops & Tablets
  - Smartphones
  - Gaming Consoles
  - Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes.

Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID**

- If in eyes:**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
  - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
  - Call a Poison Control Center or doctor for treatment advice.

**CONTACT NUMBER**

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates.  
This canister is made of 25% post-consumer recycled plastic.

**Questions? (1-800-228-4722**

For ingredient information,

[www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2016 RB

EPA Reg. No.: 777-114


EPA Est. No.: 777-M0-1, 475-M0-1

See bottom or side 8258438



Do Not Remove Label/Cut out Box Tops for Education proof of purchase until product has been completely used.  
Go to [boxtops4education.com](http://boxtops4education.com) for details

# KILLS COLD & FLU VIRUSES<sup>3</sup>



**KILLS 99.9% OF VIRUSES & BACTERIA\*\***

## Disinfecting Wipes



Lemon & Lime Blossom<sup>®</sup> scent

**35**  
WET WIPES

8.6 OZ. (244 g)

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>16</sub>, 40% C<sub>12</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS.....99.74%  
TOTAL.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

Kitchen	Bathroom	Electronics
<ul style="list-style-type: none"> <li>• Sink &amp; Counters</li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors</li> <li>• Light Switches</li> </ul>	<ul style="list-style-type: none"> <li>• Bathub &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>
<b>DISINFECTS:</b> <ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>		
<b>SANITIZES:</b> <ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> <li>• Staphylococcus aureus</li> </ul>		
<b>FUNGISTATIC:</b> <ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>		

### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

FIRST AID	
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
CONTACT NUMBER	
Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.	

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114


EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232175



# KILLS COLD & FLU VIRUSES<sup>3</sup>



**KILLS 99.9% OF VIRUSES & BACTERIA\*\***

## Disinfecting Wipes




Lemon & Lime Blossom<sup>®</sup> scent

# 80 WET WIPES

19.7 OZ. (1 LB. 3.7 OZ.) 558 g

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS.....99.74%  
TOTAL.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO. 9833.256

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

Kitchen	Bathroom	Electronics
<ul style="list-style-type: none"> <li>• Sink &amp; Counters</li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors</li> <li>• Light Switches</li> </ul>	<ul style="list-style-type: none"> <li>• Bathtub &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>
<b>DISINFECTS:</b> <ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>		
<b>SANITIZES:</b> <ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> <li>• Staphylococcus aureus</li> </ul>		
<b>FUNGISTATIC:</b> <ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>		

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

FIRST AID	
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
CONTACT NUMBER	
Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.	

#### STORAGE AND DISPOSAL:

Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? Call 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2016 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8250407



Do Not Remove label/cut out Box Tops for Education proof of purchase until product has been completely used.

Go to [boxtops4education.com](http://boxtops4education.com) for details



2 x 80 ct.  
 EACH: 80 Wet Wipes 19.7 OZ. (1 LB. 3.7 OZ.) 558 g  
 TOTAL: 160 Wet Wipes 39.4 OZ. (2 LBS. 7.4 OZ.) 1.1 kg

ACTIVE INGREDIENT:  
 Alkyl (50% C<sub>12</sub>-40%) 40% (4.0%)  
 Dimethyl benzyl ammonium chloride  
 0.26%  
 99.74%  
 100.00%

CAUTION: SEE BACK PANEL FOR  
 ADDITIONAL PRECAUTIONARY STATEMENTS.  
 KEEP OUT OF REACH OF CHILDREN

Lemon & Lime Blossom<sup>®</sup> scent

# Disinfecting Wipes



**160**  
**Wipes**  
**2 PACK**

**KILLS GOLD & FLU VIRUSES<sup>3</sup>**



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.  
 \*Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.  
 \*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.  
 ††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

Kitchen	Bathroom	Electronics
<ul style="list-style-type: none"> <li>• Sink &amp; Counters</li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors</li> <li>• Light Switches</li> </ul>	<ul style="list-style-type: none"> <li>• Bathtub &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>
<b>DISINFECTS:</b> <ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>		
<b>SANITIZES:</b> <ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> <li>• Staphylococcus aureus</li> </ul>		
<b>FUNGISTATIC:</b> <ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>		

**DIRECTIONS FOR USE:**  
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.


**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.  
**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.  
**To Sanitize:** Allow to remain wet for 10 seconds.  
**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.  
**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.  
**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.  
 NOT INTENDED FOR PERSONAL HYGIENE.  
**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals  
**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

FIRST AID	
If in eyes:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a Poison Control Center or doctor for treatment advice.
CONTACT NUMBER	
Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.	

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.  
 Contains no phosphates.  
 This canister is made of 25% post-consumer recycled plastic.  
**Questions? Call 1-800-228-4722**  
 For ingredient information, visit [www.clorox.com](http://www.clorox.com)  
 Distributed by: **Reckitt Benckiser**  
 Parsippany, NJ 07054-0224  
 Made in U.S.A. © 2016 RB  
 EPA Reg. No. 777-114  
 EPA Est. No. 777-MD-1, 475-MD-1  
 See bottom or side 8250415  
 HEALTH-HYGIENE-HOME  
 Do Not Remove labelcut out Box Tops for Education proof of purchase until product has been completely used.  
 Go to [boxtoppeducation.com](http://boxtoppeducation.com) for details



# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes



Lemon & Lime Blossom<sup>®</sup> scent

**80**  
WET WIPES

19.7 OZ. (1 LB. 3.7 OZ.) 558 g

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>10</sub>, 40% C<sub>12</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS.....99.74%  
TOTAL.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO. 9833.256

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.  
\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.  
††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

<b>Kitchen</b>  <ul style="list-style-type: none"> <li>• Sink &amp; Counters</li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors</li> <li>• Light Switches</li> </ul>	<b>Bathroom</b>  <ul style="list-style-type: none"> <li>• Bathub &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<b>Electronics</b>  <ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>
---	---	--

<b>DISINFECTS:</b> <ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> </ul>	<ul style="list-style-type: none"> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> </ul>	<ul style="list-style-type: none"> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>
<b>SANITIZES:</b> <ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> </ul>	<ul style="list-style-type: none"> <li>• Staphylococcus aureus</li> </ul>	
<b>FUNGISTATIC:</b> <ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>		

**DIRECTIONS FOR USE:**  
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.  
**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.  
**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.  
**To Sanitize:** Allow to remain wet for 10 seconds.  
**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.  
**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.  
**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.  
**NOT INTENDED FOR PERSONAL HYGIENE.**  
**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals  
**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

FIRST AID	
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
CONTACT NUMBER	
Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.	


**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.  
**Questions? ☎ 1-800-228-4722**  
For ingredient information, [www.tbainfo.com](http://www.tbainfo.com)

Distributed by: Reckitt Benckiser  
Parsippany, NJ 07054-0224  
Made in U.S.A. © 2015 RB  
EPA Reg. No.: 777-114  
EPA Est. No.: 777-MO-1, 475-MO-1  
See bottom or side 8243645





# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes

**KILLS 99.9% OF VIRUSES & BACTERIA\*\***



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**  
LICENSE NO. **9833.256**



Lemon & Lime  
Blossom<sup>®</sup> scent

**35**  
WET WIPES

8.6 OZ. (244 g)

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>16</sub>, 40% C<sub>12</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS.....99.74%  
TOTAL.....100.00%

KEEP OUT OF  
REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

Kitchen	Bathroom	Electronics
<ul style="list-style-type: none"> <li>• Sink &amp; Counters</li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors</li> <li>• Light Switches</li> </ul>	<ul style="list-style-type: none"> <li>• Bathub &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>
<b>DISINFECTS:</b> <ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>		
<b>SANITIZES:</b> <ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> <li>• Staphylococcus aureus</li> </ul>		
<b>FUNGISTATIC:</b> <ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>		

### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

FIRST AID	
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
CONTACT NUMBER	
Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.	

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? **1-800-228-4722**

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224


Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232175





Use this product in a convenient way to clean and disinfect your household surfaces. Each pre-moistened wipe is designed to remove dirt and grime, leaving surfaces clean and fresh. For best results, use this product on hard, non-porous surfaces. Do not use on delicate or sensitive surfaces. For more information, visit [www.lysol.com](http://www.lysol.com).

**Directions for Use:**

- Apply to the surface to be cleaned.
- Wipe the surface with the wipe, using a circular motion.
- Allow the surface to air dry for 10 minutes.

**Disinfects:**

- Bacteria (e.g., *Staphylococcus aureus*)
- Fungi (e.g., *Candida albicans*)
- Viruses (e.g., Influenza A, Rotavirus, Adenovirus, Herpes Simplex, Hepatitis A, Hepatitis B, HIV-1, HIV-2, Poliovirus, Measles, Mumps, Rubella, Varicella-Zoster, Herpes Zoster, Epstein-Barr Virus, Cytomegalovirus, Dengue, West Nile, Chikungunya, Zika, Dengue, Chikungunya, Zika, Dengue, Chikungunya, Zika)

**Caution:** Do not use on surfaces that are already wet or soiled. Do not use on surfaces that are made of wood, stone, or wax. Do not use on surfaces that are made of metal, plastic, or rubber. Do not use on surfaces that are made of fabric or paper. Do not use on surfaces that are made of glass or acrylic. Do not use on surfaces that are made of leather or vinyl. Do not use on surfaces that are made of silk or wool. Do not use on surfaces that are made of fur or feathers. Do not use on surfaces that are made of hair or skin. Do not use on surfaces that are made of eyes, ears, nose, mouth, or throat. Do not use on surfaces that are made of hands or feet. Do not use on surfaces that are made of clothing or shoes. Do not use on surfaces that are made of jewelry or watches. Do not use on surfaces that are made of electronics or appliances. Do not use on surfaces that are made of toys or children's products. Do not use on surfaces that are made of food or drink. Do not use on surfaces that are made of medicine or medical equipment. Do not use on surfaces that are made of religious or cultural artifacts. Do not use on surfaces that are made of historical or archaeological artifacts. Do not use on surfaces that are made of art or collectibles. Do not use on surfaces that are made of books or documents. Do not use on surfaces that are made of records or tapes. Do not use on surfaces that are made of film or video. Do not use on surfaces that are made of photographs or slides. Do not use on surfaces that are made of musical instruments. Do not use on surfaces that are made of sports equipment. Do not use on surfaces that are made of tools or machinery. Do not use on surfaces that are made of vehicles or boats. Do not use on surfaces that are made of aircraft or spacecraft. Do not use on surfaces that are made of military or government equipment. Do not use on surfaces that are made of nuclear or radioactive materials. Do not use on surfaces that are made of hazardous or flammable materials. Do not use on surfaces that are made of explosive or incendiary materials. Do not use on surfaces that are made of radioactive or toxic materials. Do not use on surfaces that are made of biohazardous or infectious materials. Do not use on surfaces that are made of chemical or biological weapons. Do not use on surfaces that are made of nuclear weapons. Do not use on surfaces that are made of biological weapons. Do not use on surfaces that are made of chemical weapons. Do not use on surfaces that are made of biological weapons. Do not use on surfaces that are made of chemical weapons. Do not use on surfaces that are made of biological weapons.

**First Aid:**

- If swallowed: Drink water or milk. Do not induce vomiting.
- If in eyes: Flush with water for 15 minutes.
- If on skin: Wash with soap and water.

**Contact Numbers:**

- Toll-free: 1-800-228-4772
- Fax: 1-800-228-4772
- Email: [customer.service@lysol.com](mailto:customer.service@lysol.com)

**Storage and Disposal:**

- Store in a cool, dry place.
- Do not use if the seal is broken.
- Do not use if the expiration date has passed.
- Dispose of used wipes in a trash can.

**UPC 19200 96187 5**



# KILLS COLD & FLU VIRUSES<sup>3</sup>

**BUY 3 GET 1 FREE!**



## Disinfecting Wipes




4 x 80 ct.  
 EACH: 80 Wet Wipes 19.7 OZ. (1 LB. 3.7 OZ.) 558 g  
 TOTAL: 320 Wet Wipes 78.8 OZ. ( 4 LBS. 14.8 OZ.) 2.2 kg

ACTIVE INGREDIENTS:  
 Alkyl (50% C<sub>12</sub>-40% C<sub>18</sub>, 10% C<sub>14</sub>)  
 dimethyl benzyl  
 ammonium chloride.....0.26%  
 OTHER INGREDIENTS.....99.74%  
 TOTAL.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:** SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes



Lemon & Lime Blossom<sup>®</sup> scent

**80**  
WET WIPES

19.7 OZ. (1 LB. 3.7 OZ.) 558 g

ACTIVE INGREDIENT:  
Alkyl (50%<sub>C<sub>10</sub></sub>, 40%<sub>C<sub>12</sub></sub>, 10%<sub>C<sub>14</sub></sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS.....99.74%  
TOTAL.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



- Bathub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

<b>DISINFECTS:</b>		
<ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> </ul>	<ul style="list-style-type: none"> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> </ul>	<ul style="list-style-type: none"> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>
<b>SANITIZES:</b>		
<ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> </ul>	<ul style="list-style-type: none"> <li>• Staphylococcus aureus</li> </ul>	
<b>FUNGISTATIC:</b>		
<ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>		

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

CAUTION: May cause eye irritation. Avoid contact with eyes. Wash hands after use.

FIRST AID	
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
CONTACT NUMBER	
Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.	

**STORAGE AND DISPOSAL:**

Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8243645



# 8 BOX TOPS



## 5 PACK

### 400 Wipes



## KILLS COLD & FLU VIRUSES<sup>3</sup>



STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO. 9833.256



INSERT  
100%  
**UPC**  
0 19200 92860 1



Lemon & Lime Blossom<sup>®</sup> scent

5 x 80 ct.  
EACH: 80 Wet Wipes 19.7 OZ. (1 LB. 3.7 OZ.) 558 g  
TOTAL: 400 Wet Wipes 98.5 OZ. ( 6 LBS. 2.5 OZ.) 2.7 kg

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride..... 0.26%  
OTHER INGREDIENTS..... 99.74%  
TOTAL..... 100.00%

## Disinfecting Wipes



Ocean Fresh<sup>®</sup> scent

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:** SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.  
 \*Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.  
 \*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.  
 ††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

- | Kitchen   | Bathroom  | Electronics  |
|---|---|--|
| <ul style="list-style-type: none"> <li>• Sink &amp; Counters</li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors</li> <li>• Light Switches</li> </ul> | <ul style="list-style-type: none"> <li>• Bathtub &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul> | <ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul> |

- DISINFECTS:**
- |   |   |  |
|---|---|--|
| <ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> </ul> | <ul style="list-style-type: none"> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> </ul> | <ul style="list-style-type: none"> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul> |
|---|---|--|
- SANITIZES:**
- Enterobacter aerogenes
  - Staphylococcus aureus
- FUNGICIDAL:**
- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:**  
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.  
**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.  
**To Sanitize:** Allow to remain wet for 10 seconds.  
**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.  
**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.  
**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

**NOT INTENDED FOR PERSONAL HYGIENE.**  
**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals  
**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

FIRST AID	
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
CONTACT NUMBER	
Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.	

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.


**Questions? Call 1-800-228-4722**  
 For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)  
 Distributed by: Reckitt Benckiser Parsippany, NJ 07054-0224  
 Made in U.S.A. © 2016 RB

EPA Reg. No.: 777-114  
 EPA Est. No.: 777-MO-1, 475-MO-1  
 See bottom or side 8250411

Do Not Remove label/Cut out Box Tops for Education proof of purchase until product has been completely used.  
 Go to [boxtops4education.com](http://boxtops4education.com) for details



# KILLS COLD & FLU VIRUSES<sup>3</sup>



**KILLS 99.9% OF VIRUSES & BACTERIA\*\***

## Disinfecting Wipes



Lemon & Lime Blossom<sup>®</sup> scent

**35**  
WET WIPES

8.6 OZ. (244 g)

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>16</sub>, 40% C<sub>12</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS.....99.74%  
TOTAL.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

Kitchen	Bathroom	Electronics
<ul style="list-style-type: none"> <li>• Sink &amp; Counters</li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors</li> <li>• Light Switches</li> </ul>	<ul style="list-style-type: none"> <li>• Bathub &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>
<b>DISINFECTS:</b> <ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>		
<b>SANITIZES:</b> <ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> <li>• Staphylococcus aureus</li> </ul>		
<b>FUNGISTATIC:</b> <ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>		

### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

FIRST AID	
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
CONTACT NUMBER	
Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.	

### STORAGE AND DISPOSAL:

Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1


See bottom or side

8232175



0 19200 81145 3

# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes

**35**  
WET WIPES

8.6 OZ. (244 g)

**ACTIVE INGREDIENT:**  
Allyl (50% C<sub>12</sub>, 40% C<sub>17</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
**OTHER INGREDIENTS:**.....99.74%  
**TOTAL:**.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Ocean Fresh®  
scent

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

Kitchen	Bathroom	Electronics
<ul style="list-style-type: none"> <li>• Sink &amp; Counters</li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors</li> <li>• Light Switches</li> </ul>	<ul style="list-style-type: none"> <li>• Bathtub &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>
<b>DISINFECTS:</b> <ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>		
<b>SANITIZES:</b> <ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> <li>• Staphylococcus aureus</li> </ul>		
<b>FUNGISTATIC:</b> <ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>		

### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

**NOT INTENDED FOR PERSONAL HYGIENE.**

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

FIRST AID	
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
CONTACT NUMBER	
Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.	

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224


Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232177



# KILLS COLD & FLU VIRUSES<sup>3</sup>



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**

**105  
Wipes  
3 PACK**



## Disinfecting Wipes

**APPROVED TO  
KILL MORE KINDS  
OF GERMS<sup>6</sup>**

- Influenza A Virus (H1N1)
- Staphylococcus aureus (Staph)
- Staphylococcus aureus (HA-MRSA)
- Escherichia Coli O157:H7 (E. coli)
- Salmonella enterica
- Respiratory Syncytial Virus



*Lemon & Lime Blossom<sup>®</sup> scent*

3 x 35 ct.

EACH: 35 Wet Wipes 8.6 OZ. (244 g)

TOTAL: 105 Wet Wipes 25.8 OZ. (1 LB. 9.8 OZ.) 732 g

**ACTIVE INGREDIENT:**

Alkyl (50% C <sub>14</sub> , 40% C <sub>12</sub> , 10% C <sub>10</sub> )	
dimethyl benzyl ammonium chloride.....	0.26%
<b>OTHER INGREDIENTS:</b> .....	99.74%
<b>TOTAL:</b> .....	100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:** SEE BACK PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

<sup>6</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



### Kitchen

- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



### Bathroom

- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



### Electronics

- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes.

Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

- |             |  |
|-------------|--|
| If in eyes: | • Hold eye open and rinse slowly and gently with water for 15-20 minutes.                  |
|             | • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. |
|             | • Call a Poison Control Center or doctor for treatment advice.                             |

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates.

This canister is made of 25% post-consumer recycled plastic.

**Questions? ( 1-800-228-4722**

For ingredient information,

[www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232182



# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**

# BUY 2 GET 1 FREE!



Lemon & Lime  
Blossom<sup>®</sup> scent

3 x 35 ct.

EACH: 35 Wet Wipes 8.6 OZ. (244 g)

TOTAL: 105 Wet Wipes 25.8 OZ. (1 LB. 9.8 OZ.) 732 g

**ACTIVE INGREDIENT:**

Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl ammonium chloride..... 0.26%

**OTHER INGREDIENTS:**..... 99.74%

**TOTAL:**..... 100.00%

KEEP OUT OF REACH OF CHILDREN

**CAUTION:** SEE BACK PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>§</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

<sup>\*\*</sup>Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



### Kitchen

- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



### Bathroom

- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



### Electronics

- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes.

Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a Poison Control Center or doctor for treatment advice.

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates.

This canister is made of 25% post-consumer recycled plastic.

**Questions? ☎ 1-800-228-4722**

For ingredient information,

[www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232184



0  
19200 83638  
8

INSERT  
100%  
UPC

# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**

# BUY 2 GET 1 FREE!



Lemon & Lime  
Blossom<sup>®</sup> scent

3 x 35 ct.

EACH: 35 Wet Wipes 8.6 OZ. (244 g)

TOTAL: 105 Wet Wipes 25.8 OZ. (1 LB. 9.8 OZ.) 732 g

**ACTIVE INGREDIENT:**

Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl ammonium chloride..... 0.26%  
**OTHER INGREDIENTS:**..... 99.74%  
**TOTAL:**..... 100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:** SEE BACK PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>§</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

<sup>\*\*</sup>Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



### Kitchen

- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



### Bathroom

- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



### Electronics

- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes.

Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a Poison Control Center or doctor for treatment advice.

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates.

This canister is made of 25% post-consumer recycled plastic.

**Questions? ☎ 1-800-228-4722**

For ingredient information,

[www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232184



0  
19200 83638  
8

INSERT  
100%  
UPC

# KILLS COLD & FLU VIRUSES<sup>3</sup>




STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**

**240  
Wipes  
3 PACK**



## Disinfecting Wipes

APPROVED TO  
**KILL MORE KINDS  
OF GERMS<sup>6</sup>**

- Influenza A Virus (H1N1)
- Staphylococcus aureus (Staph)
- Staphylococcus aureus (HA-MRSA)
- Escherichia Coli O157:H7 (E. coli)
- Salmonella enterica
- Respiratory Syncytial Virus



Lemon & Lime Blossom<sup>®</sup> scent

3 x 80 ct.  
EACH: 80 Wet Wipes 19.7 OZ. (1 LB. 3.7 OZ.) 558 g  
TOTAL: 240 Wet Wipes 59.1 OZ. (3 LBS. 11.1 OZ.) 1.6 kg

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl ammonium chloride..... 0.26%  
OTHER INGREDIENTS:..... 99.74%  
TOTAL:..... 100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:** SEE BACK PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

<sup>6</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



#### Kitchen

- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



#### Bathroom

- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



#### Electronics

- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes.

Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

- |                    |   |
|--------------------|---|
| <b>If in eyes:</b> | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul> |
|--------------------|---|

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates.

This canister is made of 25% post-consumer recycled plastic.

**Questions? ☎ 1-800-228-4722**

For ingredient information,

[www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232186



# KILLS COLD & FLU VIRUSES<sup>3</sup>



STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO. **9833.256**

**320**  
**Wipes**  
**4 PACK**




**KILLS 99.9% OF VIRUSES & BACTERIA\*\***

## Disinfecting Wipes

APPROVED TO  
**KILL MORE KINDS  
OF GERMS<sup>6</sup>**

- Influenza A Virus (H1N1)
- Staphylococcus aureus (Staph)
- Staphylococcus aureus (HA-MRSA)
- Escherichia Coli O157:H7 (E. coli)
- Salmonella enterica
- Respiratory Syncytial Virus



4 x 80ct.

EACH: 80 Wet Wipes 19.7 OZ. (1 LB. 3.7 OZ.) 558 g

TOTAL: 320 Wet Wipes 78.8 OZ. (4 LBS. 14.8 OZ.) 2.2 kg

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride..... 0.26%  
OTHER INGREDIENTS:..... 99.74%  
TOTAL:..... 100.00%



Lemon & Lime Blossom<sup>®</sup> scent

KEEP OUT OF REACH OF CHILDREN

**CAUTION:** SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

<sup>4</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

<sup>\*\*</sup>Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

DISINFECTS:		
• Influenza A Virus (H1N1)	• Listeria monocytogenes	• Human Coronavirus
• Respiratory Syncytial Virus	• Staphylococcus aureus Methicillin resistant (HA-MRSA)	• Pseudomonas aeruginosa
• Salmonella enterica (Salmonella)	• Herpes Simplex Virus Type 1	• Streptococcus pyogenes (Strep)
• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)	• Staphylococcus aureus (Staph)	• Campylobacter jejuni
• Escherichia coli O157:H7 (E. coli)	• Influenza H7N9 (wildtype A/Anhui/1/2013)	• Shigella flexneri serotype 1B
SANITIZES:		
• Enterobacter aerogenes	• Staphylococcus aureus	
FUNGISTATIC:		
• Aspergillus niger (Mold & Mildew)		

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes.

Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID**

- |                    |   |
|--------------------|---|
| <b>If in eyes:</b> | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul> |
|--------------------|---|

**CONTACT NUMBER**

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:**

Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates.

This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information,

[www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side


8232430



# KILLS COLD & FLU VIRUSES<sup>3</sup>



## BUY 3 GET 1 FREE!



## Disinfecting Wipes



4 x 80 CT.  
EACH: 80 Wet Wipes 19.7 OZ. (1 LB. 3.7 OZ.) 558 g  
TOTAL: 320 Wet Wipes 78.8 OZ. (4 LBS. 14.8 OZ.) 2.2 kg

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:** SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes.

Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

FIRST AID	
If in eyes:	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
CONTACT NUMBER	
Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.	

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates.  
This canister is made of 25% post-consumer recycled plastic.

**Questions? ☎ 1-800-228-4722**

For ingredient information,  
[www.rbnainfo.com](http://www.rbnainfo.com)  
Distributed by: Reckitt Benckiser  
Parsippany, NJ 07054-0224  
Made in U.S.A. © 2015 RB


EPA Reg. No.: 777-114  
EPA Est. No.: 777-MO-1, 475-MO-1  
See bottom or side



# KILLS COLD & FLU VIRUSES<sup>3</sup>




STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO. 9833.256



## Disinfecting Wipes

### 4 BOX TOPS



4 x 35 ct.  
EACH: 35 Wet Wipes 8.6 OZ. (244 g)  
TOTAL: 140 Wet Wipes 34.4 OZ. (2 LBS. 2.4 OZ.) 977 g

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl ammonium chloride..... 0.26%  
OTHER INGREDIENTS:..... 99.74%  
TOTAL:..... 100.00%



Lemon & Lime Blossom<sup>®</sup> scent

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:** SEE BACK PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes.

Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID**

- |             |  |
|-------------|--|
| If in eyes: | • Hold eye open and rinse slowly and gently with water for 15-20 minutes.                  |
|             | • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. |
|             | • Call a Poison Control Center or doctor for treatment advice.                             |

**CONTACT NUMBER**

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

**Questions? Call 1-800-228-4722**

For ingredient information,

[www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2016 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8253043




Do Not Remove label/cut out Box Tops for Education proof of purchase until product has been completely used.

Go to [boxtops4education.com](http://boxtops4education.com) for details





# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes



Lemon & Lime Blossom<sup>®</sup> scent


# 80

WET WIPES

19.7 OZ. (1 LB. 3.7 OZ.) 558 g

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS.....99.74%  
TOTAL.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

Kitchen	Bathroom	Electronics
<ul style="list-style-type: none"> <li>• Sink &amp; Counters</li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors</li> <li>• Light Switches</li> </ul>	<ul style="list-style-type: none"> <li>• Bathtub &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>

<b>DISINFECTS:</b>		
<ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> </ul>	<ul style="list-style-type: none"> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> </ul>	<ul style="list-style-type: none"> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>
<b>SANITIZES:</b>		
<ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> </ul>	<ul style="list-style-type: none"> <li>• Staphylococcus aureus</li> </ul>	
<b>FUNGISTATIC:</b>		
<ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>		

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

FIRST AID	
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
CONTACT NUMBER	
Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.	

#### STORAGE AND DISPOSAL:

Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2016 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8250407



Do Not Remove label/cut out Box Tops for Education proof of purchase until product has been completely used.

Go to [boxtops4education.com](http://boxtops4education.com) for details

INSERT  
85%  
UPC

0 19200 77182 5



**Directions for Use:** Open cap and pull up spray bar to remove the water cap. Then, the entire surface of the container or area being sprayed should be covered. Always spray in a downward motion to prevent misting. Do not breathe mist. Do not spray directly into eyes. Do not spray on electrical outlets or switches. Do not spray on children's toys. Do not spray on plants. Do not spray on pets. Do not spray on food. Do not spray on clothing. Do not spray on furniture. Do not spray on walls. Do not spray on ceiling. Do not spray on floor. Do not spray on carpet. Do not spray on tile. Do not spray on grout. Do not spray on paint. Do not spray on wallpaper. Do not spray on fabric. Do not spray on leather. Do not spray on metal. Do not spray on wood. Do not spray on stone. Do not spray on glass. Do not spray on plastic. Do not spray on vinyl. Do not spray on rubber. Do not spray on wax. Do not spray on polish. Do not spray on oil. Do not spray on grease. Do not spray on dirt. Do not spray on mud. Do not spray on snow. Do not spray on ice. Do not spray on frost. Do not spray on hail. Do not spray on rain. Do not spray on wind. Do not spray on sun. Do not spray on moon. Do not spray on stars. Do not spray on planets. Do not spray on galaxies. Do not spray on the universe.

**Precautions:** Do not use in confined spaces. Do not use near open flames. Do not use near electrical outlets or switches. Do not use near children. Do not use near pets. Do not use near food. Do not use near clothing. Do not use near furniture. Do not use near walls. Do not use near ceiling. Do not use near floor. Do not use near carpet. Do not use near tile. Do not use near grout. Do not use near paint. Do not use near wallpaper. Do not use near fabric. Do not use near leather. Do not use near metal. Do not use near wood. Do not use near stone. Do not use near glass. Do not use near plastic. Do not use near vinyl. Do not use near rubber. Do not use near wax. Do not use near polish. Do not use near oil. Do not use near grease. Do not use near dirt. Do not use near mud. Do not use near snow. Do not use near ice. Do not use near frost. Do not use near hail. Do not use near rain. Do not use near wind. Do not use near sun. Do not use near moon. Do not use near stars. Do not use near planets. Do not use near galaxies. Do not use near the universe.

**First Aid:** If inhaled, move to fresh air. If in eyes, flush with water. If on skin, wash with soap and water. If swallowed, drink water. If on clothing, remove clothing. If on furniture, wipe clean. If on walls, wash with soap and water. If on ceiling, wash with soap and water. If on floor, wash with soap and water. If on carpet, wash with soap and water. If on tile, wash with soap and water. If on grout, wash with soap and water. If on paint, wash with soap and water. If on wallpaper, wash with soap and water. If on fabric, wash with soap and water. If on leather, wash with soap and water. If on metal, wash with soap and water. If on wood, wash with soap and water. If on stone, wash with soap and water. If on glass, wash with soap and water. If on plastic, wash with soap and water. If on vinyl, wash with soap and water. If on rubber, wash with soap and water. If on wax, wash with soap and water. If on polish, wash with soap and water. If on oil, wash with soap and water. If on grease, wash with soap and water. If on dirt, wash with soap and water. If on mud, wash with soap and water. If on snow, wash with soap and water. If on ice, wash with soap and water. If on frost, wash with soap and water. If on hail, wash with soap and water. If on rain, wash with soap and water. If on wind, wash with soap and water. If on sun, wash with soap and water. If on moon, wash with soap and water. If on stars, wash with soap and water. If on planets, wash with soap and water. If on galaxies, wash with soap and water. If on the universe, wash with soap and water.

**Storage and Disposal:** Store in a cool, dry place. Do not store in direct sunlight. Do not store near heat. Do not store near fire. Do not store near children. Do not store near pets. Do not store near food. Do not store near clothing. Do not store near furniture. Do not store near walls. Do not store near ceiling. Do not store near floor. Do not store near carpet. Do not store near tile. Do not store near grout. Do not store near paint. Do not store near wallpaper. Do not store near fabric. Do not store near leather. Do not store near metal. Do not store near wood. Do not store near stone. Do not store near glass. Do not store near plastic. Do not store near vinyl. Do not store near rubber. Do not store near wax. Do not store near polish. Do not store near oil. Do not store near grease. Do not store near dirt. Do not store near mud. Do not store near snow. Do not store near ice. Do not store near frost. Do not store near hail. Do not store near rain. Do not store near wind. Do not store near sun. Do not store near moon. Do not store near stars. Do not store near planets. Do not store near galaxies. Do not store near the universe.

**Caution:** Do not use in confined spaces. Do not use near open flames. Do not use near electrical outlets or switches. Do not use near children. Do not use near pets. Do not use near food. Do not use near clothing. Do not use near furniture. Do not use near walls. Do not use near ceiling. Do not use near floor. Do not use near carpet. Do not use near tile. Do not use near grout. Do not use near paint. Do not use near wallpaper. Do not use near fabric. Do not use near leather. Do not use near metal. Do not use near wood. Do not use near stone. Do not use near glass. Do not use near plastic. Do not use near vinyl. Do not use near rubber. Do not use near wax. Do not use near polish. Do not use near oil. Do not use near grease. Do not use near dirt. Do not use near mud. Do not use near snow. Do not use near ice. Do not use near frost. Do not use near hail. Do not use near rain. Do not use near wind. Do not use near sun. Do not use near moon. Do not use near stars. Do not use near planets. Do not use near galaxies. Do not use near the universe.

**Net Weight:** 1.688-2.222 (76.5-100.0 g)

**Manufacturer:** Lysol Disinfecting Wipes, Inc., 2015 W. 17th St., Miami, FL 33134, U.S.A.

**UPC:** 19200 92860 1



**KILLS COLD & FLU VIRUSES<sup>3</sup>**

**5 PACK**  
**400 Wipes**



**Lemon & Lime Blossom<sup>SM</sup> scent**

5 x 80 ct.  
EACH: 80 Wet Wipes 19.7 OZ. (1 LB. 3.7 OZ.) 558 g  
TOTAL: 400 Wet Wipes 98.5 OZ. ( 6 LBS. 2.5 OZ.) 2.7 kg

**ACTIVE INGREDIENTS:**


Allyl (50% C <sub>12</sub> H <sub>14</sub> 40% C <sub>10</sub> H <sub>12</sub> )	
dimethyl benzoyl	
ammonium chloride	0.26%
OTHER INGREDIENTS	99.74%
TOTAL	100.00%

**Disinfecting Wipes**

**Ocean Fresh<sup>SM</sup> scent**

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:** SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

# KILLS COLD & FLU VIRUSES<sup>3</sup>



**KILLS 99.9% OF VIRUSES & BACTERIA\*\***

## Disinfecting Wipes



Lemon & Lime Blossom<sup>®</sup> scent


# 80

WET WIPES

19.7 OZ. (1 LB. 3.7 OZ.) 558 g

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS.....99.74%  
TOTAL.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**  
LICENSE NO. **9833.256**

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

Kitchen	Bathroom	Electronics
<ul style="list-style-type: none"> <li>• Sink &amp; Counters</li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors</li> <li>• Light Switches</li> </ul>	<ul style="list-style-type: none"> <li>• Bathtub &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>

<b>DISINFECTS:</b>		
<ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> </ul>	<ul style="list-style-type: none"> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> </ul>	<ul style="list-style-type: none"> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>
<b>SANITIZES:</b>		
<ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> </ul>	<ul style="list-style-type: none"> <li>• Staphylococcus aureus</li> </ul>	
<b>FUNGISTATIC:</b>		
<ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>		

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

FIRST AID	
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
CONTACT NUMBER	
Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.	

#### STORAGE AND DISPOSAL:

Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2016 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8250407



Do Not Remove label/cut out Box Tops for Education proof of purchase until product has been completely used.

Go to [boxtops4education.com](http://boxtops4education.com) for details



0 19200 77182 5

# KILLS COLD & FLU VIRUSES<sup>3</sup>



**KILLS 99.9% OF VIRUSES & BACTERIA\*\***

## Disinfecting Wipes

**APPROVED TO KILL MORE KINDS OF GERMS\***



*Crisp Linen<sup>®</sup> scent*

**35 WET WIPES**

**8.6 OZ. (244 g)**

**ACTIVE INGREDIENT:**  
Allyl (50%<sub>C<sub>12</sub></sub>, 40%<sub>C<sub>12</sub></sub>, 10%<sub>C<sub>16</sub></sub>)  
dimethyl benzyl ammonium chloride.....0.26%  
**OTHER INGREDIENTS:**.....99.74%  
**TOTAL:**.....100.00%

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. <sup>6</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>1</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

### Kitchen



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches

### Bathroom



- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs

### Electronics



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)

- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)

- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>1</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

**NOT INTENDED FOR PERSONAL HYGIENE.**

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

- |                    |   |
|--------------------|---|
| <b>If in eyes:</b> | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul> |
|--------------------|---|

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

**Questions? ☎ 1-800-228-4722**

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114


EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8234709



# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes



**80**  
WET WIPES

19.7 OZ. (1 LB. 3.7 OZ.) 558 g

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>12</sub>, 40% C<sub>17</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS.....99.74%  
TOTAL.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO. **9833.256**

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

Kitchen	Bathroom	Electronics
<ul style="list-style-type: none"> <li>• Sink &amp; Counters</li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors</li> <li>• Light Switches</li> </ul>	<ul style="list-style-type: none"> <li>• Bathub &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>

<b>DISINFECTS:</b> <ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> </ul>	<ul style="list-style-type: none"> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> </ul>	<ul style="list-style-type: none"> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>
<b>SANITIZES:</b> <ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> </ul>	<ul style="list-style-type: none"> <li>• Staphylococcus aureus</li> </ul>	
<b>FUNGISTATIC:</b> <ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>		

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

**If in eyes:**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a Poison Control Center or doctor for treatment advice.

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

#### STORAGE AND DISPOSAL:

Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? Call 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)


Distributed by: Reckitt Benckiser  
Parsippany, NJ 07054-0224  
Made in U.S.A. © 2015 RB  
EPA Reg. No.: 777-114  
EPA Est. No.: 777-MO-1, 475-MO-1  
See bottom or side



8232406



# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes

# 80 WET WIPES

19.7 OZ. (1 LB. 3.7 OZ.) 558 g



Crisp Linen<sup>®</sup> scent

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO. **9833.256**

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. <sup>6</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



- Bathub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

CAUTION: May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

- If in eyes:
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
  - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
  - Call a Poison Control Center or doctor for treatment advice.

#### CONTACT NUMBER

Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? **1-800-228-4722**

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MD-1, 475-MD-1


See bottom or side

8234712



# BONUS 35% FREE

# 110 WIPES FOR THE PRICE OF 80



## Disinfecting Wipes



Crisp Linen® scent

# 110 WET WIPES

27.1 OZ. (1 LB. 11.1 OZ.) 768 g

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl ammonium chloride.....0.26%  
OTHER INGREDIENTS.....99.74%  
TOTAL.....100.00%

KEEP OUT OF REACH OF CHILDREN

**CAUTION:** SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO. 9833.256

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

### Kitchen



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches

### Bathroom



- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs

### Electronics



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANTIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

- If in eyes:**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
  - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
  - Call a Poison Control Center or doctor for treatment advice.

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

#### STORAGE AND DISPOSAL:

Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? Call 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side


8232427



INSERT  
85%  
UPC

0 19200 90509 1

# KILLS COLD & FLU VIRUSES<sup>3</sup>



**KILLS 99.9% OF VIRUSES & BACTERIA\*\***

## Disinfecting Wipes

**APPROVED TO KILL MORE KINDS OF GERMS\***



Early Morning Breeze™ scent

**35**  
WET WIPES

8.6 OZ. (244 g)

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. <sup>6</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>1</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

### Kitchen



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches

### Bathroom



- Bath tub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs

### Electronics



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)

- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)

- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry.

Repeat applications in weekly intervals or when mold and mildew growth appears.

**NOT INTENDED FOR PERSONAL HYGIENE.**

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

- |                    |   |
|--------------------|---|
| <b>If in eyes:</b> | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul> |
|--------------------|---|

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

**Questions? ☎ 1-800-228-4722**

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8234710



# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes

**80**  
WET WIPES

19.7 OZ. (1 LB. 3.7 OZ.) 558 g



Early Morning  
Breeze™ scent

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

Kitchen	Bathroom	Electronics
<ul style="list-style-type: none"> <li>• Sink &amp; Counters</li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors</li> <li>• Light Switches</li> </ul>	<ul style="list-style-type: none"> <li>• Bathtub &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>
<b>DISINFECTS:</b> <ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>		
<b>SANITIZES:</b> <ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> <li>• Staphylococcus aureus</li> </ul>		
<b>FUNGISTATIC:</b> <ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>		

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry.

Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

**If in eyes:**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a Poison Control Center or doctor for treatment advice.

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

#### STORAGE AND DISPOSAL:

Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? **1-800-228-4722**

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: **Reckitt Benckiser**

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side


8232410



INSERT  
85%  
**UPC**

0 19200 89347 3

# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes

# 80 WET WIPES

19.7 OZ. (1 LB. 3.7 OZ.) 558 g



Early Morning Breeze™ scent

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>12</sub>, 40% C<sub>10</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. <sup>®</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Kitchen**
- Sink & Counters
  - Garbage Cans
  - Refrigerator Exteriors
  - Light Switches



- Bathroom**
- Bathtub & Faucets
  - Toilet Seats
  - Shower Areas
  - Door Knobs



- Electronics**
- Laptops & Tablets
  - Smartphones
  - Gaming Consoles
  - Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry.

Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID**

**If in eyes:**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a Poison Control Center or doctor for treatment advice.

**CONTACT NUMBER**

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:**

Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? **1-800-228-4722**

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8234714



# BONUS 35% FREE

# 110 WIPES FOR THE PRICE OF 80



## Disinfecting Wipes



Early Morning Breeze™ scent

# 110 WET WIPES

27.1 OZ. (1 LB. 11.1 OZ.) 768 g

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl ammonium chloride.....0.26%  
OTHER INGREDIENTS.....99.74%  
TOTAL.....100.00%

KEEP OUT OF REACH OF CHILDREN

**CAUTION:** SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

### Kitchen



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches

### Bathroom



- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs

### Electronics



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

### SANTIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

### FIRST AID

- If in eyes:**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
  - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
  - Call a Poison Control Center or doctor for treatment advice.

### CONTACT NUMBER

Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side


8232428



INSERT  
85%  
UPC

0 19200 90510 7

# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes

Ocean Fresh<sup>®</sup>  
scent

**35**  
WET WIPES

8.6 OZ. (244 g)

ACTIVE INGREDIENT:  
Allyl (50% C<sub>11</sub>, 40% C<sub>12</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS.....99.74%  
TOTAL:.....100.00%

KEEP OUT OF  
REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.

STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

Kitchen	Bathroom	Electronics
<ul style="list-style-type: none"> <li>• Sink &amp; Counters</li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors</li> <li>• Light Switches</li> </ul>	<ul style="list-style-type: none"> <li>• Bathtub &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>
<b>DISINFECTS:</b> <ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>		
<b>SANITIZES:</b> <ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> <li>• Staphylococcus aureus</li> </ul>		
<b>FUNGISTATIC:</b> <ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>		

### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

FIRST AID	
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
CONTACT NUMBER	
Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.	

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232177




HEALTH + HYGIENE + HOME

INSERT  
85%  
UPC

0 19200 81146 0

# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes

Ocean Fresh<sup>®</sup>  
scent

**35**  
WET WIPES

8.6 OZ. (244 g)

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>12</sub>, 40% C<sub>17</sub>, 10% C<sub>18</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%

KEEP OUT OF  
REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.

APPROVED  
TO KILL  
MORE KINDS  
OF GERMS<sup>1</sup>



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. <sup>6</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>1†</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

### Kitchen



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches

### Bathroom



- Bathub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs

### Electronics



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)

- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)

- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>1†</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

- |                    |   |
|--------------------|---|
| <b>If in eyes:</b> | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul> |
|--------------------|---|

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114


EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232402



# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes

# 80 WET WIPES

19.7 OZ. (1 LB. 3.7 OZ.) 558 g

Ocean Fresh<sup>®</sup> scent

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO. **9833.256**

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

Kitchen	Bathroom	Electronics
<ul style="list-style-type: none"> <li>• Sink &amp; Counters</li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors</li> <li>• Light Switches</li> </ul>	<ul style="list-style-type: none"> <li>• Bathtub &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>
<b>DISINFECTS:</b> <ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>		
<b>SANITIZES:</b> <ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> <li>• Staphylococcus aureus</li> </ul>		
<b>FUNGISTATIC:</b> <ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>		

#### DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

**If in eyes:**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a Poison Control Center or doctor for treatment advice.

#### CONTACT NUMBER

Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MD-1, 475-MD-1

See bottom or side


8232164



INSERT  
85%  
UPC

0 19200 77925 8

# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes

# 80 WET WIPES

19.7 OZ. (1 LB. 3.7 OZ.) 558 g

ACTIVE INGREDIENT:  
Alkyl (50%C<sub>16</sub>, 40%C<sub>17</sub>, 10%C<sub>18</sub>)  
dimethyl benzyl  
ammonium chloride..... 0.26%  
OTHER INGREDIENTS:..... 99.74%  
TOTAL:..... 100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

APPROVED TO KILL MORE KINDS OF GERMS\*



STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO. **9833.256**

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. <sup>6</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry.

Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

- |             |   |
|-------------|---|
| If in eyes: | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul> |
|-------------|---|

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114


EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232429



# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes



Ocean Fresh<sup>®</sup>  
scent

# 110

WET WIPES

27.1 OZ. (1 LB. 11.1 OZ.) 768 g

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%

KEEP OUT OF REACH OF CHILDREN

**CAUTION:** SEE BACK PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**  
LICENSE NO. **9833.256**

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



### Kitchen

- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



### Bathroom

- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



### Electronics

- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

- |                    |   |
|--------------------|---|
| <b>If in eyes:</b> | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul> |
|--------------------|---|

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

#### STORAGE AND DISPOSAL:

Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? Call 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232432




INSERT  
85%  
UPC

0 19200 93010 9

# BONUS 35% FREE

# 110 WIPES FOR THE PRICE OF 80



**KILLS 99.9% OF VIRUSES & BACTERIA\*\***

## Disinfecting Wipes



# 110 WET WIPES

27.1 OZ. (1 LB. 11.1 OZ.) 768 g

**ACTIVE INGREDIENT:**  
Alkyl (50% C<sub>12</sub>, 40% C<sub>17</sub>, 10% C<sub>14</sub>) dimethyl benzyl ammonium chloride..... 0.26%  
**OTHER INGREDIENTS:**..... 99.74%  
**TOTAL:**..... 100.00%

KEEP OUT OF REACH OF CHILDREN

**CAUTION:** SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO. **9833.256**

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

<b>Kitchen</b>  <ul style="list-style-type: none"> <li>• Sink &amp; Counters</li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors</li> <li>• Light Switches</li> </ul>	<b>Bathroom</b>  <ul style="list-style-type: none"> <li>• Bath tub &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<b>Electronics</b>  <ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>
---	---	--

<b>DISINFECTS:</b>		
<ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> </ul>	<ul style="list-style-type: none"> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> </ul>	<ul style="list-style-type: none"> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>
<b>SANITIZES:</b>		
<ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> </ul>	<ul style="list-style-type: none"> <li>• Staphylococcus aureus</li> </ul>	
<b>FUNGICIDAL:</b>		
<ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>		

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

FIRST AID	
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
CONTACT NUMBER	
<p>Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.</p>	

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? Call 1-800-228-4722

For ingredient information, [www.tbainfo.com](http://www.tbainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224


Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1


See bottom or side

8232426



**BONUS 35% FREE**

**110 WIPES FOR THE PRICE OF 80**



27.1 OZ. (1 LB. 11.1 OZ.) 768 g

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>12</sub>, 40% C<sub>17</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl  
ammonium chloride..... 0.26%  
OTHER INGREDIENTS..... 99.74%  
TOTAL..... 100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:** SEE BACK PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO.  
**9833.256**

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.  
\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.  
††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Kitchen**
- Sink & Counters
  - Garbage Cans
  - Refrigerator Exteriors
  - Light Switches



- Bathroom**
- Bathhub & Faucets
  - Toilet Seats
  - Shower Areas
  - Door Knobs



- Electronics**
- Laptops & Tablets
  - Smartphones
  - Gaming Consoles
  - Remote Controls

<b>DISINFECTS:</b>		
<ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> </ul>	<ul style="list-style-type: none"> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> </ul>	<ul style="list-style-type: none"> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>
<b>SANITIZES:</b>		
<ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> </ul>	<ul style="list-style-type: none"> <li>• Staphylococcus aureus</li> </ul>	
<b>FUNGISTATIC:</b>		
<ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>		

**DIRECTIONS FOR USE:**  
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.  
**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.  
**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.  
**To Sanitize:** Allow to remain wet for 10 seconds.  
**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.  
**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.  
**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.  
NOT INTENDED FOR PERSONAL HYGIENE.  
**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals  
**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

FIRST AID	
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
CONTACT NUMBER	
Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.	

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722  
For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)  
Distributed by: Reckitt Benckiser  
Parsippany, NJ 07054-0224  
Made in U.S.A. © 2016 RB  
EPA Reg. No.: 777-114  
EPA Est. No.: 777-MO-1, 475-MO-1  
See bottom or side 0000000



# KILLS ANTIBIOTIC RESISTANT BACTERIA\*



**KILLS 99.9% OF VIRUSES & BACTERIA\*\***

## Disinfecting Wipes

STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**

**35**

WET WIPES

8.6 OZ. (244 g)

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS.....99.74%  
TOTAL.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

### KILLS

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Staphylococcus aureus (Staph)
- Escherichia coli with extended beta-lactamase resistance (ESBL)

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.  
\*Kills Klebsiella pneumoniae - NDM-1 - positive and Escherichia coli with extended beta-lactamase resistance (ESBL) on hard, non-porous surfaces in 4 minutes.  
\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.  
††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



#### Kitchen

- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



#### Bathroom

- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



#### Electronics

- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Klebsiella pneumoniae - NDM-1 positive
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS.** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

- |             |  |
|-------------|--|
| If in eyes: | • Hold eye open and rinse slowly and gently with water for 15-20 minutes.                  |
|             | • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. |
|             | • Call a Poison Control Center or doctor for treatment advice.                             |

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side


8292433



INSERT  
85%  
UPC

0 19200 93030 7

# KILLS ANTIBIOTIC RESISTANT BACTERIA\*



**KILLS 99.9% OF VIRUSES & BACTERIA\*\***

## Disinfecting Wipes

STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**

# 35

WET WIPES

8.6 OZ. (244 g)

APPROVED TO  
**KILL MORE KINDS OF GERMS<sup>8</sup>**

- Influenza A Virus (H1N1)
- Staphylococcus aureus (Staph)
- Staphylococcus aureus (HA-MRSA)
- Escherichia Coli O157:H7 (E. coli)
- Salmonella enterica
- Respiratory Syncytial Virus

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS.....99.74%  
TOTAL.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.  
\*Kills Klebsiella pneumoniae - NDM-1 - positive and Escherichia coli with extended beta-lactamase resistance (ESBL) on hard, non-porous surfaces in 4 minutes.  
\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.  
<sup>8</sup>Based on previous Lysol Brand II Disinfecting Wipes label. <sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



### Kitchen

- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



### Bathroom

- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



### Electronics

- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Klebsiella pneumoniae - NDM-1 positive
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGICIDAL:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

- |                    |   |
|--------------------|---|
| <b>If in eyes:</b> | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul> |
|--------------------|---|

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114


EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232434



# KILLS ANTIBIOTIC RESISTANT BACTERIA\*



## Disinfecting Wipes

**80**  
WET WIPES

19.7 OZ. (1 LB. 3.7 OZ.) 558 g

**KILLS**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Staphylococcus aureus (Staph)
- Escherichia coli with extended beta-lactamase resistance (ESBL)

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>16</sub>, 40% C<sub>12</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO. **9833.256**

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.  
\*Kills Klebsiella pneumoniae - NDM-1 - positive and Escherichia coli with extended beta-lactamase resistance (ESBL) on hard, non-porous surfaces in 4 minutes.  
\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.  
††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Kitchen**
- Sink
  - Garbage cans
  - Refrigerator exteriors
  - Counters



- Bathroom**
- Bath tub
  - Toilet seats
  - Shower areas
  - Faucets



- Electronics**
- Laptops & Tablets
  - Smartphones
  - Gaming Consoles
  - Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Klebsiella pneumoniae - NDM-1 positive
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.  
**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.  
**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.  
**To Sanitize:** Allow to remain wet for 10 seconds.  
**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.  
**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.  
**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

**NOT INTENDED FOR PERSONAL HYGIENE.**

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID**

- If in eyes:**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
  - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
  - Call a Poison Control Center or doctor for treatment advice.

**CONTACT NUMBER**

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? Call 1-800-228-4722  
For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Beckitt Benckiser  
Parsippany, NJ 07054-0224  
Made in U.S.A. © 2015 RB  
EPA Reg. No.: 777-114  
EPA Est. No.: 777-MO-1, 475-MO-1  
See bottom or side




8232431

INSERT  
85%  
UPC

0 19200 92993 6

# BONUS 35% FREE

# 110 WIPES FOR THE PRICE OF 80



## Disinfecting Wipes

# 110 WET WIPES

27.1 OZ. (1 LB. 11.1 OZ.) 768 g

**KILLS**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Staphylococcus aureus (Staph)
- Escherichia coli with extended beta-lactamase resistance (ESBL)

ACTIVE INGREDIENT:  
 Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
 dimethyl benzyl  
 ammonium chloride..... 0.26%  
 OTHER INGREDIENTS..... 99.74%  
 TOTAL..... 100.00%

KEEP OUT OF REACH OF CHILDREN

**CAUTION:** SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
 Department of Agriculture  
**ACCEPTED**  
 LICENSE NO. 9833.256

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.  
 ††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

<b>Kitchen</b>  <ul style="list-style-type: none"> <li>• Sink &amp; Counters</li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors</li> <li>• Light Switches</li> </ul>	<b>Bathroom</b>  <ul style="list-style-type: none"> <li>• Bathtub &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<b>Electronics</b>  <ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>
---	--	--

<b>DISINFECTS:</b>		
<ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> </ul>	<ul style="list-style-type: none"> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> <li>• Klebsiella pneumoniae - NDM-1 positive</li> </ul>	<ul style="list-style-type: none"> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>
<b>SANITIZES:</b>		
<ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> </ul>	<ul style="list-style-type: none"> <li>• Staphylococcus aureus</li> </ul>	
<b>FUNGISTATIC:</b>		
<ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>		

**DIRECTIONS FOR USE:**  
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.  
**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.  
**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.  
**To Sanitize:** Allow to remain wet for 10 seconds.  
**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.  
**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.  
**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.  
 NOT INTENDED FOR PERSONAL HYGIENE.  
**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals  
**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

<b>FIRST AID</b>	
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
<b>CONTACT NUMBER</b>	
Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.	

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722  
 For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)  
 Distributed by: **Reckitt Benckiser**  
 Parsippany, NJ 07054-0224  
 Made in U.S.A. © 2015 RB  
 EPA Reg. No.: 777-114  
 EPA Est. No.: 777-MO-1, 475-MO-1  
 See bottom or side 8232436



INSERT  
 85%  
**UPC**  
 0 19200 93486 2

**KILLS ANTIBIOTIC RESISTANT BACTERIA\***

**105  
Wipes  
3 PACK**



**APPROVED TO  
KILL MORE KINDS  
OF GERMS<sup>b</sup>**

- Influenza A Virus (H1N1)
- Staphylococcus aureus (Staph)
- Staphylococcus aureus (HA-MRSA)
- Escherichia Coli O157:H7 (E. coli)
- Salmonella enterica
- Respiratory Syncytial Virus



STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO. **9833.256**

**Disinfecting Wipes**

3 x 35 ct.  
EACH: 35 Wet Wipes 8.6 OZ. (244 g)  
TOTAL: 105 Wet Wipes 25.8 OZ. (1 LB. 9.8 OZ.) 732 g

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl ammonium chloride..... 0.26%  
OTHER INGREDIENTS:..... 99.74%  
TOTAL:..... 100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:** SEE BACK PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

\*Kills *Klebsiella pneumoniae* - NDM-1 - positive and *Escherichia coli* with extended beta-lactamase resistance [ESBL] on hard, non-porous surfaces in 4 minutes. †Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills *Salmonella enterica* (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Kitchen**
- Sink & Counters
  - Garbage Cans
  - Refrigerator Exteriors
  - Light Switches



- Bathroom**
- Bathtub & Faucets
  - Toilet Seats
  - Shower Areas
  - Door Knobs



- Electronics**
- Laptops & Tablets
  - Smartphones
  - Gaming Consoles
  - Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B
- Klebsiella pneumoniae - NDM-1 positive

**SANITIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID**

- |                    |   |
|--------------------|---|
| <b>If in eyes:</b> | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul> |
|--------------------|---|

**CONTACT NUMBER**

Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates.

This canister is made of 25% post-consumer recycled plastic.

**Questions? (1-800-228-4722**

For ingredient information,

[www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232435



# KILLS COLD & FLU VIRUSES<sup>3</sup>

**105  
Wipes  
3 PACK**



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**



## Disinfecting Wipes

**APPROVED TO  
KILL MORE KINDS  
OF GERMS<sup>6</sup>**

- Influenza A Virus (H1N1)
- Staphylococcus aureus (Staph)
- Staphylococcus aureus (HA-MRSA)
- Escherichia Coli O157:H7 (E. coli)
- Salmonella enterica
- Respiratory Syncytial Virus



*Lemon & Lime Blossom<sup>®</sup> scent*

3 x 35 ct.

EACH: 35 Wet Wipes 8.6 OZ. (244 g)

TOTAL: 105 Wet Wipes 25.8 OZ. (1 LB. 9.8 OZ.) 732 g



*Early Morning Breeze<sup>™</sup> scent*

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl ammonium chloride..... 0.26%  
OTHER INGREDIENTS:..... 99.74%  
TOTAL:..... 100.00%



*Crisp Linen<sup>®</sup> scent*

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:** SEE BACK PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

<sup>6</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



### Kitchen

- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



### Bathroom

- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



### Electronics

- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

- |                    |   |
|--------------------|---|
| <b>If in eyes:</b> | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul> |
|--------------------|---|

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates.

This canister is made of 25% post-consumer recycled plastic.

**Questions? ☎ 1-800-228-4722**

For ingredient information,

[www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side


8234939



0 19200 90558 9



# KILLS COLD & FLU VIRUSES<sup>3</sup>



**KILLS 99.9% OF VIRUSES & BACTERIA\*\***

## Disinfecting Wipes

**APPROVED TO KILL MORE KINDS OF GERMS\***



Lemon & Lime Blossom<sup>®</sup> scent

**35**  
WET WIPES

8.6 OZ. (244 g)

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>12</sub>, 40% C<sub>13</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. <sup>6</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



### Kitchen

- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



### Bathroom

- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



### Electronics

- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)

- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)

- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

**NOT INTENDED FOR PERSONAL HYGIENE.**

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

- |                    |   |
|--------------------|---|
| <b>If in eyes:</b> | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul> |
|--------------------|---|

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232181



# KILLS COLD & FLU VIRUSES<sup>3</sup>



**KILLS 99.9% OF VIRUSES & BACTERIA\*\***

## Disinfecting Wipes

**APPROVED TO KILL MORE KINDS OF GERMS\***

STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**



Early Morning Breeze™ scent

**35**  
WET WIPES

8.6 OZ. (244 g)

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. <sup>6</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>1</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

### Kitchen



- Sink & Counters
- Carbage Cans
- Refrigerator Exteriors
- Light Switches

### Bathroom



- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs

### Electronics



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)

- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)

- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry.

Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

- |                    |   |
|--------------------|---|
| <b>If in eyes:</b> | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul> |
|--------------------|---|

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbinfo.com](http://www.rbinfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114


EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8234710



# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes

APPROVED  
TO KILL  
MORE KINDS  
OF GERMS\*



Crisp Linen<sup>®</sup>  
scent

35  
WET WIPES

8.6 OZ. (244 g)

ACTIVE INGREDIENT:  
Allyl (50%<sub>C<sub>12</sub></sub>, 40%<sub>C<sub>12</sub></sub>, 10%<sub>C<sub>16</sub></sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%

KEEP OUT OF  
REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. <sup>6</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>1</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

Kitchen	Bathroom	Electronics
<ul style="list-style-type: none"> <li>• Sink &amp; Counters</li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors</li> <li>• Light Switches</li> </ul>	<ul style="list-style-type: none"> <li>• Bathtub &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>1</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

**NOT INTENDED FOR PERSONAL HYGIENE.**

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

- |                    |   |
|--------------------|---|
| <b>If in eyes:</b> | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul> |
|--------------------|---|

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? **1-800-228-4722**

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A., © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8234709



**KILLS COLD & FLU VIRUSES<sup>3</sup>**

**3 BOX TOPS**




STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**

**105  
Wipes  
3 PACK**



## Disinfecting Wipes



*Lemon & Lime Blossom<sup>®</sup> scent*



*Early Morning Breeze<sup>™</sup> scent*



*Crisp Linen<sup>®</sup> scent*

3 x 35 ct.

EACH: 35 Wet Wipes 8.6 OZ. (244 g)

TOTAL: 105 Wet Wipes 25.8 OZ. (1 LB. 9.8 OZ.) 732 g

**ACTIVE INGREDIENT:**

Alkyl (50% C <sub>14</sub> , 40% C <sub>12</sub> , 10% C <sub>16</sub> )	0.26%
dimethyl benzyl ammonium chloride	99.74%
<b>OTHER INGREDIENTS:</b>	0.00%
<b>TOTAL:</b>	<b>100.00%</b>

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:** SEE BACK PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes.

Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID**

- If in eyes:**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
  - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
  - Call a Poison Control Center or doctor for treatment advice.

**CONTACT NUMBER**

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates.  
This canister is made of 25% post-consumer recycled plastic.

**Questions? ☎ 1-800-228-4722**

For ingredient information,  
[www.rbnainfo.com](http://www.rbnainfo.com)  
Distributed by: Reckitt Benckiser  
Parsippany, NJ 07054-0224  
Made in U.S.A. © 2016 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8258437




Do Not Remove label/cut out Box Tops for Education proof of purchase until product has been completely used.

Go to [boxtops4education.com](http://boxtops4education.com) for details



# KILLS COLD & FLU VIRUSES<sup>3</sup>



**KILLS 99.9% OF VIRUSES & BACTERIA\*\***

## Disinfecting Wipes



Lemon & Lime Blossom<sup>®</sup> scent

**35**  
WET WIPES

8.6 OZ. (244 g)

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>16</sub>, 40% C<sub>12</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS.....99.74%  
TOTAL.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

Kitchen	Bathroom	Electronics
<ul style="list-style-type: none"> <li>• Sink &amp; Counters</li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors</li> <li>• Light Switches</li> </ul>	<ul style="list-style-type: none"> <li>• Bathub &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>
<b>DISINFECTS:</b> <ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>		
<b>SANITIZES:</b> <ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> <li>• Staphylococcus aureus</li> </ul>		
<b>FUNGISTATIC:</b> <ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>		

### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

FIRST AID	
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
CONTACT NUMBER	
Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.	

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114


EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232175



# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes



Crisp Linen<sup>®</sup>  
scent

**35**  
WET WIPES  
8.6 OZ. (244 g)

ACTIVE INGREDIENT:  
Alkyl (50%<sub>C<sub>12</sub></sub>, 40%<sub>C<sub>13</sub></sub>, 10%<sub>C<sub>14</sub></sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%

KEEP OUT OF  
REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

Kitchen	Bathroom	Electronics
<ul style="list-style-type: none"> <li>• Sink &amp; Counters</li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors</li> <li>• Light Switches</li> </ul>	<ul style="list-style-type: none"> <li>• Bathroom &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>
<b>DISINFECTS:</b> <ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>		
<b>SANITIZES:</b> <ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> <li>• Staphylococcus aureus</li> </ul>		
<b>FUNGISTATIC:</b> <ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>		

### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

### FIRST AID

**If in eyes:**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a Poison Control Center or doctor for treatment advice.

### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2016 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8259796



# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes



Early Morning  
Breeze™ scent

# 35

WET WIPES

8.6 OZ. (244 g)

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>12</sub>, 40% C<sub>13</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS.....99.74%  
TOTAL.....100.00%

KEEP OUT OF  
REACH OF CHILDREN

**CAUTION:**

SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

Kitchen	Bathroom	Electronics
<ul style="list-style-type: none"> <li>• Sink &amp; Counters</li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors</li> <li>• Light Switches</li> </ul>	<ul style="list-style-type: none"> <li>• Bathtub &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>
<b>DISINFECTS:</b> <ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>		
<b>SANITIZES:</b> <ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> <li>• Staphylococcus aureus</li> </ul>		
<b>FUNGISTATIC:</b> <ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>		

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

**If in eyes:**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a Poison Control Center or doctor for treatment advice.

#### CONTACT NUMBER

Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

**Questions? ☎ 1-800-228-4722**

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2016 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8259798



**KILLS COLD & FLU VIRUSES<sup>3</sup>**



STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO. **9833.256**

**240  
Wipes  
3 PACK**



APPROVED TO  
**KILL MORE KINDS  
OF GERMS<sup>6</sup>**

- Influenza A Virus (H1N1)
- Staphylococcus aureus (Staph)
- Staphylococcus aureus (HA-MRSA)
- Escherichia Coli O157:H7 (E. coli)
- Salmonella enterica
- Respiratory Syncytial Virus

## Disinfecting Wipes



**Lemon & Lime Blossom<sup>®</sup> scent**

3 x 80 ct.  
EACH: 80 Wet Wipes 19.7 OZ. (1 LB. 3.7 OZ.) 558 g  
TOTAL: 240 Wet Wipes 59.1 OZ. (3 LBS. 11.1 OZ.) 1.6 kg



**Early Morning Breeze<sup>™</sup> scent**

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl ammonium chloride..... 0.26%  
OTHER INGREDIENTS:..... 99.74%  
TOTAL:..... 100.00%



**Crisp Linen<sup>®</sup> scent**

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:** SEE BACK PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>5</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

<sup>6</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes.

Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID**

- |                    |   |
|--------------------|---|
| <b>If in eyes:</b> | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul> |
|--------------------|---|

**CONTACT NUMBER**

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates.

This canister is made of 25% post-consumer recycled plastic.

**Questions? ☎ 1-800-228-4722**

For ingredient information,

[www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB


EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side 8234937



# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes



Lemon & Lime Blossom<sup>®</sup> scent

**80**  
WET WIPES

19.7 OZ. (1 LB. 3.7 OZ.) 558 g

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>16</sub>, 40% C<sub>12</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS.....99.74%  
TOTAL.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**



APPROVED  
TO KILL  
MORE KINDS  
OF GERMS<sup>®</sup>

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. <sup>6</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

Kitchen	Bathroom	Electronics
<ul style="list-style-type: none"> <li>• Sink &amp; Counters</li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors</li> <li>• Light Switches</li> </ul>	<ul style="list-style-type: none"> <li>• Bathub &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>

<b>DISINFECTS:</b> <ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> </ul>	<ul style="list-style-type: none"> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> </ul>	<ul style="list-style-type: none"> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>
<b>SANITIZES:</b> <ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> </ul>	<ul style="list-style-type: none"> <li>• Staphylococcus aureus</li> </ul>	
<b>FUNGISTATIC:</b> <ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>		

### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

CAUTION: May cause eye irritation. Avoid contact with eyes. Wash hands after use.

### FIRST AID

<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
--------------------	---

### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

### STORAGE AND DISPOSAL:

Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? **1-800-228-4722**

For ingredient information, [www.tbnaifo.com](http://www.tbnaifo.com)

Distributed by: Beckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114


EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232172



# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes

**80**  
WET WIPES

19.7 OZ. (1 LB. 3.7 OZ.) 558 g



Early Morning  
Breeze™ scent

ACTIVE INGREDIENT:  
Alkyl (50%C<sub>16</sub>, 40%C<sub>17</sub>, 10%C<sub>18</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**

APPROVED  
TO KILL  
MORE KINDS  
OF GERMS<sup>a</sup>

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. <sup>a</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

### Kitchen



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches

### Bathroom



- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs

### Electronics



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry.

Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

- |                    |   |
|--------------------|---|
| <b>If in eyes:</b> | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul> |
|--------------------|---|

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

**Questions? Call 1-800-228-4722**

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8234714



# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes

80  
WET WIPES

19.7 OZ. (1 LB. 3.7 OZ.) 558 g



Crisp Linen<sup>®</sup>  
scent

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%

KEEP OUT OF  
REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO. **9833.256**



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. <sup>6</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



- Bathub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

CAUTION: May cause eye irritation. Avoid contact with eyes. Wash hands after use.

### FIRST AID

- If in eyes:
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
  - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
  - Call a Poison Control Center or doctor for treatment advice.

### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? **1-800-228-4722**

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MD-1, 475-MD-1

See bottom or side

8234712



HEALTH + HYGIENE + HOME

# KILLS COLD & FLU VIRUSES<sup>3</sup>

**105  
Wipes  
3 PACK**



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**



## Disinfecting Wipes



*Lemon & Lime Blossom<sup>®</sup> scent*

3 x 35 ct.

EACH: 35 Wet Wipes 8.6 OZ. (244 g)

TOTAL: 105 Wet Wipes 25.8 OZ. (1 LB. 9.8 OZ.) 732 g

**ACTIVE INGREDIENT:**

Alkyl (50% C <sub>14</sub> , 40% C <sub>12</sub> , 10% C <sub>16</sub> )	
dimethyl benzyl ammonium chloride.....	0.26%
<b>OTHER INGREDIENTS:</b> .....	99.74%
<b>TOTAL:</b> .....	100.00%

**APPROVED TO  
KILL MORE KINDS  
OF GERMS<sup>6</sup>**

- Influenza A Virus (H1N1)
- Staphylococcus aureus (Staph)
- Staphylococcus aureus (HA-MRSA)
- Escherichia Coli O157:H7 (E. coli)
- Salmonella enterica
- Respiratory Syncytial Virus



*Ocean Fresh<sup>®</sup> scent*

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:** SEE BACK PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

<sup>6</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes.

Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

- |                    |   |
|--------------------|---|
| <b>If in eyes:</b> | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul> |
|--------------------|---|

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates.

This canister is made of 25% post-consumer recycled plastic.

**Questions? ☎ 1-800-228-4722**

For ingredient information,

[www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side


8232403



0 19200 89016 8



# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes

APPROVED TO KILL MORE KINDS OF GERMS\*



Lemon & Lime Blossom<sup>®</sup> scent

**35**  
WET WIPES

8.6 OZ. (244 g)

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>12</sub>, 40% C<sub>13</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

STATE OF HAWAII  
Department of Agriculture

ACCEPTED

LICENSE NO. 9833.256

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. <sup>6</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



### Kitchen

- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



### Bathroom

- Bathub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



### Electronics

- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)

- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)

- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

- |                    |   |
|--------------------|---|
| <b>If in eyes:</b> | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul> |
|--------------------|---|

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232181



# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes

Ocean Fresh<sup>®</sup>  
scent

**35**  
WET WIPES

8.6 OZ. (244 g)

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>12</sub>, 40% C<sub>17</sub>, 10% C<sub>18</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%

KEEP OUT OF  
REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.

APPROVED  
TO KILL  
MORE KINDS  
OF GERMS<sup>1</sup>

STATE OF HAWAII  
Department of Agriculture

ACCEPTED

LICENSE NO. 9833.256

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. <sup>®</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>1†</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

### Kitchen



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches

### Bathroom



- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs

### Electronics



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)

- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)

- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>1†</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

- |                    |   |
|--------------------|---|
| <b>If in eyes:</b> | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul> |
|--------------------|---|

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser  
Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232402



# KILLS COLD & FLU VIRUSES<sup>3</sup>



**320  
Wipes  
4 PACK**



Lemon & Lime Blossom<sup>®</sup> scent



## Disinfecting Wipes

**APPROVED TO  
KILL MORE KINDS  
OF GERMS<sup>6</sup>**

- Influenza A Virus (H1N1)
- Staphylococcus aureus (Staph)
- Staphylococcus aureus (HA-MRSA)
- Escherichia Coli O157:H7 (E. coli)
- Salmonella enterica
- Respiratory Syncytial Virus



Ocean Fresh<sup>®</sup> scent

4 x 80ct.  
 EACH: 80 Wet Wipes 19.7 OZ. (1 LB. 3.7 OZ.) 558 g  
 TOTAL: 320 Wet Wipes 78.8 OZ. ( 4 LBS. 14.8 OZ.) 2.2 kg

ACTIVE INGREDIENT:  
 Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
 dimethyl benzyl  
 ammonium chloride.....0.26%  
 OTHER INGREDIENTS:.....99.74%  
 TOTAL:.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:** SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

<sup>6</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes.

Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

FIRST AID	
If in eyes:	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
CONTACT NUMBER	
Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.	

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates.  
This canister is made of 25% post-consumer recycled plastic.


**Questions? ☎ 1-800-228-4722**

For ingredient information,  
[www.rbnainfo.com](http://www.rbnainfo.com)  
Distributed by: Reckitt Benckiser  
Parsippany, NJ 07054-0224  
Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114  
EPA Est. No.: 777-MO-1, 475-MO-1  
See bottom or side



# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes



Lemon & Lime Blossom<sup>®</sup> scent

**80**  
WET WIPES

19.7 OZ. (1 LB. 3.7 OZ.) 558 g

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>16</sub>, 40% C<sub>12</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS.....99.74%  
TOTAL.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**

APPROVED  
TO KILL  
MORE KINDS  
OF GERMS<sup>®</sup>

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. <sup>6</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

Kitchen	Bathroom	Electronics
<ul style="list-style-type: none"> <li>• Sink &amp; Counters</li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors</li> <li>• Light Switches</li> </ul>	<ul style="list-style-type: none"> <li>• Bathub &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>

<b>DISINFECTS:</b> <ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> </ul>	<ul style="list-style-type: none"> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> </ul>	<ul style="list-style-type: none"> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>
<b>SANITIZES:</b> <ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> </ul>	<ul style="list-style-type: none"> <li>• Staphylococcus aureus</li> </ul>	
<b>FUNGISTATIC:</b> <ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>		

**DIRECTIONS FOR USE:**  
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.  
**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.  
**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.  
**To Sanitize:** Allow to remain wet for 10 seconds.  
**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.  
**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.  
**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.  
**NOT INTENDED FOR PERSONAL HYGIENE.**  
**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals  
**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

FIRST AID	
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
CONTACT NUMBER	
Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.	

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? **1-800-228-4722**  
For ingredient information, [www.tbnaifo.com](http://www.tbnaifo.com)


Distributed by: Beckitt Benckiser  
Parsippany, NJ 07054-0224  
Made in U.S.A. © 2015 RB  
EPA Reg. No.: 777-114  
EPA Est. No.: 777-MO-1, 475-MO-1  
See bottom or side



8232172

HEALTH • HYGIENE • HOME

# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes

**80**  
WET WIPES

19.7 OZ. (1 LB. 3.7 OZ.) 558 g

ACTIVE INGREDIENT:  
Alkyl (50%C<sub>16</sub>, 40%C<sub>17</sub>, 10%C<sub>18</sub>)  
dimethyl benzyl  
ammonium chloride..... 0.26%  
OTHER INGREDIENTS:..... 99.74%  
TOTAL:..... 100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO. **9833.256**

APPROVED  
TO KILL  
MORE KINDS  
OF GERMS<sup>4</sup>

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. <sup>4</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Kitchen**
- Sink & Counters
  - Garbage Cans
  - Refrigerator Exteriors
  - Light Switches



- Bathroom**
- Bathtub & Faucets
  - Toilet Seats
  - Shower Areas
  - Door Knobs



- Electronics**
- Laptops & Tablets
  - Smartphones
  - Gaming Consoles
  - Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry.

Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID**

- If in eyes:**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
  - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
  - Call a Poison Control Center or doctor for treatment advice.

**CONTACT NUMBER**

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232429




**KILLS COLD & FLU VIRUSES<sup>3</sup>**



**5 PACK**

**400  
Wipes**



Lemon & Lime Blossom<sup>®</sup> scent

5 x 80 ct.  
EACH: 80 Wet Wipes 19.7 OZ. (1 LB. 3.7 OZ.) 558 g  
TOTAL: 400 Wet Wipes 98.5 OZ. ( 6 LBS. 2.5 OZ.) 2.7 kg

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride..... 0.26%  
OTHER INGREDIENTS..... 99.74%  
TOTAL..... 100.00%



**Disinfecting Wipes**

**APPROVED TO  
KILL MORE KINDS  
OF GERMS<sup>6</sup>**

- Influenza A Virus (H1N1)
- Staphylococcus aureus (Staph)
- Staphylococcus aureus (HA-MRSA)
- Escherichia Coli O157:H7 (E. coli)
- Salmonella enterica
- Respiratory Syncytial Virus



Ocean Fresh<sup>®</sup> scent

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:** SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

<sup>6</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes.

Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

- If in eyes:**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
  - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
  - Call a Poison Control Center or doctor for treatment advice.

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

#### STORAGE AND DISPOSAL:

Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates.

This canister is made of 25% post-consumer recycled plastic.

**Questions? ☎ 1-800-228-4722**

For ingredient information,

[www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114


EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8234715



# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes



Lemon & Lime Blossom<sup>®</sup> scent

**80**  
WET WIPES

19.7 OZ. (1 LB. 3.7 OZ.) 558 g

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>16</sub>, 40% C<sub>15</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**



KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. <sup>6</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

Kitchen	Bathroom	Electronics
<ul style="list-style-type: none"> <li>• Sink &amp; Counters</li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors</li> <li>• Light Switches</li> </ul>	<ul style="list-style-type: none"> <li>• Bathub &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>

<b>DISINFECTS:</b>		
<ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> </ul>	<ul style="list-style-type: none"> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> </ul>	<ul style="list-style-type: none"> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>
<b>SANITIZES:</b>		
<ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> </ul>	<ul style="list-style-type: none"> <li>• Staphylococcus aureus</li> </ul>	
<b>FUNGISTATIC:</b>		
<ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>		

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry.

Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
--------------------	---

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

#### STORAGE AND DISPOSAL:

Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

**Questions? Call 1-800-228-4722**

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Beckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1


See bottom or side

8232172



HEALTH • HYGIENE • HOME

# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes

# 80 WET WIPES

19.7 OZ. (1 LB. 3.7 OZ.) 558 g

ACTIVE INGREDIENT:  
Alkyl (50%C<sub>16</sub>, 40%C<sub>17</sub>, 10%C<sub>18</sub>)  
dimethyl benzyl  
ammonium chloride..... 0.26%  
OTHER INGREDIENTS:..... 99.74%  
TOTAL:..... 100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO. **9833.256**

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. <sup>6</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry.

Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

- |             |   |
|-------------|---|
| If in eyes: | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul> |
|-------------|---|

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114


EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232429



# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes

5 X 80 CT.  
EACH: 80 Wet Wipes 19.7 OZ. (1 LB. 3.7 OZ.) 558 g  
TOTAL: 400 Wet Wipes 98.5 OZ. (6 LBS. 2.5 OZ.) 2.7 kg

### BUY 4 GET 1 FREE!



Lemon & Lime Blossom<sup>®</sup> scent



Ocean Fresh<sup>®</sup> scent

ACTIVE INGREDIENT:  
Alkyl (50% $C_{14}$ , 40% $C_{12}$ , 10% $C_{16}$ )  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%

KEEP OUT OF REACH OF CHILDREN

**CAUTION:** SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes.

Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID**

- |                    |   |
|--------------------|---|
| <b>If in eyes:</b> | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul> |
|--------------------|---|

**CONTACT NUMBER**

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:**

Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates.

This canister is made of 25% post-consumer recycled plastic.

**Questions? (1-800-228-4722)**

For ingredient information,

[www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114


EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8238977



# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes



Lemon & Lime Blossom<sup>®</sup> scent

# 80

WET WIPES

19.7 OZ. (1 LB. 3.7 OZ.) 558 g

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>12</sub>, 40% C<sub>13</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS.....99.74%  
TOTAL.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **9833.256**

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



- Bath tub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

- If in eyes:**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
  - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
  - Call a Poison Control Center or doctor for treatment advice.

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side


8232161



INSERT  
85%  
UPC

0 19200 77182 5

# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes

# 80 WET WIPES

19.7 OZ. (1 LB. 3.7 OZ.) 558 g

Ocean Fresh<sup>®</sup> scent

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl  
ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**  
LICENSE NO. **9833.256**

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

Kitchen	Bathroom	Electronics
<ul style="list-style-type: none"> <li>• Sink &amp; Counters</li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors</li> <li>• Light Switches</li> </ul>	<ul style="list-style-type: none"> <li>• Bathtub &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>
<b>DISINFECTS:</b> <ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>		
<b>SANITIZES:</b> <ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> <li>• Staphylococcus aureus</li> </ul>		
<b>FUNGISTATIC:</b> <ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>		

#### DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

FIRST AID	
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
CONTACT NUMBER	
Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.	

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232164



INSERT  
85%  
UPC

0 19200 77925 8

Use this product as a convenient way to



# Clean & Disinfect

## Your Household Surfaces

APPROVED TO  
**KILL MORE KINDS  
OF GERMS<sup>6</sup>**


- Influenza A Virus (H1N1)
- Staphylococcus aureus (Staph)
- Staphylococcus aureus (MRSA)
- Escherichia Coli O157:H7 (E. coli)
- Salmonella enterica
- Respiratory Syncytial Virus



### KILLS COLD & FLU VIRUSES<sup>3</sup>

# 6 PACK

## 480 Wipes



APPROVED TO  
**KILL MORE KINDS  
OF GERMS<sup>6</sup>**

- Influenza A Virus (H1N1)
- Staphylococcus aureus (Staph)
- Staphylococcus aureus (HA-MRSA)
- Escherichia Coli O157:H7 (E. coli)
- Salmonella enterica
- Respiratory Syncytial Virus



## Disinfecting Wipes



ACTIVE INGREDIENT:  
Alkyl (50% C<sub>12</sub>-40% C<sub>18</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl ammonium chloride.....0.26%

OTHER INGREDIENTS.....99.74%

TOTAL.....100.00%

6 x 80 ct. EACH: 80 Wet Wipes 19.7 OZ. (1 LB. 3.7 OZ.) 558 g  
TOTAL: 480 Wet Wipes 118.2 OZ. (7 LBS. 6.2 OZ.) 3.3 kg

KEEP OUT OF REACH OF CHILDREN  
CAUTION: SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

<sup>4</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to

prevent moisture loss. **To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains. **To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time. **To Sanitize:** Allow to remain wet for 10 seconds. **To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away. **For surfaces that come in contact with food:** Use only on hard non-porous surfaces and rinse thoroughly with water. **To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID**

<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
--------------------	---

**CONTACT NUMBER**

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:**

Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates.

This container is made of 25% post-consumer recycled plastic.

Questions? **☎ 1-800-228-4722**

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114


EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232438



# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes

# 80 WET WIPES

19.7 OZ. (1 LB. 3.7 OZ.) 558 g



Lemon & Lime Blossom<sup>®</sup> scent

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>16</sub>, 40% C<sub>12</sub>, 10% C<sub>14</sub>)  
dimethyl benzyl ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%



STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO. 9833.256

APPROVED TO KILL MORE KINDS OF GERMS<sup>®</sup>

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. <sup>6</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

Kitchen	Bathroom	Electronics
<ul style="list-style-type: none"> <li>• Sink &amp; Counters</li> <li>• Garbage Cans</li> <li>• Refrigerator Exteriors</li> <li>• Light Switches</li> </ul>	<ul style="list-style-type: none"> <li>• Bathub &amp; Faucets</li> <li>• Toilet Seats</li> <li>• Shower Areas</li> <li>• Door Knobs</li> </ul>	<ul style="list-style-type: none"> <li>• Laptops &amp; Tablets</li> <li>• Smartphones</li> <li>• Gaming Consoles</li> <li>• Remote Controls</li> </ul>

<b>DISINFECTS:</b> <ul style="list-style-type: none"> <li>• Influenza A Virus (H1N1)</li> <li>• Respiratory Syncytial Virus</li> <li>• Salmonella enterica (Salmonella)</li> <li>• Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)</li> <li>• Escherichia coli O157:H7 (E. coli)</li> </ul>	<ul style="list-style-type: none"> <li>• Listeria monocytogenes</li> <li>• Staphylococcus aureus Methicillin resistant (HA-MRSA)</li> <li>• Herpes Simplex Virus Type 1</li> <li>• Staphylococcus aureus (Staph)</li> <li>• Influenza H7N9 (wildtype A/Anhui/1/2013)</li> </ul>	<ul style="list-style-type: none"> <li>• Human Coronavirus</li> <li>• Pseudomonas aeruginosa</li> <li>• Streptococcus pyogenes (Strep)</li> <li>• Campylobacter jejuni</li> <li>• Shigella flexneri serotype 1B</li> </ul>
<b>SANITIZES:</b> <ul style="list-style-type: none"> <li>• Enterobacter aerogenes</li> </ul>	<ul style="list-style-type: none"> <li>• Staphylococcus aureus</li> </ul>	
<b>FUNGISTATIC:</b> <ul style="list-style-type: none"> <li>• Aspergillus niger (Mold &amp; Mildew)</li> </ul>		

**DIRECTIONS FOR USE:**  
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.  
**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.  
**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.  
**To Sanitize:** Allow to remain wet for 10 seconds.  
**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.  
**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.  
**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.  
**NOT INTENDED FOR PERSONAL HYGIENE.**  
**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals  
**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

FIRST AID	
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
CONTACT NUMBER	
Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.	

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.


Questions? **1-800-228-4722**  
For ingredient information, [www.tbnaifo.com](http://www.tbnaifo.com)

Distributed by: Beckitt Benckiser  
Parsippany, NJ 07054-0224  
Made in U.S.A. © 2015 RB  
EPA Reg. No.: 777-114  
EPA Est. No.: 777-MO-1, 475-MO-1  
See bottom or side



8232172

# KILLS COLD & FLU VIRUSES<sup>3</sup>



## Disinfecting Wipes

# 80 WET WIPES

19.7 OZ. (1 LB. 3.7 OZ.) 558 g

ACTIVE INGREDIENT:  
Alkyl (50%C<sub>16</sub>, 40%C<sub>17</sub>, 10%C<sub>18</sub>)  
dimethyl benzyl  
ammonium chloride..... 0.26%  
OTHER INGREDIENTS:..... 99.74%  
TOTAL:..... 100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**  
LICENSE NO. **9833.256**

APPROVED  
TO KILL  
MORE KINDS  
OF GERMS<sup>4</sup>

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes. <sup>4</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>††</sup>This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean / Remove Allergens<sup>††</sup>:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry.

Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

- |             |   |
|-------------|---|
| If in eyes: | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul> |
|-------------|---|

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232429



INSERT  
100%  
UPC

0 19200 89949 9

Use this product as a convenient way to



# Clean & Disinfect

Your Household Surfaces

APPROVED TO  
**KILL MORE KINDS  
OF GERMS<sup>6</sup>**

- Influenza A Virus (H1N1)
- Staphylococcus aureus (Staph)
- Staphylococcus aureus (HA-MRSA)
- Escherichia Coli O157:H7 (E. coli)
- Salmonella enterica
- Respiratory Syncytial Virus




STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO. 9833.256

**8 BOX TOPS**



**6 PACK**

**480  
Wipes**



**KILLS COLD & FLU VIRUSES<sup>3</sup>**

**3** Lemon & Lime Blossom<sup>®</sup> scent

**Disinfecting Wipes**

**3** Ocean Fresh<sup>®</sup> scent

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>12</sub>-40% C<sub>15</sub>-10% C<sub>16</sub>)  
dimethyl benzyl ammonium chloride..... 0.26%  
OTHER INGREDIENTS..... 99.74%  
TOTAL..... 100.00%

6 x 80 ct. EACH: 80 Wet Wipes 19.7 OZ. (1 LB. 3.7 OZ.) 558 g  
TOTAL: 480 Wet Wipes 118.2 OZ. (7 LBS. 6.2 OZ.) 3.3 kg

KEEP OUT OF REACH OF CHILDREN  
CAUTION: SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

INSERT  
100%  
UPC

0 19200 89949 9



Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs\*\* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

<sup>9</sup>Based on previous Lysol Brand II Disinfecting Wipes label.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to

prevent moisture loss. **To Clean / Remove Allergens††:** Use fresh wipe on surface. Repeat for stubborn stains. **To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time. **To Sanitize:** Allow to remain wet for 10 seconds. **To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away. **For surfaces that come in contact with food:** Use only on hard non-porous surfaces and rinse thoroughly with water. **To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID**

- If in eyes:**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
  - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
  - Call a Poison Control Center or doctor for treatment advice.

**CONTACT NUMBER**

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:**

Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates.  
This container is made of 25% post-consumer recycled plastic.

Questions? **1-800-228-4722**

For ingredient information, [www.rbnaifo.com](http://www.rbnaifo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2016 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8260117



Do Not Remove label/cut out Box Tops for Education proof of purchase until product has been completely used.

Go to [boxtops4education.com](http://boxtops4education.com) for details

