



KILLS 99.9% OF VIRUSES & BACTERIA**

**105
Wipes
3 PACK**



Disinfecting Wipes



Lemon & Lime
Blossom® scent



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2013-2015 LIC. NO.

9833.256

ACTIVE INGREDIENT:
Alkyl (50% C₁₄, 40% C₁₂, 10% C₁₆)
dimethyl benzyl
ammonium chloride..... 0.26%
OTHER INGREDIENTS:..... 99.74%
TOTAL:..... 100.00%

KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL
CAUTION: PRECAUTIONARY STATEMENTS

3 x 35: 8.9 OZ. (252 g)
Wet Wipes 7" x 8" TOTAL: 105 Wet Wipes
26.6 OZ. (1 LB. 10.6 OZ.) 756 g

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs** wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

**Kills Salmonella enterica (Salmonella), Influenza A Virus, Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 10 minutes.

††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.



- Sink
- Garbage cans
- Refrigerator exteriors
- Counters



- Bath tub
- Toilet seats
- Shower areas
- Faucets



- Computer
- Telephones
- Door Knobs
- Light Switches

DISINFECTS:

- Influenza A Virus (Strain New Caledonia/20/99)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Human Coronavirus
- Pseudomonas aeruginosa

SANITIZES:

- Salmonella enterica
- Escherichia coli (O157:H7) (E.coli O157:H7)
- Streptococcus pyogenes
- Staphylococcus aureus (MRSA)
- Listeria monocytogenes
- Enterobacter aerogenes
- Campylobacter jejuni
- Staphylococcus aureus (Staph)

FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To Open Package: Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

††To Clean / Remove Allergens: Use fresh wipe on surface. Repeat for stubborn stains.

To Sanitize / Disinfect: Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

To Sanitize: Allow to remain wet for 30 seconds.

To Disinfect: Allow to remain wet for 10 minutes. Allow surface to air dry. Toss dirty wipe away.

For surfaces that come in contact with food: Use only on hard, non-porous surfaces and rinse thoroughly with water.

To Prevent the Growth of Mold and Mildew and their odors: Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes.

Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

CAUTION: May cause eye irritation. Avoid contact with eyes. Wash hands after use.

FIRST AID

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a Poison Control Center or doctor for treatment advice.

CONTACT NUMBER

Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

STORAGE AND DISPOSAL: Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates.

This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, www.rbnainfo.com

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB




EPA Reg. No.: 777-114
EPA Est. No.: 777-MO-1

8207774



KILLS 99.9% OF VIRUSES & BACTERIA**



KILLS 99.9% OF VIRUSES & BACTERIA**

Disinfecting Wipes

Lemon & Lime Blossom® scent



35
WET WIPES 7"x8"
8.9 OZ. (252 g)

ACTIVE INGREDIENT:
Alkyl (50% C₁₂, 40% C₁₃, 10% C₁₄)
dimethyl benzyl
ammonium chloride.....0.26%
OTHER INGREDIENTS.....99.74%
TOTAL.....100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION: SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2013-2015** LIC. NO.

9833.256

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs** wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

**Kills Salmonella enterica (Salmonella), Influenza A Virus, Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 10 minutes.

††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

| Kitchen | Bathroom | Office |
|---|---|--|
| <ul style="list-style-type: none"> • Sink • Garbage cans • Refrigerator exteriors • Counters | <ul style="list-style-type: none"> • Bath tub • Toilet seats • Shower areas • Faucets | <ul style="list-style-type: none"> • Computer • Telephones • Door Knobs • Light Switches |
| DISINFECTS: <ul style="list-style-type: none"> • Influenza A Virus (Strain New Caledonia/20/99) • Respiratory Syncytial Virus • Salmonella enterica (Salmonella) • Herpes Simplex Virus Type 1 • Staphylococcus aureus (Staph) • Human Coronavirus • Pseudomonas aeruginosa | | |
| SANITIZES: <ul style="list-style-type: none"> • Salmonella enterica • Escherichia coli (O157:H7) (E.coli O157:H7) • Streptococcus pyogenes • Staphylococcus aureus (MRSA) • Listeria monocytogenes • Enterobacter aerogenes • Campylobacter jejuni • Staphylococcus aureus (Staph) | | |
| FUNGISTATIC: <ul style="list-style-type: none"> • Aspergillus niger (Mold & Mildew) | | |

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To Open Package: Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

††**To Clean / Remove Allergens:** Use fresh wipe on surface. Repeat for stubborn stains.

To Sanitize / Disinfect: Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

To Sanitize: Allow to remain wet for 30 seconds.

To Disinfect: Allow to remain wet for 10 minutes. Allow surface to air dry. Toss dirty wipe away.

For surfaces that come in contact with food: Use only on hard, non-porous surfaces and rinse thoroughly with water.

To Prevent the Growth of Mold and Mildew and their odors: Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

CAUTION: May cause eye irritation. Avoid contact with eyes.

Wash hands after use.

| FIRST AID | |
|--|---|
| If in eyes: | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a Poison Control Center or doctor for treatment advice. |
| CONTACT NUMBER | |
| Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment. | |

STORAGE AND DISPOSAL: Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, www.rbnainfo.com

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1

8210203





Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2015-2017 LIC. NO.

9833.302

ACTIVE INGREDIENTS:
Alkyl (50% C₁₄, 40% C₁₂, 10% C₁₆)
dimethyl benzyl ammonium saccharinate 0.10%
Ethanol..... 58.00%
OTHER INGREDIENTS:..... 41.90%
TOTAL:..... 100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION: SEE BACK PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS.



KILLS ANTIBIOTIC RESISTANT BACTERIA



DISINFECTS

VALUE PACK

NET WT.: 7 OZ. (198 g)

35
WET WIPES 7"x8"
8.9 OZ. (252 g)

ACTIVE INGREDIENT:
Alkyl (50% C₁₄, 40% C₁₂, 10% C₁₆) dimethyl
benzyl ammonium chloride..... 0.26%
OTHER INGREDIENTS:..... 99.74%
TOTAL:..... 100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION: SEE BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2013-2015 LIC. NO.

9833.256



Questions? Call 1-800-228-4722
For ingredient and other information, www.tbmainfo.com
Distributed by: Reckitt Benckiser
Parsippany, NJ 07054-0224
Made in U.S.A. © 2015 RB



8194645

FIRST AID

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.
- If in eyes:
 - Rinse eyes for 15-20 minutes.
 - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
 - Call a Poison Control Center or doctor for treatment advice.

CONTACT NUMBER

Questions? Call 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center.

STORAGE AND DISPOSAL

Dispose of waste in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or other for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

EPA Reg. No.: 777-MO-1
EPA Reg. No.: 777-MO-2
EPA Reg. No.: 777-MO-3

See bottom or side.

PHYSICAL HAZARDS: FLAMMABLE Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 100° F may cause bursting.

STORAGE AND DISPOSAL Store in original container in upright position. Do not reuse or refill this container. Do not puncture or incinerate. Discard in trash or other for recycling.

RECYCLING

• This can is made from an average of 25% recycled steel.
 • Encourage your local authorities to establish a local program to recycle this can.
 • Do not reuse or refill this container.

EPA Reg. No.: 777-MO-1
EPA Reg. No.: 777-MO-2
EPA Reg. No.: 777-MO-3

NO COPOLYMER

PLEASE RECYCLE WHEN EMPTY

From questions product packaging to recycling, we're here to help.

KILLS ANTIBIOTIC RESISTANT BACTERIA *



KILLS 99.9% OF VIRUSES & BACTERIA**

Disinfectant Spray

KILLS

- Influenza A Virus
- Respiratory Syncytial Virus
- Salmonella enterica
- Staphylococcus aureus
- Escherichia coli ESBL*

NET WT.:
7 OZ. (198 g)

KEEP OUT OF REACH OF CHILDREN
CAUTION: SEE BACK PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS.

- Your family comes in contact with germs everyday. • This product helps fight the spread of germs** • Kills antibiotic resistant bacteria* • Kills cold and flu viruses†
- Kills 99.9% of bacteria on soft surfaces as a spot treatment*** • Prevents the build-up of mold allergens†† for up to 7 days • Kills odor-causing bacteria

**Kills Staphylococcus aureus, Avian Influenza A Virus, Escherichia coli O157:H7 and Respiratory Syncytial Virus on hard, non-porous surfaces in 10 minutes.

***Kills Staphylococcus aureus on hard, non-porous, non-food contact and soft surfaces in 30 seconds

Disinfects: Kills the following household germs in 10 minutes.

| | | | | |
|------------------------------|---|--|---|---|
| VIRUSES: | <ul style="list-style-type: none"> • Influenza A Virus (New Caledonia/20/99)† • Avian Influenza A Virus (H1N1) • Influenza B Virus (Strain B/Hong Kong/5/72) | <ul style="list-style-type: none"> • Rhinovirus Type 39† • Respiratory Syncytial Virus (RSV) • Rotavirus WA | <ul style="list-style-type: none"> • Hepatitis A Virus • Poliovirus Type 1 • Herpes Simplex Virus Type 1 | <ul style="list-style-type: none"> • Herpes Simplex Virus Type 2 • Coxsackie Type B3 Virus • Feline calicivirus (Norovirus) |
| BACTERIA & FUNGI: | <ul style="list-style-type: none"> • Salmonella enterica • Escherichia coli O157:H7 (E. coli) • Klebsiella pneumoniae – NDM-1 positive* | <ul style="list-style-type: none"> • Klebsiella pneumoniae Carbapenem Resistant* • Streptococcus pyogenes • Methicillin Resistant Staphylococcus aureus (MRSA)* | <ul style="list-style-type: none"> • Vancomycin Resistant Enterococcus faecalis (VRE)* • Listeria monocytogenes • Pseudomonas aeruginosa | <ul style="list-style-type: none"> • Trichophyton mentagrophytes (Athlete's Foot Fungus) • Aspergillus niger (mold & mildew)†† • Penicillium chrysogenum†† |

This product meets AOAC Germicidal Spray Product Test standards for hospital aerosol disinfectants.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label before using the product. Pre-clean surfaces prior to use. Hold can upright 6" to 8" from surface. Spray 2 to 3 seconds until covered with mist.

To Deodorize: Spray on surfaces as needed. **To Sanitize:** Let stand for 30 seconds then allow to air dry. **To Disinfect:** Let stand for 10 minutes then allow to air dry. **Rinse toys and food contact surfaces with potable water after use.** **Fabric Sanitizer:** For spot treatment (2" x 2" area) only. **To Spot Sanitize Soft Surfaces:** Spray until fabric is wet. DO NOT SATURATE. Fabric must remain wet for 30 seconds. Let air dry. For difficult odors repeat application. **To Control and Prevent Mold & Mildew:** Apply to pre-cleaned surface. Allow to remain wet for 3 minutes. Let air dry. Repeat applications in weekly intervals or when mold and mildew growth appears. Do not use on polished wood, painted surfaces, leather, rayon fabrics, or acrylic plastics. Do not use on silk, rayon acetate or satin fabrics. Always test on a hidden area of fabric.

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. **Do not** spray in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

CONTACT NUMBER: Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

PHYSICAL HAZARDS: FLAMMABLE: Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

STORAGE AND DISPOSAL: Store in original container in areas inaccessible to small children. Do not reuse empty container. Do Not Puncture or Incinerate! Discard in trash or offer for recycling if available.

Important Facts about this product:

- This can is made from an average of 25% recycled steel (10% post-consumer).
- Encourage your local authorities to establish a program to recycle this can.

Questions? Call 1-800-228-4722

For ingredient and other information,
www.rbnainfo.com

Distributed by:
Reckitt Benckiser
Parsippany, NJ 07054-0224
Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-99
EPA Est. No.: 777-NJ-2
See bottom or side

8194799



PLEASE RECYCLE
WHEN EMPTY



Federal regulations
prohibit CFC propellants
in aerosols.

INSERT
80%
UPC

0 19200 94193 8

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2015-2017 LIC. NO.

9833.302

ACTIVE INGREDIENTS:

Alkyl (50% C₁₄, 40% C₁₂, 10% C₁₆)
dimethyl benzyl ammonium saccharinate 0.10%
Ethanol..... 58.00%

OTHER INGREDIENTS:..... 41.90%
TOTAL:..... 100.00%

KILLS ANTIBIOTIC RESISTANT BACTERIA*



Disinfecting Wipes



LICENSED

PERIOD 2013-2015 LIC. NO.

9833.256

35

WET WIPES 7"x8"

8.9 OZ. (252 g)

ACTIVE INGREDIENT:
Alkyl (50%C₁₆, 40%C₁₂, 10%C₆)
dimethyl benzyl
ammonium chloride.....0.26%
OTHER INGREDIENTS:.....99.74%
TOTAL:.....100.00%

KILLS

- Influenza A Virus
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Staphylococcus aureus (Staph)
- Escherichia coli with extended beta-lactamase resistance (ESBL)

KEEP OUT OF REACH OF CHILDREN
CAUTION: SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs** wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

*Kills Influenza A Virus and Human Coronavirus in 10 minutes on hard, non-porous surfaces.

**Kills Klebsiella pneumoniae - NDM-1 - positive and Escherichia coli with extended beta-lactamase resistance [ESBL] on hard, non-porous surfaces in 10 minutes.

***Kills Salmonella enterica (Salmonella), Influenza A Virus, Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 10 minutes.

††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

| Kitchen | Bathroom | Office |
|---|---|--|
| <ul style="list-style-type: none"> • Sink • Garbage cans • Refrigerator exteriors • Counters | <ul style="list-style-type: none"> • Bath tub • Toilet seats • Shower areas • Faucets | <ul style="list-style-type: none"> • Computer • Telephones • Door Knobs • Light Switches |
| DISINFECTS: <ul style="list-style-type: none"> • Influenza A Virus (Strain New Caledonia/20/99)† • Respiratory Syncytial Virus • Salmonella enterica (Salmonella) • Herpes Simplex Virus Type 1 • Staphylococcus aureus (Staph) • Human Coronavirus† • Pseudomonas aeruginosa | | |
| SANITIZES: <ul style="list-style-type: none"> • Salmonella enterica • Escherichia coli (O157:H7) (E.coli O157:H7) • Streptococcus pyogenes • Staphylococcus aureus (MRSA) • Listeria monocytogenes • Enterobacter aerogenes • Campylobacter jejuni • Staphylococcus aureus (Staph) | | |
| FUNGISTATIC: <ul style="list-style-type: none"> • Aspergillus niger (Mold & Mildew) | | |

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To Open Package: Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

††To Clean / Remove Allergens: Use fresh wipe on surface. Repeat for stubborn stains.

To Sanitize / Disinfect: Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

To Sanitize: Allow to remain wet for 30 seconds.

To Disinfect: Allow to remain wet for 10 minutes. Allow surface to air dry. Toss dirty wipe away.

For surfaces that come in contact with food: Use only on hard, non-porous surfaces and rinse thoroughly with water.

To Prevent the Growth of Mold and Mildew and their odors: Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

CAUTION: May cause eye irritation. Avoid contact with eyes.

Wash hands after use.

| FIRST AID | |
|--|---|
| If in eyes: | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a Poison Control Center or doctor for treatment advice. |
| CONTACT NUMBER | |
| Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment. | |

STORAGE AND DISPOSAL: Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? Call 1-800-228-4722

For ingredient information, www.rbnainfo.com

Distributed by: Reckitt Benckiser
Parsippany, NJ 07054-0224
Made in U.S.A. © 2014 RB

EPA Reg. No.: 777-114
EPA Est. No.: 777-MD-1
8159187

