

d-CON

Bait Station^{XL}
KILLS
MICE
MATA RATONES



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2014-2016 LIC. NO.

9833.263

Compact design



Corner Fit™



Can be used in tight places around the home



Low profile bait station

Must adhere to the Use Restrictions in the Directions for Use section of this label

2
BAIT
BLOCKS

THIS BAIT STATION IS RESISTANT TO WEATHER AND TO TAMPERING BY CHILDREN AND DOGS. FOR USE INDOORS AND OUTDOORS.

GUARANTEED TO KILL*

✓ **CHILD & DOG RESISTANT STATION**

✓ **CAN BE USED INDOORS OR OUTDOORS**

✓ **HELPS REDUCE HOUSE MICE PROBLEMS**

✓ **CAN BE USED INDOORS OR OUTDOORS**



KEEP OUT OF REACH OF CHILDREN
CAUTION:
Read additional precautionary statements on back panel.

NET CONTENTS: 2/20 g (0.7 OZ.)
TOTAL: 40 g (1.4 OZ.)

ACTIVE INGREDIENT:

Diphacinone	0.005%
(2-Dichloroethyl)-1,3-hydroxime	99.995%
OTHER INGREDIENTS	100.000%
TOTAL:	100.000%



Window shows how much bait is left



Mice go in, eat the bait, mice go out

***SATISFACTION GUARANTEED OR YOUR MONEY BACK**

2 Bait Blocks + 1 Refillable Bait Station



Questions? / Preguntas? ☎ 1-800-228-4722
For ingredient information/Para información sobre los ingredientes, visit www.dconia.com
Distributed by/Distribuido por:
Reckitt Benckiser, Parsippany, NJ 07054-0224
Assembled in USA. Components from USA and Mexico.
Ensamblado en EE.UU. y México.
© 2015 RB



8190009

IMPORTANT: Para instrucciones de uso y primeros auxilios en español por favor llame al 1-866-646-1819.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with the labeling.
READ THIS LABEL: Read this entire label and follow all use directions and use precautions.
USE RESTRICTIONS: Use only to control house mice. This bait station may be used in and around (within 50 feet (15 m) of) homes accessible to children and pets, consistent with all use restrictions and other requirements indicated on this label. Do not apply further than 50 feet away from home or building. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come into direct contact with food.
SELECTION OF TREATMENT AREAS: Determine areas where house mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings in corners and concealed places or in locations where there are signs of house mice.
TO CONTROL HOUSE MICE:
1. Remove the bait station from the carton.
2. Placement: Place along walls or in corners with the entrance holes exposed.
3. Placement: Place bait stations in a minimum of 15 days or as long as activity persists. Wearing gloves, replace bait in bait station if contents have been consumed, damaged, or if bait is exposed. If bait is not touched after 3 days, move station to a new location where mouse activity is evident.
TO LOAD OR REFILL:
You will need both hands to open the station.
1. Find the latch on the underside of the station and the top button.
2. Using the latch on the underside of the station and fully press the button on top of the station with your thumb.
3. When still pulling on the bottom latch and pressing the top button, swing the window open with your other hand.
4. Wearing gloves, remove a new bait block from its packaging.
5. Place the new bait block into the station ensuring that the peg goes through the hole in the bait block. Press block firmly into the station.
6. Close the station by swinging the window back to place until a click is heard.
7. Wash hands thoroughly.
PRECAUTIONARY STATEMENTS:
Hazards to Humans and Domestic Animals
CAUTION: Harmful if swallowed. Keep away from humans, domestic animals and pets. All handlers (including applicators) must wear gloves. Any person who refills carcasses, exposed bait, or bait station following application of this product must wear gloves.
FIRST AID
If Swallowed:
• Call a Poison Control Center, or doctor IMMEDIATELY for treatment advice.
• Have person sip a glass of water if able to swallow.
• DO NOT induce vomiting unless told to do so by the Poison Control Center or doctor.
TREATMENT FOR PET POISONING
If animal eats bait, call veterinarian at once.
NOTE TO PHYSICIAN OR VETERINARIAN
Contains the anticoagulant Diphacinone. If swallowed, this material may reduce clotting ability of the blood and cause bleeding. For humans or animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K1.
CONTACT NUMBER
In case of emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.
ENVIRONMENTAL HAZARDS: This product is extremely toxic to mammals, birds, and other wildlife. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water.

STORAGE AND DISPOSAL
Store in original container in a dry place inaccessible to children and pets.
PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container except as described in the directions for use. If empty, place in trash or other for recycling if available. If partly filled, call your local waste agency for disposal instructions. Never place any unused product down any indoor or outdoor drain.
NOTICE TO BUYER AND USER: Buyer and user assume all responsibility for safety and risk associated with any use not in accordance with directions TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR DIRECT DAMAGES RESULTING FROM THE USE OF THIS PRODUCT AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

EPA Reg. No.: 2282-102 EPA Est. No.: 7491-MO-1

d-CON
Bait Station[®]
KILLS
MICE
MATA RATONES



d-CON
Bait Station[®]
KILLS
MICE
MATA RATONES

THIS BAIT STATION IS RESISTANT TO WEATHER
AND TO TAMPERING BY CHILDREN AND DOGS.
FOR USE INDOORS AND OUTDOORS.

4
BAIT
BLOCKS

GUARANTEED
TO KILL*

✓ **CHILD & DOG**
RESISTANT
STATION

✓ **CAN BE USED**
INDOORS OR
OUTDOORS



KEEP OUT OF
REACH OF CHILDREN
CAUTION:

Read additional precautionary
statements on back panel.

ACTIVE INGREDIENT:
Diphacinone
(2-(4-nitrophenyl)-1,3-indandione).....0.005%
OTHER INGREDIENTS.....99.995%
TOTAL:.....100.000%

NET CONTENTS: 4/20 g (0.7 OZ.)
TOTAL: 80 g (2.8 OZ.)

4 Bait Blocks + 1 Refillable Bait Station

✓ **HELPS REDUCE**
HOUSE MICE
PROBLEMS

✓ **CAN BE USED**
INDOORS OR
OUTDOORS



Window shows how
much bait is left



Mice go in,
eat the bait,
mice go out

***SATISFACTION GUARANTEED**
OR YOUR MONEY BACK



To load or
refill see
"TO LOAD
OR REFILL"
section

IMPORTANTE: Para instrucciones de uso y primeros auxilios
en español por favor llame al 1-866-646-1819.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
READ THIS LABEL: Read this entire label and follow all use directions and use precautions.
Use only for sites, pests, and application methods described on this label.
USE RESTRICTIONS: Use only to control house mice. This bait station may be used in and around (within 50 feet of) homes accessible to children and pets, consistent with all use restrictions and other requirements indicated on this label. Do not apply further than 50 feet away from home or building.
Do not place bait in areas where there is a possibility of contaminating food or surfaces that come into direct contact with food.
SELECTION OF TREATMENT AREAS: Determine areas where house mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings in corners and concealed places or in locations where there are signs of house mice.

TO CONTROL HOUSE MICE

1. Remove the bait station from the carton
2. Placement: Place along walls or in corners with the entrance holes exposed.
Place bait stations at 8- to 12-foot intervals in appropriate locations in infested areas, as specified on this label. Make sure that mouse entrance holes are exposed.
- Maintain stations for a minimum of 15 days or as long as activity persists. Wearing gloves, replace bait in bait station if contents have been consumed, damaged, or if bait is exposed. If bait is not touched after 3 days, move station to a new location where mouse activity is evident. Wearing gloves, collect and dispose of all dead animals and leftover bait properly as specified on this label. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.

TO LOAD OR REFILL

- You will need both hands to open the station.
1. Find the latch on the underside of the station and the top button.
 2. Using one hand, pull the bottom latch fully in the direction shown by the arrow with your index finger and fully press the button on top of the station with your thumb.
 3. While still pulling on the bottom latch and pressing the top button, swing the window open with your other hand.
 4. Wearing gloves, remove a new bait block from its packaging.
 5. Place the new bait block into the station ensuring that the peg goes through the hole in the bait block. Press block firmly into the station.
 6. Close the station by swinging the window back into place until a click is heard.
 7. Wash hands thoroughly.

PRECAUTIONARY STATEMENTS:

Hazards to Humans and Domestic Animals
CAUTION: Harmful if swallowed. Keep away from humans, domestic animals and pets. All handlers (including applicators) must wear gloves. Any person who retrieves carcasses, exposed bait, or bait station following application of this product must wear gloves.

FIRST AID

If Swallowed:

- Call a Poison Control Center, or doctor **IMMEDIATELY** for treatment advice.
- Have person sip a glass of water if able to swallow.
- **DO NOT** induce vomiting unless told to do so by the Poison Control Center or doctor.

TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian at once.
NOTE TO PHYSICIAN OR VETERINARIAN
Contains the anticoagulant Diphacinone. If swallowed, this material may reduce clotting ability of the blood and cause bleeding. For humans or animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K1.

CONTACT NUMBER

In case of emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

ENVIRONMENTAL HAZARDS: This product is extremely toxic to mammals, birds, and other wildlife. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water.

Compact design



Corner Fit™



**Can be used in tight
places around the home**



Low profile bait station

Must adhere to the Use Restrictions in the
Directions for Use section of this label

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in original container in a dry place inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING:

Non-refillable container. Do not reuse or refill this container except as described in the directions for use. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place any unused product down any indoor or outdoor drain.

NOTICE TO BUYER AND USER: Buyer and user assume all responsibility for safety and risk associated with any use not in accordance with directions. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

EPA Reg. No.: 3282-102 EPA Est. No.: 74291-MO-1

INSERT
100%
UPC

0 19200 89478 4

Questions?/¿Preguntas? **1-800-228-4722**
For ingredient information/Para informacion
sobre los ingredientes, www.rbmaintfo.com
Distributed by/Distribuido por:
Reckitt Benckiser, Parsippany, NJ 07054-0224
Assembled in USA. Componentis from USA and Mexico.
Ensamblado en EE.UU. Partes de EE.UU. y México.
© 2015 RB



8190010

d-CON

10mm zipper

Bait Station^{XI}

KILLS MICE
MATA RATONES


THIS BAIT STATION IS RESISTANT TO WEATHER AND TO TAMPERING BY CHILDREN AND DOGS. FOR USE INDOORS AND OUTDOORS.

✓ **CHILD & DOG RESISTANT STATION**

✓ **CAN BE USED INDOORS OR OUTDOORS**

6 BAIT BLOCKS

GUARANTEED TO KILL*




KEEP OUT OF REACH OF CHILDREN
CAUTION:
Read additional precautionary statements on pre-caution panel.

NET CONTENTS: 6/20 g (0.7 OZ.) TOTAL: 120 g (4.2 OZ.)

ACTIVE INGREDIENT:
Diphacinone
(2-Diphenylacetyl-1, 3-Indandione) 0.005%
OTHER INGREDIENTS 99.995%
TOTAL: 100.000%

6 Bait Blocks + 1 Refillable Bait Station



Questions?/¿Preguntas? C 1-800-228-4722
For ingredient information/Para información sobre los ingredientes, www.rnainfo.com
Distributed by/Distribuido por:
Reckitt Benckiser, Parsippany, NJ 07054-0224
Assembled in USA. Components from USA and Mexico.
Ensamblado en EE.UU. Partes de EE.UU. y México.
© 2015 RB



***SATISFACTION GUARANTEED OR YOUR MONEY BACK**

Must adhere to the Backing for Use section of this label

Low profile bait station



Can be used in tight places around the home



✓ **HELPS REDUCE HOUSE MICE PROBLEMS**
✓ **CAN BE USED INDOORS OR OUTDOORS**

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
READ THIS LABEL: Read this entire label and follow all use directions and use precautions, and application methods described on this label.
USE RESTRICTIONS: Use only to control house mice. This bait station may be used in and around (within 50 feet of) homes accessible to children and pets, consistent with all use restrictions and other requirements indicated on this label. Do not apply further than 50 feet away from home or building. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come into direct contact with food.
SELECTION OF TREATMENT AREAS: Determine areas where house mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings in corners and concealed places or in locations where there are signs of house mice.
TO CONTROL HOUSE MICE:
1. Remove the bait station from the carton
2. Placement: Place along walls or in corners with the entrance holes exposed.
Place bait stations at 8- to 12-foot intervals in appropriate locations in infested areas, as specified on this label. Make sure that mouse entrance holes are exposed.
3. Do NOT induce vomiting unless told to do so by the Poison Control Center or doctor.
4. If animal eats bait, call veterinarian at once.
TREATMENT FOR PET POISONING
NOTE TO PHYSICIAN OR VETERINARIAN
For humans or animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K1.
Contains the anticoagulant Diphacinone. If swallowed, this material may reduce clotting ability of the blood and cause bleeding.
CONTACT NUMBER
In case of emergency, call toll free 1-800-228-4722.
Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.
ENVIRONMENTAL HAZARDS: This product is extremely toxic to mammals, birds, and other vertebrates. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water.
STORAGE AND DISPOSAL
Store in original container in a dry place inaccessible to children and pets.
PESTICIDE DISPOSAL AND CONTAINER HANDLING: Do not reuse or refill this container except as described in the directions for use. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local waste agency for disposal instructions. Never place any unused product down any indoor or outdoor drain.
NOTICE TO BUYER AND USER: Buyer and user assume all responsibility for safety and risk associated with any use not in accordance with directions. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.
EPA Reg. No.: 3282-102
EPA Est. No.: 74291-MO-1

IMPORTANT: Para instrucciones de uso y primeros auxilios en español por favor llame al 1-866-648-1819.

to load or refill see "TO LOAD OR REFILL" section

STEP 1

STEPS 2-5

STEP 6

d-CON

10mm zipper

Bait Station^{XI}

**KILLS
MICE**
MATA RATONES



THIS BAIT STATION IS RESISTANT TO WEATHER AND TO TAMPERING BY CHILDREN AND DOGS. FOR USE INDOORS AND OUTDOORS.

✓ **CHILD & DOG RESISTANT STATION**

✓ **CAN BE USED INDOORS OR OUTDOORS**

**12
BAIT
BLOCKS**

**GUARANTEED
TO KILL***



KEEP OUT OF REACH OF CHILDREN
CAUTION:
Read additional precautionary statements on back panel.

NET CONTENTS: 12/20 g (0.7 OZ.)
TOTAL: 240 g (8.4 OZ.)

ACTIVE INGREDIENT:
Diphacinone
(2-Diphenylacetyl-1,3-Indandione) 0.0005%
OTHER INGREDIENTS 99.9995%
TOTAL: 100.0000%

12 Bait Blocks + 1 Refillable Bait Station

INSERT
100%
UPC

0 19200 89480 7

Questions?/¿Preguntas? ☎ 1-800-228-4722
For ingredient information/Para información sobre los ingredientes, www.rbnainfo.com
Distributed by/Distribuido por:
Reckitt Benckiser, Parsippany, NJ 07054-0224
Assembled in USA. Components from USA and Mexico.
Ensamblado en EEUU. Partes de EEUU, y México.
© 2015 RB

**Reckitt
Benckiser**

8200028

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use only for sites, pests, and application methods described on this label.

USE RESTRICTIONS: Use only to control house mice. This bait station may be used in and around (within 50 feet of) homes accessible to children and pets, consistent with all use restrictions and other requirements indicated on this label. Do not apply further than 50 feet away from home or building. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come into direct contact with food.

SELECTION OF TREATMENT AREAS: Determine areas where house mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings in corners and concealed places or in locations where there are signs of house mice.

TO CONTROL HOUSE MICE:

1. Remove the bait station from the carton
2. Placement: Place along walls or in corners with the entrance holes exposed.
3. Place bait stations at 8- to 12-foot intervals in appropriate locations in infested areas, as specified on this label. Make sure that mouse entrance holes are exposed.
4. Maintain stations for a minimum of 15 days or as long as activity persists. Wearing gloves, replace bait in bait station if contents have been consumed, damaged, or if bait is not touched after 3 days, move station to a new location where mouse activity is evident. Wearing gloves, collect and dispose of all dead animals and leftover bait properly as specified on this label. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible.
5. **TO LOAD OR REFILL:** You will need both hands to open the station.
6. Find the latch on the underside of the station and the top button.
7. Using one hand, pull the bottom latch fully in the direction shown by the arrow with your index finger and fully press the button on top of the station with your thumb.
8. While still pulling on the bottom latch and pressing the top button, swing the window open with your other hand.
9. Place the new bait block into the station ensuring that the peg goes through the hole in the bait block. Press block firmly into the station.
10. Close the station by swinging the window back into place until a click is heard.
11. Wash hands thoroughly.

PRECAUTIONARY STATEMENTS:

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Keep away from humans, domestic animals and pets. All handlers (including applicators) must wear gloves. Any person who retrieves carcasses, exposed bait, or bait station following application of this product must wear gloves.

FIRST AID

If Swallowed:

- Call a Poison Control Center, or doctor IMMEDIATELY for treatment advice.
- Have person sip a glass of water if able to swallow.
- DO NOT induce vomiting unless told to do so by the Poison Control Center or doctor.

TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian at once.
NOTE TO PHYSICIAN OR VETERINARIAN

Contains the anticoagulant Diphacinone. If swallowed, this material may reduce clotting ability of the blood and cause bleeding. For humans or animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K1.

CONTACT NUMBER

In case of emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

ENVIRONMENTAL HAZARDS: This product is extremely toxic to mammals, birds, and other wildlife. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in original container in a dry place inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container except as described in the directions for use. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place any unused product down any indoor or outdoor drain.

NOTICE TO BUYER AND USER: Buyer and user assume all responsibility for safety and risk associated with any use not in accordance with directions. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

EPA Reg. No.: 3282-102 EPA Est. No.: 74291-MO-1

IMPORTANT: Para instrucciones de uso y primeros auxilios en español por favor llame al 1-866-648-1819.

To load or refill see "TO LOAD OR REFILL" section



STEP 6



STEPS 2-5



STEP 1

✓ **HELPS REDUCE HOUSE MICE PROBLEMS**
✓ **CAN BE USED INDOORS OR OUTDOORS**

*SATISFACTION GUARANTEED OR YOUR MONEY BACK

Must adhere to the Directions for Use section of this label

Low profile bait station



Can be used in tight places around the home



Corner Fit™



Compact design

Mice go in, mice go out



Window shows how much bait is left



10mm zipper

VALUE PACK

d-CON

10mm zipper

Bait Station^{XI}
KILLS MICE
MATA RATONES



20
BAIT
BLOCKS

THIS BAIT STATION IS RESISTANT TO WEATHER AND TO TAMPERING BY CHILDREN AND DOGS. FOR USE INDOORS AND OUTDOORS.

GUARANTEED TO KILL*

✓ **CHILD & DOG RESISTANT STATION**


✓ **CAN BE USED INDOORS OR OUTDOORS**

KEEP OUT OF REACH OF CHILDREN
CAUTION:
Read additional precautionary statements on back panel.

NET CONTENTS: 20/20 g (0.7 OZ.)
TOTAL: 400 g (14.1 OZ.)

ACTIVE INGREDIENT:
Diphacinone
(2-Diphenoxyethyl-1,3-benzodioxole) 0.005%
OTHER INGREDIENTS 99.995%
TOTAL: 100.000%

20 Bait Blocks + 1 Refillable Bait Station



Questions?/Preguntas? ☎ 1-800-228-4722
For ingredient information/Para información sobre los ingredientes, www.rbnainfo.com
Distributed by/Distribuido por:
Reckitt Benckiser, Parsippany, NJ 07054-0224
Assembled in USA. Components from USA and Mexico.
Ensamblado en EE.UU. Partes de EE.UU. y México.
© 2015 RB



SATISFACTION GUARANTEED
OR YOUR MONEY BACK

Must adhere to the Use Directions for Use section of this label

Low profile bait station



Can be used in light places around the home



Corner Fit™



Compact design



Mice go in, eat the bait, mice go out



Window shows how much bait is left



✓ **HELPS REDUCE HOUSE MICE PROBLEMS**

✓ **CAN BE USED INDOORS OR OUTDOORS**

IMPORTANT: Para instrucciones de uso y primeros auxilios en español por favor llame al 1-866-648-1819.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Use only for sites, pests, and application methods described on this label.

USE RESTRICTIONS: Use only to control house mice. This bait station may be used in and around (within 50 feet) of homes accessible to children and pets, consistent with all use restrictions and other requirements indicated on this label. Do not apply further than 50 feet away from home or building. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come into direct contact with food.

SELECTION OF TREATMENT AREAS: Determine areas where house mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings in corners and concealed places or in locations where there are signs of house mice.

TO CONTROL HOUSE MICE:
1. Remove the bait station from the carton
2. Placement: Place along walls or in corners with the entrance holes exposed.
3. Maintain stations for a minimum of 15 days or as long as activity persists. Wearing gloves, replace bait in bait station if contents have been consumed, damaged, or if bait is exposed. If bait is not touched after 3 days, move station to a new location where mouse activity is evident. Wearing gloves, collect and dispose of all dead animals and leftover bait properly as specified on this label. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.

TO LOAD OR REFILL:
You will need both hands to open the station.
1. Find the latch on the underside of the station and the top button.
2. Using one hand, pull the bottom latch fully in the direction shown by the arrow and fully press the button on top of the station with your thumb.
3. While still pulling on the bottom latch and pressing the top button, swing the window open with your other hand.
4. Wearing gloves, remove a new bait block from its packaging.
5. Place the new bait block into the station ensuring that the hole in the bait block. Press block firmly into the station.
6. Close the station by swinging the window back into place until a click is heard.
7. Wash hands thoroughly.

PRECAUTIONARY STATEMENTS:
Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Keep away from humans, domestic animals and pets. All handlers (including applicators) must wear gloves. Any person who retrieves carcasses, exposed bait, or bait station following application of this product must wear gloves.

FIRST AID

If Swallowed:	• Call a Poison Control Center, or doctor IMMEDIATELY for treatment advice. • DO NOT induce vomiting unless told to do so by the Poison Control Center or doctor.
TREATMENT FOR PET POISONING	If animal eats bait, call veterinarian at once. NOTE TO PHYSICIAN OR VETERINARIAN Contains the anticoagulant Diphacinone. If swallowed, this material may reduce clotting ability of the blood and cause bleeding. For humans or animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K1.
CONTACT NUMBER	In case of emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

ENVIRONMENTAL HAZARDS: This product is extremely toxic to mammals, birds, and other wildlife. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water.

STORAGE AND DISPOSAL
Store in original container in a dry place inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container except as described in the directions for use. If empty: Place in trash or other recycling if available. If partly filled: Call your local waste agency for disposal instructions. Never place any unused product down any indoor or outdoor drain.

NOTICE TO BUYER AND USER: Buyer and user assume all responsibility for safety and risk associated with any use not in accordance with directions. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

EPA Reg. No.: 3282-102 EPA Est. No.: 74291-MO-1



10mm zipper