

# KILLS COLD & FLU VIRUSES<sup>3</sup>

# Lysol®

BRAND III

**KILLS 99.9% OF VIRUSES & BACTERIA\*\***

## DUAL ACTION WIPES

TOUCH-UP SIDE

SCRUBBING SIDE

Citrus scent

**35**  
WET WIPES

10.2 OZ. (289 g)

STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO.

**9833.269**

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl ammonium chloride ..... 0.26%  
OTHER INGREDIENTS: ..... 99.74%  
TOTAL: ..... 100.00%

KEEP OUT OF  
REACH OF CHILDREN

**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened disposable wipe has a scrubbing side for tough jobs like soap scum and grease and a softer side for wiping away everyday messes. Great for use in your kitchen, bathroom, and all over the house. Effective disinfecting has never been easier. Do not use on dishes, glasses or utensils.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.

### Kitchen



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches

### Bathroom



- Bath Tub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs

### Electronics



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)

- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

- |                    |   |
|--------------------|---|
| <b>If in eyes:</b> | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul> |
|--------------------|---|

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? **Call 1-800-228-4722**

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232173



INSERT  
85%  
UPC

9

19200 81143

0

# KILLS COLD & FLU VIRUSES<sup>3</sup>

# Lysol<sup>®</sup>

BRAND III

**KILLS 99.9% OF VIRUSES & BACTERIA\*\***

## DUAL ACTION WIPES

TOUCH-UP SIDE

Citrus scent

SCRUBBING SIDE

# 75

WET WIPES

21.8 OZ. (1 LB. 5.8 OZ.) 618 g



STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO.  
**9833.269**

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>6</sub>)  
dimethyl benzyl ammonium chloride ..... 0.26%  
OTHER INGREDIENTS: ..... 99.74%  
TOTAL: ..... 100.00%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened disposable wipe has a scrubbing side for tough jobs like soap scum and grease and a softer side for wiping away everyday messes. Great for use in your kitchen, bathroom, and all over the house. Effective disinfecting has never been easier. Do not use on dishes, glasses or utensils.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.  
<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.



### Kitchen

- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



### Bathroom

- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



### Electronics

- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry.

Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

CAUTION: May cause eye irritation. Avoid contact with eyes. Wash hands after use.

FIRST AID	
If in eyes:	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
CONTACT NUMBER	
Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.	

#### STORAGE AND DISPOSAL:

Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? **1-800-228-4722**

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232178



4

19200 81700

0

# KILLS COLD & FLU VIRUSES<sup>3</sup>

# Lysol<sup>®</sup>

BRAND III

**KILLS 99.9% OF VIRUSES & BACTERIA\*\***

## DUAL ACTION WIPES

TOUCH-UP SIDE

Citrus scent

SCRUBBING SIDE

# 75

WET WIPES

21.8 OZ. (1 LB. 5.8 OZ.) 618 g



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO.

**9833.269**

ACTIVE INGREDIENT:  
Alkyl (50% C<sub>12</sub>, 40% C<sub>10</sub>, 10% C<sub>8</sub>)  
dimethyl benzyl ammonium chloride ..... 0.26%  
OTHER INGREDIENTS: ..... 99.74%  
TOTAL: ..... 100.00%

KEEP OUT OF REACH OF CHILDREN

**CAUTION:**

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened disposable wipe has a scrubbing side for tough jobs like soap scum and grease and a softer side for wiping away everyday messes. Great for use in your kitchen, bathroom, and all over the house. Effective disinfecting has never been easier. Do not use on dishes, glasses or utensils.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.



### Kitchen

- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



### Bathroom

- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



### Electronics

- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

CAUTION: May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

- |                    |   |
|--------------------|---|
| <b>If in eyes:</b> | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul> |
|--------------------|---|

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232388



**KILLS COLD & FLU VIRUSES<sup>3</sup>**

**150  
Wipes  
2 PACK**

**Lysol<sup>®</sup>**

BRAND III

**KILLS 99.9% OF VIRUSES  
& BACTERIA\*\***

**DUAL  
ACTION  
WIPES**

*Citrus scent*

2 x 75ct.  
EACH: 75 Wet Wipes 21.8 OZ. (1 LB. 5.8 OZ.) 618 g  
TOTAL: 150 Wet Wipes 43.6 OZ. (2 LBS. 11.6 OZ.) 1.2 kg

ACTIVE INGREDIENT:  
Alkyl (50% $C_{14}$ , 40% $C_{12}$ , 10% $C_{16}$ )  
dimethyl benzyl ammonium chloride.....0.26%  
OTHER INGREDIENTS:.....99.74%  
TOTAL:.....100.00%



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO.

**9833.269**



TOUCH-UP  
SIDE

SCRUBBING  
SIDE

KEEP OUT OF REACH OF CHILDREN  
**CAUTION:** SEE BACK PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened disposable wipe has a scrubbing side for tough jobs like soap scum and grease and a softer side for wiping away everyday messes. Great for use in your kitchen, bathroom, and all over the house. Effective disinfecting has never been easier. Do not use on dishes, glasses or utensils.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.

<sup>3</sup>Kills Influenza A Virus (H1N1) and Human Coronavirus on hard, non-porous surfaces in 2 minutes.



- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

**DISINFECTS:**

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

**SANITIZES:**

- Enterobacter aerogenes
- Staphylococcus aureus

**FUNGISTATIC:**

- Aspergillus niger (Mold & Mildew)

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes.

Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

**PRECAUTIONARY STATEMENTS:** Hazards to Humans and Domestic Animals

**CAUTION:** May cause eye irritation. Avoid contact with eyes. Wash hands after use.

**FIRST AID**

- |                    |   |
|--------------------|---|
| <b>If in eyes:</b> | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul> |
|--------------------|---|

**CONTACT NUMBER**

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates.

This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information,

[www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by: Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8232394



# POWERS THROUGH SOAP SCUM




STATE OF HAWAII  
Department of Agriculture

ACCEPTED

LICENSE NO.

9833.269



## DUAL ACTION WIPES

TOUCH-UP SIDE

SCRUBBING SIDE

Citrus scent

**35**  
WET WIPES

10.2 OZ. (289 g)

ACTIVE INGREDIENT:  
Alkyl (50% $C_{11}$ , 40% $C_{12}$ , 10% $C_{14}$ )  
dimethyl benzyl ammonium chloride ..... 0.26%  
OTHER INGREDIENTS: ..... 99.74%  
TOTAL: ..... 100.00%

KEEP OUT OF  
REACH OF CHILDREN

**CAUTION:**  
SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened disposable wipe has a scrubbing side for tough jobs like soap scum and grease and a softer side for wiping away everyday messes. Great for use in your kitchen, bathroom, and all over the house. Effective disinfecting has never been easier. Do not use on dishes, glasses or utensils.

\*\*Kills Salmonella enterica (Salmonella), Influenza A Virus (H1N1), Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 4 minutes.



### Kitchen

- Sink & Counters
- Garbage Cans
- Refrigerator Exteriors
- Light Switches



### Bathroom

- Bathtub & Faucets
- Toilet Seats
- Shower Areas
- Door Knobs



### Electronics

- Laptops & Tablets
- Smartphones
- Gaming Consoles
- Remote Controls

#### DISINFECTS:

- Influenza A Virus (H1N1)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Escherichia coli with extended spectrum beta-lactamase resistance (ESBL)
- Escherichia coli O157:H7 (E. coli)
- Listeria monocytogenes
- Staphylococcus aureus Methicillin resistant (HA-MRSA)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Influenza H7N9 (wildtype A/Anhui/1/2013)
- Human Coronavirus
- Pseudomonas aeruginosa
- Streptococcus pyogenes (Strep)
- Campylobacter jejuni
- Shigella flexneri serotype 1B

#### SANITIZES:

- Enterobacter aerogenes
- Staphylococcus aureus

#### FUNGICIDAL:

- Aspergillus niger (Mold & Mildew)

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**To Open Package:** Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

**To Clean:** Use fresh wipe on surface. Repeat for stubborn stains.

**To Sanitize / Disinfect:** Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

**To Sanitize:** Allow to remain wet for 10 seconds.

**To Disinfect:** Allow to remain wet for 4 minutes. Allow surface to air dry. Toss dirty wipe away.

**For surfaces that come in contact with food:** Use only on hard, non-porous surfaces and rinse thoroughly with water.

**To Prevent the Growth of Mold and Mildew and their odors:** Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

CAUTION: May cause eye irritation. Avoid contact with eyes. Wash hands after use.

#### FIRST AID

- If in eyes:
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
  - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
  - Call a Poison Control Center or doctor for treatment advice.

#### CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

**STORAGE AND DISPOSAL:** Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, [www.rbnainfo.com](http://www.rbnainfo.com)

Distributed by Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2015 RB

EPA Reg. No.: 777-114

EPA Est. No.: 777-MO-1, 475-MO-1

See bottom or side

8238979



INSERT  
85%

UPC

0 19200 93994 2