

KILLS COLD & FLU VIRUSES³



Disinfecting Wipes

for Baby's Room

80

WET WIPES 7"x8"

20.3 OZ. (1 LB. 4.3 OZ.) 576 g



ACTIVE INGREDIENT:
Alkyl (50% C₁₄, 40% C₁₂, 10% C₁₆)
dimethyl benzyl
ammonium chloride.....0.26%
OTHER INGREDIENTS:.....99.74%
TOTAL:.....100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION:

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2015-2017 LIC. NO.

9833.276



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2012-2014 LIC. NO.

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs* wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

³Kills Influenza A Virus and Human Coronavirus on hard, non-porous surfaces in 10 minutes.

^{**}Kills Salmonella enterica (Salmonella), Influenza A Virus, Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 10 minutes.

^{††}This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

Baby's Room



- Diaper Pail
- Cribs
- Changing Table

Bathroom



- Potty Seat
- Bathtub
- Plastic Toys⁴

All Around the House



- High Chair
- Stroller
- Booster Seat

⁴Use on toys requires a rinsing step after disinfection – follow the Directions for use for Toys.

DISINFECTS:

- Influenza A Virus (Strain New Caledonia/20/99)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Human Coronavirus

SANITIZES:

- Salmonella enterica
- Escherichia coli (O157:H7) (E.coli O157:H7)
- Streptococcus pyogenes
- Staphylococcus aureus (MRSA)
- Listeria monocytogenes
- Enterobacter aerogenes
- Campylobacter jejuni
- Staphylococcus aureus (Staph)

FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To Open Package: Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

††To Clean / Remove Allergens: Use fresh wipe on surface. Repeat for stubborn stains.

To Sanitize / Disinfect: Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

To Sanitize: Allow to remain wet for 30 seconds.

To Disinfect: Allow to remain wet for 10 minutes. Allow surface to air dry. Toss dirty wipe away.

To Disinfect Toys: Use only on hard, non-porous surfaces and rinse thoroughly with water after use.

For surfaces that come in contact with food: Use only on hard, non-porous surfaces and rinse thoroughly with water.

To Prevent the Growth of Mold and Mildew and their odors: Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

CAUTION: May cause eye irritation. Avoid contact with eyes.

Wash hands after use.

FIRST AID

- | | |
|--------------------|---|
| If in eyes: | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a Poison Control Center or doctor for treatment advice. |
|--------------------|---|

CONTACT NUMBER

Questions? Comments or In case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

STORAGE AND DISPOSAL: Dispose of wipe in trash after use. Close lid between uses to retain moisture.

Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling.

Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? Call 1-800-228-4722

For ingredient information, www.rbnainfo.com



Distributed by Reckitt Benckiser

Parsippany, NJ 07054-0224

Made in U.S.A. © 2013 RB

EPA Reg. No.: 777-114, EPA Est. No.: 8791-MO-1

8084313

KILLS COLD & FLU VIRUSES³

320
Wipes
4 pack



Disinfecting Wipes

4 x 80: 20.3 OZ. (1 LB. 4.3 OZ.) 576 g
Wet Wipes 7" x 8"
TOTAL: 320 Wet Wipes
81.2 OZ. (5 LB. 1.2 OZ.) 2.30 kg

ACTIVE INGREDIENT:
Alkyl (50%C14,40%C12,10%C16)
dimethyl benzyl
ammonium chloride.....0.26%
OTHER INGREDIENTS:.....99.74%
TOTAL:.....100.00%

Department of Agriculture
STATE OF HAWAII
LICENSED
PERIOD 2012-2014 LIC. NO.

Department of Agriculture
STATE OF HAWAII
LICENSED
PERIOD 2015-2017 LIC. NO.
9833.276



KEEP OUT OF
REACH OF CHILDREN
CAUTION:
SEE BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

INSERT
100%
UPC
0 19200 89397 8

Use this product as a convenient way to clean and disinfect your household surfaces. Each pre-moistened, disposable wipe kills germs** wherever you use it. No bottles, no sponges, no mess. Effective disinfecting has never been easier. Unplug small electrical appliances before use. Not recommended for bare wood surfaces. Do not use on dishes, glasses, or utensils.

*Kills Influenza A Virus and Human Coronavirus on hard, non-porous surfaces in 10 minutes.

**Kills Salmonella enterica (Salmonella), Influenza A Virus, Herpes Simplex Virus Type 1 and Respiratory Syncytial Virus on hard, non-porous surfaces in 10 minutes.

††This product removes the following allergens: dust mite debris, pet dander and pollen particles from timothy grass.

Baby's Room



- Diaper Pail
- Cribs
- Changing Table

Bathroom



- Potty Seat
- Bathtub
- Plastic Toys⁴

All Around the House



- High Chair
- Stroller
- Booster Seat

⁴Use on toys requires a rinsing step after disinfection – follow the Directions for use for Toys

DISINFECTS:

- Influenza A Virus (Strain New Caledonia/20/99)
- Respiratory Syncytial Virus
- Salmonella enterica (Salmonella)
- Herpes Simplex Virus Type 1
- Staphylococcus aureus (Staph)
- Human Coronavirus

SANITIZES:

- Salmonella enterica
- Escherichia coli (O157:H7) (E.coli O157:H7)
- Streptococcus pyogenes
- Staphylococcus aureus (MRSA)
- Listeria monocytogenes
- Enterobacter aerogenes
- Campylobacter jejuni
- Staphylococcus aureus (Staph)

FUNGISTATIC:

- Aspergillus niger (Mold & Mildew)

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To Open Package: Open cap lid and pull up firmly on lid to remove the entire cap from the canister. Locate wipe at the center of the roll and insert corner of wipe through opening in lid. DO NOT PUSH FINGER THROUGH OPENING. Replace lid. Pull sheet up and slightly to side. Always snap lid securely shut between uses to prevent moisture loss.

††To Clean / Remove Allergens: Use fresh wipe on surface. Repeat for stubborn stains.

To Sanitize / Disinfect: Pre-clean surface. Use enough fresh wipes to thoroughly wet surface. Surface must remain wet for the entire contact time.

To Sanitize: Allow to remain wet for 30 seconds.

To Disinfect: Allow to remain wet for 10 minutes. Allow surface to air dry. Toss dirty wipe away.

To Disinfect Toys: Use only on hard, non-porous surfaces and rinse thoroughly with water.

For surfaces that come in contact with food: Use only on hard, non-porous surfaces and rinse thoroughly with water.

To Prevent the Growth of Mold and Mildew and their odors: Pre-clean hard, non-porous surfaces. Wipe surface and allow to remain wet for 3 minutes. Allow surface to air dry. Repeat applications in weekly intervals or when mold and mildew growth appears.

NOT INTENDED FOR PERSONAL HYGIENE.

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

CAUTION: May cause eye irritation. Avoid contact with eyes. Wash hands after use.

FIRST AID

- If in eyes:**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
 - Call a Poison Control Center or doctor for treatment advice.

CONTACT NUMBER

Questions? Comments or in case of an emergency, call toll free 1-800-228-4722. Have the product container or label with you when calling a Poison Control Center, or doctor, or going for treatment.

STORAGE AND DISPOSAL: Dispose of wipe in trash after use. Close lid between uses to retain moisture. Non-refillable container. Do not reuse or refill this container. Discard in trash or offer for recycling. Contains no phosphates. This canister is made of 25% post-consumer recycled plastic.

Questions? ☎ 1-800-228-4722

For ingredient information, www.rbnainfo.com

Distributed by: Reckitt Benckiser, Parsippany, NJ 07054-0224

Made in U.S.A. © 2013 RB



EPA Reg. No.: 777-114
EPA Est. No.: 8791-MO-1

8084311

INSERT
100%
UPC

0 19200 89397 8