



# STRIKE® 50 WDG

GROUP 3 FUNGICIDE LICENSED

PERIOD 2011-2013 LIC. NO.

Greenhouse and Nursery Systemic Fungicide

FOR CONTROL OF CERTAIN DISEASES ON FLOWERS, FOLIAGE PLANTS, SHRUBS, AND SHADE TREES  
IN COMMERCIAL NURSERIES, GARDEN CENTERS AND GREENHOUSES.

**ACTIVE INGREDIENT:**

Triadimefon 1-(4-Chlorophenoxy)-3,3-dimethyl-1-(1H-1,2,4-triazol-1-yl)-2-butanone..... 50%

**OTHER INGREDIENTS:**..... 50%

**TOTAL:**..... 100%

EPA Reg. No. 432-1367-59807

EPA Est. indicated by third and fourth digits of the batch number on this package.

(03)=3125-MO-1 (98)=33967-NJ-1

**STOP - READ THE LABEL BEFORE USE  
KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See side panel for First Aid and underneath booklet for additional Precautionary Statements.

See inside for complete Directions for Use (including Storage and Disposal), and Conditions of Sale.

PRECAUCION AL USUARIO: Si usted no puede leer o entender inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

Net Contents: **8 ounces (227 grams)**



988195 Department of Agriculture  
STATE OF HAWAII



**LICENSED**

PERIOD 2014-2016 LIC. NO.

**9836.35**

For **TRANSPORTATION** Emergencies **ONLY** Call 24 Hours A Day 1-800-424-9300. For **HEALTH** and **PRODUCT USE** Information Call 1-800-356-4647.

| <b>FIRST AID</b>  |   |
|---|---|
| <b>If swallowed:</b>  | <ul style="list-style-type: none"><li>• Call a poison control center or doctor immediately for treatment advice.</li><li>• Have person sip a glass of water if able to swallow.</li><li>• Do not induce vomiting unless told to by a poison control center or doctor.</li><li>• Do not give anything by mouth to an unconscious person.</li></ul> |
| <b>If on skin or clothing:</b>  | <ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>   |
| <b>If inhaled:</b>  | <ul style="list-style-type: none"><li>• Move person to fresh air.</li><li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li><li>• Call a poison control center or doctor for further treatment advice.</li></ul>   |
| <b>If in eyes:</b>  | <ul style="list-style-type: none"><li>• Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>  |
| Have the product container or label with you when calling a poison control center or doctor or going for treatment.   |   |
| <b>SYMPTOMS OF POISONING:</b> The compound does not cause any definite symptoms that would be diagnostic. Poisoning is accompanied by hyperactivity followed by sedation. <b>To Physician:</b> No specific antidote. Treat symptomatically. |   |

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed, inhaled, or absorbed through the skin. Prolonged or frequently repeated skin contact may cause allergic skin reactions in some individuals. Avoid breathing dust or spray mist. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

### **Personal Protective Equipment (PPE):**

**Some materials** that are chemical-resistant to this product are waterproof material. If you want more options, follow the instructions for Category A on an EPA chemical-resistance category selection chart.

### **Mixers, loaders, applicators, flaggers, and other handlers must wear:**

- Long-sleeved shirt and long pants
- Shoes plus socks, and
- Chemical-resistant gloves made of waterproof material such as neoprene, butyl rubber, barrier laminate or nitrile rubber when mixing/loading or when using handheld equipment or handheld nozzles.
- Chemical-resistant apron, when mixing/loading, or cleaning spills or equipment.

### **USER SAFETY REQUIREMENTS**

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

**User Safety Recommendations:**

- Users should wash hands thoroughly with soap and water before eating , drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

## ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to organisms in neighboring areas. This product may contaminate water through runoff. This product has a high potential for runoff for several months or more after application. Poorly draining soils and soils with shallow water tables are more prone to product runoff that contains this product.

**Groundwater Advisory:** This chemical demonstrates the properties and characteristics associated with chemicals detected in ground water. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination. Do not make applications when weather conditions favor drift from target area.

## DIRECTIONS FOR USE

**It is a violation of Federal law to use this product in a manner inconsistent with its labeling.**

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Do not enter or allow others to enter until sprays have dried. Do not enter or allow others to enter the treated area (except those involved in watering-in) until watering-in is complete and the surface is dry.

Application to trees that bear fruit or nuts is prohibited. Applications are permitted on non-bearing fruit or nut trees only.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

#### **AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Shoes plus socks
- Chemical-resistant gloves made of any waterproof material.

#### NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not enter or allow others to enter until sprays have dried.

**APPLICATION: STRIKE® 50 WDG Greenhouse and Nursery Systemic Fungicide** is absorbed rapidly and works systemically from within the plant. Good coverage and wetting of the foliage are necessary. Rainfall or sprinkler irrigation, within 30 minutes after application does not decrease effectiveness. Control may be less effective on plants suffering from drought stress. Therefore, in order to achieve maximum control, plants should be maintained in a vigorously growing state through good cultural practices. In all cases apply when plants are fully established and actively growing. Applications should be applied at recommended intervals to maintain disease control.

**Mixing:** Add the recommended amount of **STRIKE 50 WDG Nursery and Greenhouse Fungicide** into the spray tank while filling with water to the desired level. Operate the agitator while mixing. If other materials are added to the spray tank, **STRIKE 50 WDG Nursery and Greenhouse Fungicide** should be thoroughly dispersed prior to the addition of other materials.

### ORNAMENTAL PLANT DISEASE CONTROL

**Locate plant(s) (see below) to be treated.** Cross reference the number/letter codes, following the plant name, to the specific diseases (see below) controlled. Refer to Application Rates section for instructions detailing use for each disease. In California, only those plants marked with an asterisk may be treated.

| DISEASES   |  |   |  |                                   |
|--|--|---|--|-----------------------------------|
| Flower Blight<br>(1)   | Leaf Blight/Spots<br>(2)   | Powdery Mildew<br>(3)   | Rusts<br>(4)   | Tip Blight<br>(5)                 |
| a) <i>Ovulinia</i> spp. [A]<br>b) <i>Sclerotinia</i> spp. [A]<br>c) <i>Collectotrichum</i> [A] | a) <i>Cephalosporium</i> spp. [C]<br>b) <i>Cerocospora</i> spp.<br>c) <i>Didymellina</i> spp. [B]<br>d) <i>Didymascella thujina</i> [G]<br>e) <i>Entomosporium</i> spp. [C]<br>f) <i>Exobasidium</i> spp.[E] | <i>Erysiphe</i> spp.<br><i>Microsphaera</i> spp.<br><i>Oidium</i> spp.<br><i>Podosphaera</i> spp.<br><i>Phyllactinia</i> spp.<br><i>Sphaerotheca</i> spp.<br><i>Uncinula</i> spp. | a) <i>Coleosporium</i> spp.<br>b) <i>Cronartium</i> spp. [B] (Fusiform)<br>c) <i>Gymnosporangium</i> spp.<br>d) <i>Melampsora</i> spp. [F]<br>e) <i>Melampsora farlowii</i> [A]<br>f) <i>Melampsoridium</i> spp.<br>g) <i>Peridesmium</i> spp. [B]<br>h) <i>Phragmidium andersonii</i><br>i) <i>Puccinia</i> spp.<br>j) <i>Uromyces</i> spp.<br>k) <i>Uredinopsis mirabilis</i> spp. [A] | <i>Sirococcus strobilinus</i> [B] |

### ORNAMENTAL PLANT DISEASE CONTROL *(continued)*

**Locate plant(s) (see below) to be treated.** Cross reference the number/letter codes, following the plant name, to the specific diseases (see below) controlled. Refer to Application Rates section for instructions detailing use for each disease. In California, only those plants marked with an asterisk may be treated.

| PLANTS   |                       |                      |                     |                    |
|--|-----------------------|----------------------|---------------------|--------------------|
| Flowering & Foliage Plants (Non-commercial Greenhouse [D]) |                       |                      |                     |                    |
| African Violet* (3)  | Chrysanthemum* (3, 4) | Fern, Boston (4)     | Grape Leaf Ivy* (3) | Rose* (3)          |
| Azalea (1a, 2f, 3)   | Cineraria (3)         | <i>Desmella</i> spp. | Hydrangea (3)       | Snapdragon (3, 4)  |
| Calendula (3, 4)   | Crassula (3)          | Geranium* (3, 4)     | Kalanchoe (3)       |                    |
| Carnation* (3, 4)  | Daisy (3, 4)          | Gerbera (3)          | Poinsettia (3)      |                    |
| Flowering & Foliage Plants (Outdoor)                       |                       |                      |                     |                    |
| Ageratum (2b, 3, 4)  | Dahlia (3)            | Geranium* (3, 4)     | Pansy (3, 4)        | Sedum (3)          |
| Aster (4)  | Delphinium (3)        | Hollyhock* (3, 4)    | Petunia (3, 4)      | Snapdragon* (3, 4) |
| Begonia* (3)   | Dendrobium (1c)       | Hydrangea (3)        | Phlox (2b, 3, 4)    | Sunflowers (3, 4)  |
| Canna (4)  | (Hawaii Only)         | Iris* (2c)           | Poinsettia (3)      | (ornamental only)  |
| Carnation (3, 4)   | Dianthus (4)          | Marigold (2b, 4)     | Rose* (3)           | Sweet peas* (3)    |
| Chrysanthemum (3, 4)                                       | Four O'Clock (4)      | Nephthytis* (2a)     | Salvia (3, 4)       | Zinnia* (2b, 3)    |

### ORNAMENTAL PLANT DISEASE CONTROL *(continued)*

**Locate plant(s) (see below) to be treated.** Cross reference the number/letter codes, following the plant name, to the specific diseases (see below) controlled. Refer to Application Rates section for instructions detailing use for each disease. In California, only those plants marked with an asterisk may be treated.

| PLANTS                       |                              |                    |                              |                          |
|------------------------------|------------------------------|--------------------|------------------------------|--------------------------|
| Ornamental Shrubs & Trees    |                              |                    |                              |                          |
| Amelanchier (3)              | Crabapple (flowering) (3, 4) | Hemlock (4e)       | Mountain Laurel (1a, 2b, 3)  | Privet (2b, 3)           |
| Azalea* (1a, 2f, 3)          | Crape myrtle* (3)            | Holly (3)          | Ninebark (3)                 | Pyracantha (3)           |
| Barberry (3, 4)              | Dogwood (3)                  | Juniper (4)        | Paulownia (3) (Empress Tree) | Rhododendron (1a, 2b, 3) |
| Buckthorn (4)                | Euonymus* (3)                | Leucothoe (2b)     | Pear (Flowering) (3)         | Spirea (3)               |
| Camellia (suppression of 1b) | Gardenia (3)                 | Lilac (3)          | Photinia (2e, 3, 4)          | Viburnum* (3, 4)         |
| Cedar* (2d)                  | Hawthorn (3, 4)              | Mock-Orange (3, 4) | Potentilla (4) (Cinquefoil)  | Vitex (2b) (Chaste Tree) |
| Shade Trees                  |                              |                    |                              |                          |
| Ash (3)                      | Chestnut (3)                 | Locust (3)         | Poplar (3, 4)                | Willow* (3, 4)           |
| Aspen (3, 4)                 | Cottonwood (3, 4)            | Maple (3)          | Russian Olive (2b, 4)        |                          |
| Birch (3, 4)                 | Elm (3)                      | Oak* (3)           | Sycamore* (3)                |                          |
| Buckeye (3)                  | Fir (4)                      | Pine* (4, 5)       | Walnut (3)                   |                          |

Application with hose-end sprayers are permitted only for outdoor use on ornamentals. Use of hose-end sprayer equipment in residential greenhouses is prohibited.

**APPLICATION RATES:** Except as noted for specific diseases, mix 1 to 2 ounces of **STRIKE® 50 WDG Greenhouse and Nursery Systemic Fungicide** in 100 gallons of water and apply as a full coverage foliage spray to the point of drip as needed.

[A] Mix 4 to 8 ounces of **STRIKE® 50 WDG Greenhouse and Nursery Systemic Fungicide** in 100 gallons of water and apply as a full-coverage foliar spray to the point of drip. Applications should begin at the expanded bud stage (color showing). Use multiple applications at 7 to 14-day intervals as needed dependent upon bloom periods.

[B] Mix 8 ounces of **STRIKE® 50 WDG Greenhouse and Nursery Systemic Fungicide** plus sufficient spreader sticker for good coverage in 100 gallons of water. Apply in a spray application to the point of run-off on an as needed basis during the early part of the season. Excessive rates or excessive applications may result in a shortening of the flower stalk on iris.

[C] Mix 4 to 8 ounces of **STRIKE® 50 WDG Greenhouse and Nursery Systemic Fungicide** in 100 gallons of water and apply as a full coverage foliar spray to point of run-off. Apply in early spring as growth starts and re-apply on a 14 to 21-day interval until new growth is fully expanded. Protect new growth that develops in late summer or fall as temperatures begin to drop.

[D] **Greenhouse Applications**

Winter Use - 1 oz of **STRIKE® 50 WDG Greenhouse and Nursery Systemic Fungicide**

Summer Use - 2 oz of **STRIKE® 50 WDG Greenhouse and Nursery Systemic Fungicide**

Mix specified amount of **STRIKE® 50 WDG Greenhouse and Nursery Systemic Fungicide** in 100 gallons of water and apply in a spray application to the point of drip. Intervals between applications should be no shorter than 30 days to avoid flower stalk length reduction. Excessive rates or applications may result in a shortening of the flower stalk.

- [E] For control of *Exobasidium* flower and leaf gall, apply 2 oz of **STRIKE® 50 WDG Greenhouse and Nursery Systemic Fungicide** in 100 gallons of water. Begin application at bud break and apply at 10-day intervals through infestation period.
- [F] For control of *Melampsora pini torqua* (Pine Twisting Rust), apply a single application in spring during periods favorable for infection. Mix 8 oz in 100 gallons of water and apply to shoots in the upper whorl of susceptible pine species. Make a single application per year as a full coverage application sprayed to run-off.
- [G] For control of *Didymascella thujina*, Cedar Leaf Blight, apply 0.5 lb per acre in sufficient water to provide full coverage in nurseries, or 0.25 lb/100 gallons applied as a full coverage spray to ornamentals. Begin applications before disease appears in spring, and repeat at 60-day intervals through early fall.

**COMPATIBILITY:** **STRIKE 50 WDG Greenhouse and Nursery Systemic Fungicide** is compatible with many registered insecticides and fungicides. To determine the compatibility of **STRIKE 50 WDG Greenhouse and Nursery Systemic Fungicide** with specific products, the following procedure should be conducted. Pour the recommended proportions of the products into a suitable container of water, mix thoroughly and allow to stand at least 5 minutes. If the combination remains mixed or can be re-mixed readily, the mixture is considered physically compatible.

**SPRAY ADDITIVES:** Use of various spray additives such as spreaders, extenders, trace elements or fertilizers should be evaluated prior to use. The label directions given here are based on data obtained with no additives; use of any product with **STRIKE 50 WDG Greenhouse and Nursery Systemic Fungicide** may affect the result. Contact local university extension personnel prior to use of spray mix additives.

**RESTRICTIONS:**

Do not use edible portions of treated plants for food or feed purposes.

- Edible portions of treated trees, such as nuts and syrup, should not be used for feed or food.
- **DO NOT APPLY THIS PRODUCT IN A WAY THAT WILL CONTACT WORKERS OR OTHER PERSONS OR PETS, EITHER DIRECTLY OR THROUGH DRIFT. KEEP PEOPLE AND PETS OUT OF THE AREA DURING APPLICATION.**

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If the container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Material that cannot be used as directed should be disposed of according to state and local solid waste agency disposal regulations. Contact your local solid waste disposal agency for directions. In spill or leak incidents, keep unauthorized people away.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Non refillable container. Do not reuse or refill this container.

Completely empty containers into application equipment. Then dispose of empty containers in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

### IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of OHP, Inc. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer.

**DISCLAIMER OF WARRANTIES:** TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, OHP, INC. MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of OHP, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, OHP, INC. DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

**LIMITATIONS OF LIABILITY:** TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT OHP, INC.'S ELECTION, THE REPLACEMENT OF PRODUCT.

STRIKE is a registered trademark of OHP, Inc.

Produced for:

OHP, Inc.

PO Box 230

Mainland, PA 19451

(800) 356-4647

ESL082310 REV072111



**NOTES**

**NOTES**

**NOTES**

**STRIKE® 50 WDG****GROUP 3 FUNGICIDE**

Greenhouse and Nursery Systemic Fungicide

**FOR CONTROL OF CERTAIN DISEASES ON FLOWERS, FOLIAGE PLANTS, SHRUBS, AND SHADE TREES IN COMMERCIAL NURSERIES, GARDEN CENTERS AND GREENHOUSES.****ACTIVE INGREDIENT:**Triadimefon 1-(4-Chlorophenoxy)-3,3-dimethyl-1-(1*H*-1,2,4-triazol-1-yl)-2-butanone ..... 50%**OTHER INGREDIENTS:** ..... 50%**TOTAL:** ..... 100%

EPA Reg. No. 432-1367-59807

EPA Est. indicated by third and fourth digits of the batch number on this package.

(03)=3125-MO-1 (98)=33967-NJ-1

**STOP - READ THE LABEL BEFORE USE  
KEEP OUT OF REACH OF CHILDREN  
CAUTION**

PRECAUCION AL USUARIO: Si usted no puede leer o entender inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

Net Contents: **8 ounces (227 grams)****988195**For TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-424-9300.  
For HEALTH and PRODUCT USE Information Call 1-800-356-4647.

| FIRST AID   |  |
|---|--|
| <b>If swallowed:</b>  | <ul style="list-style-type: none"> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul> |
| <b>If on skin or clothing:</b>  | <ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>  |
| <b>If inhaled:</b>  | <ul style="list-style-type: none"> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>  |
| <b>If in eyes:</b>  | <ul style="list-style-type: none"> <li>Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>  |
| Have the product container or label with you when calling a poison control center or doctor or going for treatment.   |  |
| <b>SYMPTOMS OF POISONING:</b> The compound does not cause any definite symptoms that would be diagnostic. Poisoning is accompanied by hyperactivity followed by sedation. |  |
| <b>To Physician:</b> No specific antidote. Treat symptomatically.   |  |

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS****CAUTION:** Harmful if swallowed, inhaled, or absorbed through the skin. Prolonged or frequently repeated skin contact may cause allergic skin reactions in some individuals. Avoid breathing dust or spray mist. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.**ENVIRONMENTAL HAZARDS**

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to organisms in neighboring areas.

This product may contaminate water through runoff. This product has a high potential for runoff for several months or more after application. Poorly draining soils and soils with shallow water tables are more prone to product runoff that contains this product.

**Groundwater Advisory:** This chemical demonstrates the properties and characteristics associated with chemicals detected in ground water. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination. Do not make applications when weather conditions favor drift from target area.**DIRECTIONS FOR USE****It is a violation of Federal law to use this product in a manner inconsistent with its labeling.** Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Do not enter or allow others to enter until sprays have dried. Do not enter or allow others to enter the treated area (except those involved in watering-in) until watering-in is complete and the surface is dry. Application to trees that bear fruit or nuts is prohibited. Applications are permitted on non-bearing fruit or nut trees only.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If the container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Material that cannot be used as directed should be disposed of according to state and local solid waste agency disposal regulations. Contact your local solid waste disposal agency for directions. In spill or leak incidents, keep unauthorized people away.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.**Container Disposal:** Non refillable container. Do not reuse or refill this container.

Completely empty containers into application equipment. Then dispose of empty containers in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

See attached booklet for complete labeling including Directions for Use, Storage and Disposal, Conditions of Sale, etc.

ESL082310 REV072111

Produced for: OHP, Inc., P.O. Box 230, Mainland, PA 19451 (800) 356-4647

