

COMBAT

PLATINUM

ROACH KILLING GEL



KILLS ROACHES FAST
Mata Cucarachas Rapido

ROACH
PARA CUCARACHAS

Advanced Food Formula
Fórmula Avanzada de Comida

KEEP OUT OF REACH OF CHILDREN
USE ONLY IN AREAS INACCESSIBLE TO CHILDREN AND PETS

CAUTION: (SEE PRECAUTIONARY STATEMENTS ON SIDE PANEL)

MANTENGA FUERA DEL ALCANCE DE LOS NIÑOS
USAR SOLO EN AREAS INACCESSIBLES A NIÑOS Y MASCOTAS

PRECAUCIÓN: (VEA EL LADO Y DE ATRAS PARA DECLARACIONES PREVENTIVAS)

ACTIVE INGREDIENT: Fipronil†0.01%
OTHER INGREDIENTS: 99.99%
†CAS No. 120068-37-3

1 Syringe, TOTAL NET WT 1.05 OZ (30 g)

Product may stain textiles and clothing. **PRECAUTIONARY STATEMENTS:** HAZARDS TO HUMANS AND DOMESTIC ANIMALS. **CAUTION:** Keep gel away from foods and food contact surfaces. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. **FIRST AID: IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of soap and water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open, rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment. **PHYSICAL OR CHEMICAL HAZARDS:** Do not use this product in or on electrical equipment due to the possibility of a shock hazard. **STORAGE AND DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store in a cool, dry area out of reach of children. **DISPOSAL:** If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency. If you have questions regarding the use of this product, please call the Combat® helpline at 1-800-426-6228 for information.

El producto puede manchar telas y ropa. **DECLARACIONES PREVENTIVAS:** RIESGOS PARA SERES HUMANOS Y ANIMALES DOMÉSTICOS. **PRECAUCIÓN:** Mantenga el tubo lejos de alimentos y superficies de contacto con alimentos. Nocivo si se absorbe por la piel. Causa una irritación moderada de los ojos. Evite el contacto con la piel, ojos, y ropa. Lávese bien con agua y jabón después de manejarlo y antes de comer, beber, masticar chicle, o utilizar tabaco. **PRIMEROS AUXILIOS: EN CASO DE CONTACTO CON LA PIEL O LA ROPA:** Quitar la ropa contaminada. Lave inmediatamente la piel con abundante agua durante 15 a 20 minutos. Llame a un centro de control de envenenamiento o a un médico para obtener asesoría sobre el tratamiento. **SI ENTRA EN CONTACTO CON LOS OJOS:** Mantenga los ojos abiertos y enjuague con agua lentamente con cuidado durante 15 a 20 minutos. Quite lentes de contacto, después de los primeros 5 minutos, luego continúe enjuagando los ojos. Llame a un centro de control de envenenamiento o a un médico para obtener asesoría sobre el tratamiento. Tenga a la mano el envase o la etiqueta del producto cuando llame a un centro de control de envenenamiento o a un médico. **RIESGOS FÍSICOS O QUÍMICOS:** No use este producto en ni cerca de equipo eléctrico debido a la posibilidad de un riesgo de choque eléctrico. **ALMACENAMIENTO Y ELIMINACIÓN:** No contamine agua, alimentos o comida de animales al almacenar o eliminar este producto. **ALMACENAMIENTO:** Guarde en un lugar fresco y seco, fuera del alcance de los niños. **ELIMINACIÓN:** Si está vacío: No vuelva a usar el recipiente. Coloque en la basura u ofrezca para reciclar si este servicio está disponible. Si está parcialmente lleno: Llame a su entidad de desechos sólidos local. Si tiene preguntas sobre el uso de este producto, favor de llamar a la Línea de Ayuda COMBAT al 1-800-426-6228 para información.

EPA Reg. No. 64240-45, EPA Est. No. 071106-GA-001. DIST. BY ©2006 COMBAT INSECT CONTROL SYSTEMS, SCOTTSDALE, ARIZONA 85254. MADE IN USA.
EPA Reg. No. 64240-45, EPA Est. No. 071106-GA-001. DIST. POR ©2006 SISTEMAS DE CONTROL DE INSECTOS COMBAT, SCOTTSDALE, ARIZONA 85254. HECHO EN EE. UU.



LICENSED

PERIOD 2015-2017 LIC. NO.

9856.70



LICENSED

PERIOD 2012-2014 LIC. NO.



LICENSED

PERIOD 2009-2011 LIC. NO.




LICENSED

PERIOD 2006-2008 LIC. NO.

- Easy to use
- For hard-to-reach places such as cracks and crevices
- Starts working in hours
- Fácil de usar
- Para lugares de difícil acceso, como grietas y hendiduras.
- Elimina las cucarachas en horas

HOW COMBAT® WORKS: — PLATINUM ROACH KILLING GEL — COMO FUNCIONA:



The gel attracts roaches in search of food and water to the bait.
El gel atrae las cucarachas en busca de comida y agua a la trampa.
Roaches ingest the bait and return to die in their nest.
Las cucarachas se comen el gel y regresan a morir a su nido.

FOR INDOOR USE: Do not apply gel to surfaces where food is handled or prepared. Do not contaminate food or utensils with gel. **FOR OUTDOOR USE:** (adjacent to home or structure) Place gel in areas adjacent to structures where roaches may nest or breed. Apply gel to places where roaches may enter your home, such as eaves, sills and expansion joints. Apply gel in protected areas whenever possible, as direct sunlight and water will reduce the residual effectiveness.

PARA USO INTERNO: No aplique el gel en superficies donde se maneja o prepara comida. No contamine alimentos ni utensilios con el gel. **PARA USO EXTERNO:** (adyacente a la casa o estructura) Coloque el producto en áreas donde las cucarachas pueden tener sus nidos o pueden procrear. Aplique el tratamiento en lugares estratégicos de entrada de cucarachas como aleros, bordes y ángulos. Aplique el producto en áreas protegidas cuando sea posible, pues la luz directa y agua reducirá la efectividad residual.

GUARANTEED TO WORK



OR YOUR MONEY BACK! Call the COMBAT®
HELPLINE at 1-800-426-6228 for information.

EFFECTO GARANTIZADO

O LE DEVOLVEREMOS SU DINERO! Llamar
a la línea de Ayuda COMBAT®
1-800-426-6228 para información

DIRECTIONS FOR USE:/ MODO DE EMPLEO:

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. SEE THE ENTIRE LABEL INSIDE THIS PACKAGE FOR COMPLETE DIRECTIONS. DO NOT USE THIS PRODUCT BEFORE READING THE ENTIRE LABEL. DO NOT USE FOR CONTROL OF INSECTS OTHER THAN THOSE LISTED ON THIS LABEL.
SE CONSIDERA UNA VIOLACIÓN A LA LEY FEDERAL USAR ESTE PRODUCTO CON OTROS FINES QUE LOS INDICADOS EN LA ETIQUETA. VEA LA ETIQUETA ENTERA ADENTRO DEL PAQUETE PARA OBTENER LAS INSTRUCCIONES COMPLETAS. NO USE ESTE PRODUCTO ANTES DE LEER LA ETIQUETA COMPLETA. NO USE PARA EL CONTROL DE INSECTOS QUE NO SE HAYAN MENCIONADO EN ESTE RÓTULO.



- 1 To apply gel: Remove cap from tip, touch tip to surface and depress plunger.** Gel can be applied as spots or in a line along cracks or crevices. See application rate chart. For first application, apply gel in 4 dime-sized spots or several 1½ to 6-inch lines per square yard. Recap tube after use.
Aplicación: Quitar la tapita. Aplicar el gel en las superficies presionando el disparador. El gel se puede aplicar haciendo marcas o dibujando una línea a lo largo de grietas y hendiduras. Vea la gráfica de cantidad de aplicación. Para primer aplicación aplique el gel en 4 gotas o en varias franjas de 1 1/2 a 6 pulgadas por yarda cuadrada. Tapar el tubo después de usarlo.
- 2 Place many spots or dabs of gel near areas of roach traffic and suspected nesting areas.** Gel can be placed in cracks, crevices, corners and spots where roaches occur.
Aplique el gel en áreas donde circulan frecuentemente las cucarachas y en lugares donde pueden albergar sus nidos. El gel se puede aplicar en hendiduras, grietas, esquinas y lugares donde puede haber cucarachas.
- 3 Inspect gel after one month and reapply if it is no longer visible.** Refresh with a new application after 3 months. Gel cleans up with a damp paper towel. Discard towel after use.
Al cabo de un mes inspeccionar el gel aplicado y reaplicar si ya no es visible. Reaplicar después de 3 meses. El gel se limpia con una toalla de papel humedecida. Tirar la toalla de papel una vez usada.



PLEASE RECYCLE EMPTY CARTON.
Por Favor recicle el cartón vacío.

Quality from 
Calidad de Henkel

KEEP OUT OF REACH OF CHILDREN AND PETS. Use only in areas inaccessible to children and pets.

CO-5-51968-??

NOTE: DO NOT REMOVE THIS LABEL.

SEE CARTON FOR COMPLETE DIRECTIONS AND PRECAUTIONS.

LEER LAS INSTRUCCIONES Y PRECAUCIONES EN EL CARTÓN.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS. MANTENGA EL PRODUCTO ALEJADO DEL ALCANCE DE LOS NIÑOS. USAR SOLO EN AREAS INACCESIBLES A NIÑOS Y MASCOTAS. PRECAUCIONES: RIESGOSO PARA PERSONAS Y ANIMALES DOMESTICOS.

CAUTION: Keep gel away from foods and food contact surfaces. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. **FIRST AID: IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of soap and water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open, rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment. **PHYSICAL OR CHEMICAL HAZARDS:** Do not use this product in or on electrical equipment due to the possibility of a shock hazard. **STORAGE AND DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store in a cool, dry area out of reach of children. **DISPOSAL:** If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency.

COMBAT

PLATINUM
ROACH KILLING GEL

Product may stain textiles and clothing.
Questions or Comments? Call 1-800-426-6228.
DIST. BY ©2006 COMBAT INSECT CONTROL SYSTEMS
SCOTTSDALE, ARIZONA 85254. MADE IN USA.
EPA Reg. No. 64240-45, EPA Est. No. 071106-GA-001
CO-5-51962-03

ACTIVE INGREDIENT: Fipronil+ 0.01%
OTHER INGREDIENTS: 99.99%
+CAS NO. 120068-37-3

NET WT 1.05OZ (30g)



PLATINUM ROACH KILLING GEL

USE ONLY IN AREAS INACCESSIBLE TO CHILDREN AND PETS

KEEP OUT OF REACH OF CHILDREN

CAUTION

ACTIVE INGREDIENT: Fipronil*.....0.01%

OTHER INGREDIENTS:.....99.99%

*CAS No. 120068-37-3

Contains: 1 Syringe

TOTAL NET WT 0.42 OZ (12g) or 1.05 OZ (30g) or 2.1 OZ (60g)

EPA Reg. No: 64240-45. EPA Est. No. 071106-GA-001.

DISTRIBUTED BY ©2006 COMBAT INSECT CONTROL SYSTEMS, SCOTTSDALE, ARIZONA 85254. MADE IN USA.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

CAUTION: Keep gel away from foods and food contact surfaces. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

FIRST AID: IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of soap and water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open, rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

PHYSICAL OR CHEMICAL HAZARDS: Do not use this product in or on electrical equipment due to the possibility of a shock hazard.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store in a cool, dry area out of reach of children. **DISPOSAL:** If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency.

Product may stain textiles and clothing.

If you have questions regarding the use of this product, please call the Combat® helpline at 1-800-426-6228 for information.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not use for control of insects other than those listed on this label.

COMBAT® Platinum Roach Killing Gel may be used as a spot or crack and crevice treatment for the indoor and outdoor (adjacent to homes & structures) control of cockroaches in residential areas. Do not apply gel to surfaces where food is handled or prepared. Do not contaminate food or utensils with gel.

GENERAL DIRECTIONS:

Application rate is dependent on level of infestation and species to be controlled. Gel can be applied only as spots or as a bead or in a line or in a strip in cracks and crevices. The lower application rate should be used for low to moderate infestations or re-treatments, and the higher rate for more severe infestations or where the population occurs in inaccessible areas, such as in walls. Gel placements should be made at or near harborages or aggregation areas, such as corners, areas of movement or cracks and crevices. Numerous smaller placements will provide faster control than fewer larger spots, especially for German cockroach control.

LEVEL OF INFESTATION OR SPECIES	APPLICATION RATE (PER SQ. YD.)
MODERATE INFESTATIONS OR RE-TREATS FOR GERMAN OR BROWN-BANDED ROACHES	1 - 2 SPOTS (DIME-SIZED) OR 1½" - 3" BEAD (LINE/STRIP)
SEVERE OR HEAVY INFESTATIONS FOR GERMAN OR BROWN-BANDED ROACHES LARGE ROACHES SUCH AS AMERICAN, SMOKEY-BROWN OR ORIENTAL	2 - 4 SPOTS (QUARTER-SIZED) OR 3" - 6" BEAD (LINE/STRIP)

Do not apply gel to areas that have recently been sprayed with insecticide, and do not spray insecticide over gel as it may cause the bait to become repellent.

FOR INDOOR USE: Do not apply gel to surfaces where food is handled or prepared. Do not contaminate food or utensils with gel.

- To apply gel: Remove cap from tip, touch tip to surface and depress plunger. Gel can be applied only as spots or in a bead or a line or a strip along cracks or crevices. See application rate chart. For first application, apply gel in 4 dime-sized spots or several 1½ to 6-inch beads or lines or strips per square yard. Recap tube after use.
- Place many spots or dabs of gel near areas of roach traffic and suspected nesting areas. Gel can be placed in cracks, crevices, corners and spots where roaches occur.
- Inspect gel after one month and reapply if no longer visible. Refresh with a new application after 3 months. Gel cleans up with a damp paper towel. Discard towel after use.

FOR OUTDOOR USE (adjacent to home or structure): Place gel in areas adjacent to structures where roaches may nest or breed. Apply gel to places where roaches may enter your home, such as eaves, sills and expansion joints. Apply gel in protected areas whenever possible, as direct sunlight and water will reduce the residual effectiveness.

- Easy to use
- No vapors or fumes
- For hard-to-reach places such as cracks and crevices
- Fast control of even large roaches
- Long residual action
- Ideal for use with COMBAT® bait stations
- Starts working in hours
- COMBAT® Platinum Roach Killing Gel kills roaches fast.
- Roaches eat the gel and die in the nest.
- COMBAT® Platinum Roach Killing Gel has a specific combination of roach food attractants and a fast-acting active ingredient to create a highly effective tool in the fight against roaches.
- The gel attracts roaches in search of food and water to the bait.
- Roaches ingest the bait and return to die in their nest.

Please recycle empty carton.

Guaranteed to Work or your money back! Call the Combat® helpline at 1-800-426-6228 for information.