Dantobrom™ granular

HEALTH	3
FLAMMABILITY	1
REACTIVITY	1

UN3085

Oxidizing solid, corrosive, n.o.s. (Bromochloro-5,5-dimethylimidazolidine-2,4-dione)

PROD. No.

177912

LOT No.

Net Weight:
450 LB
204.12 KG

Department of Agriculture
STATE OF HAWAII
LICENSED
PERIOD 2014-2016 LIC. NO. 9899.66

Lonza Inc.
90 Boroline Road
Allendale, NJ 07401 USA
EMERGENCY TEL NO. (309) 697-7200

Lonza

DANTOBROM® GRANULAR

FOR FORMULATING AND / OR REPACKAGING USE

Contents: Granular

KEEP OUT OF REACH OF CHILDREN

DANGER

Manufactured by Lonza Inc., 90 Boroline Road, Allendale, NJ 07401
03-22-2012

DANTOBROM , a LONZA trademark, is registered in the USA.

EPA Reg No. 6836-338

Active Ingredients:

1-bromo-3-chloro-5,5-dimethylhydantoin	54.2%
1,3-dichloro-5,5-dimethylhydantoin	28.9%
1,3-dichloro-5-ethyl-5-methylhydantoin	15.9%
Other Ingredients:	1.0%
Total	100.0%

Total Available Halogen as Bromine.....141%
Total Available Halogen as Chlorine 62.8%

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. HIGHLY CORROSIVE. Cause irreversible eye damage and skin burns. May be fatal if swallowed. Do not take internally. Irritating to nose and throat. Avoid breathing dust. Use with adequate ventilation. Do not get into eyes, on skin or clothing. Wear protective clothing, chemical resistant gloves and protective eyewear (goggles, face shield or safety glasses). Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

FIRST AID

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes.
IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

CHEMICAL HAZARD: STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well-ventilated area. Flood with large volumes of water if necessary.

FOR REFORMULATING AND / OR REPACKAGING USE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the labeling.

For use in formulating antimicrobial pesticides for use in/on commercial, industrial, residential premises and equipment, recirculating water systems, pulp and paper, secondary oil recovery.

Reformulated or repackaged products must be registered with EPA. The registrant must supply data required for their own registration

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE
Do not store in direct sunlight. Do not store at temperatures above 100°F. Store in a well ventilated area away from heat or open flame. In case of decomposition, isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding.

PESTICIDE DISPOSAL
Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to the label instructions, contact your State Pesticide or Environmental Control Agent or the hazardous waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL
Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying.
Metal and plastic containers: Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.
Fiber drums and liners: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Then dispose of liner and drum in a sanitary landfill or incinerate if allowed by state and local authorities. Do not reuse empty drum or liner.
Super sacks: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke

HEALTH 3
FLAMMABILITY 1
REACTIVITY 1

PROD. No.

177912

LOT No.

Net Weight:
450 LB
204.12 KG

EPA Est.: 6836-PA-001

FOR HELP IN A CHEMICAL EMERGENCY CALL CHEMTREC 800-424-9300. BEFORE USING CONSULT MATERIAL SAFETY DATA SHEET.

0 000000011757 /