



STATE OF HAWAII
Department of Agriculture

ACCEPTED
LICENSE NO. **9903.37**

ACE GREEN TURF

COVERS 5,000 SQUARE FEET

7174527



ACE GREEN TURF®

Winterizer

Weed and Feed

KILLS WEEDS WHILE FEEDING YOUR LAWN

Fertilizante y Herbicida para el Invierno

24-0-12

Net Wt. 16 lbs.
(7.26 kg)



Kills over
250
weeds

Kills clover,
chickweed, spurge
and many other
broadleaf weeds

Kills weeds now for
fewer weeds in spring.
Encourages early
spring green-up

ACTIVE INGREDIENTS:	
2,4-D, 2-ethylhexyl ester.....	1.108%
Mecoprop-p acid.....	0.167%
Dicamba acid.....	0.071%
OTHER INGREDIENTS.....	98.654%
TOTAL.....	100.000%

THIS PRODUCT CONTAINS:
 14.70 lb. 2,4-dichlorophenoxyacetic acid equivalent per ton or 0.735%, CAS 1928-43-4
 3.34 lb. (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton or 0.167%, CAS 16484-77-8
 1.42 lb. 3,5-dichloro-p-anisic acid equivalent per ton or 0.071%, CAS 1918-00-9
 Isomer Specific by AOAC Methods
 TRIMEC® is a registered trademark of PBI/Gordon Corporation.

KEEP OUT OF REACH OF CHILDREN
CAUTION See back panel for First Aid and additional
Precautionary Statements

Net Wt. 16 lbs. (7.26 kg)

ACE GREEN TURF[®] Winterizer Weed and Feed

KILLS WEEDS WHILE FEEDING YOUR LAWN

Fertilizante y Herbicida para el Invierno

24-0-12

**Net Wt. 16 lbs.
(7.26 kg)**



**Kills over
250
weeds**

**Kills clover,
chickweed, spurge
and many other
broadleaf weeds**

**Kills weeds now for
fewer weeds in spring.
Encourages early
spring green-up**

ACTIVE INGREDIENTS:	
2,4-D, 2-ethylhexyl ester.....	1.108%
Mecoprop-p acid.....	0.167%
Dicamba acid.....	0.071%
OTHER INGREDIENTS:	98.654%
TOTAL	100.000%

THIS PRODUCT CONTAINS:

- 14.70 lb. 2,4-dichlorophenoxyacetic acid equivalent per ton or 0.735%. CAS 1928-43-4.
- 3.34 lb. (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton or 0.167%. CAS 16484-77-8.
- 1.42 lb. 3,6-dichloro-o-anisic acid equivalent per ton or 0.071%. CAS 1918-00-9

Isomer Specific by AOAC Methods

TRIMEC[®] is a registered trademark of PBI/Gordon Corporation.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back panel for First Aid and additional
Precautionary Statements

Net Wt. 16 lbs. (7.26 kg)

ACE GREEN TURF® Winterizer Weed and Feed

KILLS WEEDS WHILE FEEDING YOUR LAWN

Fertilizante y Herbicida para el Invierno

24-0-12

Net Wt. 16 lbs.
(7.26 kg)



**READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND FOLLOW
DIRECTIONS CAREFULLY.**

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partially filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For Emergency Medical Treatment Information call: 1-888-208-1368.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street back onto the treated area of the lawn will help to prevent run off to water bodies or drainage systems.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- Do not apply this product in a way that will contact any person or pet either directly or through drift.
- This product is for residential use.
- Do not allow people (other than applicator) or pets on treatment area during treatment. Do not enter treatment area until dust has settled.

Ace Green Turf Weed and Feed contains Trimec® Herbicide. Trimec® controls a wide range of lawn weeds, including dandelion, chickweed, plantain, henbit, spurge and many other weeds commonly found in home lawns. In addition, a 24-0-12 fertilizer provides a supply of lawn food. Possible retreatment may be necessary if (a) the lawn is heavily overrun by weeds or, (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in approximately 30 days. Treated areas may be seeded 3 weeks after application.

USE PRECAUTIONS

- Do not use on dichondra, carpetgrass, 'Floratam' St. Augustinegrass, creeping bentgrass, or turfgrass where desirable clovers are present.
- Do not apply this product on newly seeded grasses until well-established or after the second or third mowing.
- Do not use this product on flowers, vegetables, groundcovers, gardens or landscape plantings including shrubs and trees. Do not exceed specified dosage for any area and do not apply this product within the dripline of or over surface roots of trees, shrubs, and other ornamentals.
- Reseeding or overseeding areas may occur three (3) weeks after the application of this product.
- Do not use this product on or near desirable plants and avoid spreading granules onto exposed root systems or adventitious shoots (rhizomes) within the drip line of the roots of desirable trees and shrubs, since injury may result.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn, and sweep any product landing on the driveway, sidewalk, gutter, or street back onto the treated area. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day.

HOW MUCH TO APPLY

Ace Green Turf Winterizer Weed & Feed can be applied to the following turfgrasses when applied as directed:

Kentucky bluegrass, fescue spp., perennial ryegrass, common bermudagrass, bahiagrass, and zoysiagrass:
Apply 3.2 pounds of product per 1,000 square feet of established turfgrass.

For St. Augustinegrass (not 'Floratam'), centipedegrass, hybrid bermudagrass, and colonial bentgrass:
Apply 3.0 pounds of product per 1,000 square feet of established turfgrass.

Maximum use rate statement:

Do not apply more than 3.2 pounds of product per 1000 square feet of turfgrass per application. If necessary, a second application may be made no sooner than 30 days after the first. Do not apply more than 6.4 pounds of product per 1000 square feet per year.

WHEN TO APPLY

Apply when broadleaf weeds are actively growing in spring or early fall.

Apply when the air is calm to ensure uniform coverage and avoid spreading granules onto flowers, vegetables, and ornamental shrubbery.

APPLICATION INSTRUCTIONS

1. Mow lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 to 2 days before application to sustain moisture until the next watering (see step 5).
3. Apply when weeds are young and actively growing, preferably in the morning when the dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water before applying product.
4. Avoid applying when temperatures are consistently above 90°F.
5. Do not wash from weed leaves for 1 to 2 days after application. At this time, a thorough watering should be made.

ACE GREEN TURF WINTERIZER WEED AND FEED CONTROLS MORE THAN 250 WEEDS:

Amaranth, purple	Chickweed, mouseear	Fleabane, rough	Mustard, blue	Pusley, florida	Thistle, scotch
Amaranth, slender	Chickweed, sticky	Galinsoga, hairy	Mustard, hedge	Pusley, large flower	Thistle, wavyleaf
Aster, heath	Chicory	Galinsoga, smallflower	Mustard, indian,	Ragweed, bur	Thistle, yellow (horrible)
Aster, white heath	Cinquefoil	Goldenrod	Mustard, tansy	Ragweed, common	Trailing crownvetch
Aster, purple	Clover, crimson	Ground ivy	Mustard, tumble	Ragweed, lanleaf	Velvetleaf
Aster, white prairie	Clover, alyce	Groundsel	Mustard, white	Ragweed, western	Vervain, blue
Artichoke	Clover, hop	Gumweed	Mustard, wormseed	Redstem filaree	Vervain, hoary
Austrian fieldcress	Clover, rabbit foot	Hairy fleabane	Nettle, stinging (burning)	Rough cinquefoil	Vervain, prostrate
Bedstraw, Catchweed	Clover, red	Hawkweed, meadow	Nettle, tall	Scarlet pimpernel	Vervain, tall
Bedstraw, smooth	Clover, strawberry	Hawkweed, mouseear	Nettle, wood	Shepardspurse	Vetch, bird
Bedstraw, Northern	Clover, yellow sweet	Hawkweed, orange	Narsley-piert	Smartweed, ladysthumb	Vetch, hairy
Bedstraw, pineywoods	Clover, white sweet	Hawkweed, yellow	Parsnip	Smartweed, pale	Vetch, milk
Beggarticks, hairy	Clover, white	Healall	Pearlwort	Smartweed, pennsylvania	Vetch, narrowleaf
Betony, Florida	Cockle	Heartleaf drymary	Pennycress (frenchweed)	Smooth chaff-flower	Vetch, wild
Bindweed, Field	Cocklebur	Hemp	Pepperweed, perennial	Smoothdock	Virginia creeper
Bindweed, Hedge	Cocklebur, oriental	Henbit	Pepperweed, virginia	Sorrel, red (sheep)	Western clematis
Bitter Wintercress	Cocklebur, spiny	Hoary cress	(Peppergrass)	Sowthistle, annual	Western salsify
Bittercress, hairy	Common mullein	Horsenettle	Pigweed, prostate	Sowthistle, spiny	Wild aster
Bitterweed	Corn Spurry	Horseweed	Pigweed, redroot	Spanish needles	Wild buckwheat
Black-eyed Susan	Creeping Beggarweed	Jimsonweed	Pigweed, russian	Speedwell, bi-lobed	Wild carrot
Black Medic	Creeping Jenny	Johnny-Jumpup violet	Pigweed, smooth	Speedwell, common	Wild four-o'clock
Blood flower milkweed	(creeping charlie)	Knawel	Pigweed, tumble	Speedwell, corn	Wild garlic
Blue lettuce	Cupid shaving Brush	Knotweed, prostrate	Pineapple weed	Speedwell, ivyleaf	Wild lettuce
Brassbuttons	Cudweed	Kochia	Plains coreopsis	Speedwell, persian	Wild marigold
Bristly oxtongue	Daisy, English	Lambsquarters	(tickseed)	Speedwell, purslane	Wild mustard (yellow rocket)
Broomweed	Daisy, oxeye	Lespedeza	Plantain, blackseed	Speedwell, slender	Wild onion
Buckhorn	Dandelion, common	Mallow, alkali	Plantain, bracted	Speedwell, snow	Wild parsnip
Bullnettle	Dandelion, false	Mallow, bristly	Plantain, broadleaf	Speedwell, thymeleaf	Wild radish
Burclover	Day flower	Mallow, common	Plantain, buckhorn	Spiny amaranth	Wild rape
Burdock	Deadnettle	Mallow, dwarf	Plantain, hoary	Spurge, spotted	Wild strawberry
Burweed, lawn	Dichondra	Mallow, venice	Plantain, narrowleaf	Spurge, prostrate	Wild sweet potato
(spurweed)	Dock, broadleaf	Marcela	Plantain, slender	Spurweed	Wild violet
Buttercup, bulbous	Dock, curly	Matchweed	Plantain, woolly	Star of Bethlehem	Woodsorrel, creeping
Buttercup, creeping	Dogbane	Mexicanweed	Poison ivy	Strawberry, India mock	Woodsorrel, violet
Buttonweed, common	Dogfennel	Moneywort	Poison oak	Tansy ragwort	Woodsorrel, yellow
(poorjoe)	Dollarweed (Pennywort)	Morningglory, bigroot	Pokeweed	Tanweed	(Oxalis)
Buttonweed, virginia	Dove weed	Morningglory, ivyleaf	Prairie Sunflower	Thistle, blessed	Woolly croton
Carolina geranium (wild)	Elderberry	Morningglory, mexican	Prickly lettuce	Thistle, bull	Wormseed
Carpetweed	Falseflax	Morningglory, red	(compass plant)	Thistle, canada	Yarrow, common
Catnip	False sunflower	Morningglory, tall	Prickly sida	Thistle, flodman (prairie)	Yarrow, western
Catsear, spotted (false dandelion)	Fiddleneck	Morningglory, wolly	Prostrate knotweed	Thistle, musk	Yarrow, yellow
Chamber bitter	Filaree, redstem	Mugwort	Puncturevine	Thistle, platte	
Chickweed, common	Filaree, whitestem	Mustard, ball	Purslane, common	Thistle, plumeless	
	Fleabane, daisy (annual)	Mustard, black	Pusley, brazil	Thistle, russian	

GUARANTEED ANALYSIS

24-0-12

Total Nitrogen (N) 24.0%

24.0% Urea Nitrogen*

Soluble Potash (K2O) 12.0%

Derived from: Polymer-coated, Sulfur-coated Urea, Urea and Muriate of Potash.

*7.0% Slowly available Urea Nitrogen from coated Urea

F699

SPREADERS DIRECTIONS

Determining Your Lawn's Square Footage: To determine how much of this product to apply, you must determine the square footage of your lawn. An easy way to do this is to walk the length of your lawn, figuring that one pace equals about 3 feet. Do the same with the width of the lawn. Then multiply the length by the width to arrive at the total. Make sure you subtract the square footage of your home and driveway when calculating the total square footage of your lawn. If your lawn has an irregular shape, try dividing it up into a number of square areas. Calculate the square footage for each area, then add the figures together to reach your total lawn size.

Spreader Tips: The two main types of spreaders are the Drop Spreader, which drops the material straight down the width of the spreader as you push, and the Broadcast Spreader (also known as a rotary), which throws the material from the spreader.

Drop Spreader: First make two passes along the top of the area you'll be covering. Then make two passes along the bottom area. Then move back and forth along the long part of the lawn. On each pass, as you reach the strips at the top and bottom of the area to be covered, shut off the spreader. It's also important to shut off the spreader when you are stopped.

Broadcast Spreader: Apply in a single pass by starting on the outside border and apply in a circular path working toward the center.

SPREADER SETTINGS (DELIVERS 3.0 LBS/1,000 SQ. FT)	
BROADCAST/ROTARY SPREADERS	SETTING
Scotts Broadcast/Rotary Spreaders Scotts Basic™, Deluxe™ EdgeGuard®, Lawn Pro™, SpeedyGreen® or Standard™	5
Earthway EV-N-SPRED 2050P or Ace 2030AT Rotary	9-1/2
DROP SPREADERS	SETTING
Scotts Drop Spreaders	
Scotts AccuGreen®	7



QUESTIONS OR COMMENTS?

Call 1-800-233-1067

**WARRANTY
IMPORTANT: READ BEFORE USE**

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Lebanon Seaboard Corporation. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, LEBANON SEABOARD CORPORATION MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Lebanon Seaboard Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Lebanon Seaboard Corporation DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT LEBANON SEABOARD CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>

When applied as directed, this fertilizer meets the guidelines for metals adopted by the Association of American Plant Food Control Officials.

Manufactured by:
Lebanon Seaboard Corporation
1600 East Cumberland Street
Lebanon, PA 17042

EPA Reg. No. 961-415
EPA Est. Nos. 961-PA-01(L), 961-IL-01(D), 59144-GA-1(BE)
Circled letter is first letter of lot number.

Made in the USA for Ace Hardware Corporation,
Oak Brook, Illinois, 60523, USA ©2011
www.acehardware.com

Green Turf® is a registered trademark of United Industries Corporation.



The Ace® Promise

If this Ace product when used for its intended purpose, fails to give you complete satisfaction, return the item to the Ace Hardware store where purchased for free replacement of the same or similar item.

El Compromiso de Ace®

Si este producto Ace, cuando se usa para los fines entendidos, no funciona a su entera satisfacción, devuélvalo a la ferretería de Ace Hardware donde lo compró para que se lo reemplacen sin costo por uno igual o similar.

NOT PROOF OF PURCHASE

