

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Keep Out of Reach of Children. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Do not get into eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARD: This product is toxic to fish.

PHYSICAL OR CHEMICAL HAZARDS: Do not mix with oxidizers, anionic soaps and detergents.

FIRST AID: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. MADE IN THE U.S.A.

1633CMXA 1M305

TO REORDER, Call TOLL-FREE: **1-800-527-9919**
FAX: **1-972-438-0634**



Packed for **CHECK-MARK™**
CHECK-MARK™
A Division of DM Resources, Inc.
1310 E. Northgate Drive, Irving, TX 75062
©2013 DM Resources, Inc.

DRAIN-TAIN™

FOAMING DISINFECTANT FOR MEDICAL SINK DRAINS, FLOOR DRAINS AND TRUNK LINES

ACTIVE INGREDIENTS:

Octyl Decyl Dimethyl Ammonium Chloride	3.0%
Didecyl Dimethyl Ammonium Chloride.....	1.5%
Dioctyl Dimethyl Ammonium Chloride.....	1.5%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride.....	4.0%

INERT INGREDIENTS:..... 90.0%

TOTAL..... 100.0%

**KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO**

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

DANGER: IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT.

See left panel for additional precautionary and first aid statements.
EPA Reg. No. 10324-159-66114 • EPA Est. No. 4140-TX-2

NET CONTENTS: 24 fl oz / 710 mL



LICENSED

9916.98

PERIOD **2015-2017** LIC. NO.



LICENSED

PERIOD **2012-2014** LIC. NO.

See Insert Label for Additional Directions For Use.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on medical devices or medical equipment surfaces.

FOAMING SANITIZER FOR FLOOR DRAINS: Foam carries active into the drain pipes.

Concentrated liquid foamer for effective sanitizing. This product utilizes a unique foaming surfactant system which is synergistically formulated to give you long lasting foam for contact on all surfaces.

May be used in all types of foaming equipment that can deliver a precise dilution of 1:256 product to water. It is widely accepted that it is easier to maintain drains than to unstop clogged ones.

No additional foam booster required.

Apply foam to all surfaces of the drain.

For Floor Drains and Trough Drainage Systems.

The foam generated from this product is an effective non-food contact sanitizer as evaluated using the Method for Efficacy of Sanitizers recommended for Inanimate Non-Food Contact Surfaces at 390 ppm, 2 ounces per 4 gallons of water solution (or equivalent use solution) in the presence of 50% organic soil with a contact time of 5 minutes against the following:

- *Enterobacter aerogenes*
- *Listeria monocytogenes*
- *Staphylococcus aureus*

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

CONTAINER DISPOSAL/PESTICIDE STORAGE/PESTICIDE DISPOSAL: Non-refillable container. Store only in original container. Do not reuse empty container. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep DRAIN-TAIN under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously and dispose of rinsate. Repeat two more times. Wrap container and put in trash or offer for recycling if available. Pesticide wastes may be hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

RESIDUE REMOVAL INSTRUCTIONS

Triple rinse container promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

INSERT LABEL

DRAIN-TAIN™

FOAMING DISINFECTANT FOR MEDICAL SINK DRAINS, FLOOR DRAINS AND TRUNK LINES

ACTIVE INGREDIENTS:

Octyl Decyl Dimethyl Ammonium Chloride	3.0%
Didecyl Dimethyl Ammonium Chloride.....	1.5%
Diocetyl Dimethyl Ammonium Chloride.....	1.5%
Alkyl (C ₁₂ , 50%; C ₁₀ , 40%; C ₈ , 10%) dimethyl benzyl ammonium chloride.....	4.0%

INERT INGREDIENTS:..... 90.0%

TOTAL..... 100.0%

EPA Reg. No. 10324-159-66114

EPA Est. No. 4140-TX-2

SEE CONTAINER FOR ADDITIONAL PRECAUTIONARY STATEMENTS, FIRST AID, STORAGE AND DISPOSAL, AND ADDITIONAL USE DIRECTIONS.

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

DRAIN-TAIN is for use in:

- Hospitals, nursing homes, medical and dental offices and clinics, operating rooms, and medical research facilities
- Food processing plants, USDA inspected food-processing facilities, meat/poultry processing plants, restaurants and bars, institutional kitchens, food storage areas, food establishments
- Patient care rooms & facilities, recovery, Emergency Rooms, labs & blood collection rooms
- Hotel, motels, dormitories
- Institutions, schools and colleges, churches, classrooms, community colleges, universities, athletic facilities and locker rooms, exercise rooms, exercise facilities, gyms, gymnasiums.

Disinfectant, Non-Food Contact Surface Sanitizer, Deodorizer, For Hospitals, Nursing Homes, Institutional, Industrial, Restaurant, Food Handling and Process Areas, Federally Inspected Meat and Poultry Plants, Bar and Institutional Kitchen
Foaming Disinfectant for Medical Sink Drains, Floor Drains and Trunk Lines

Small Fly Ovicidal Treatment

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on medical devices or medical equipment surfaces.

GENERAL USE DIRECTIONS

Apply this product with a cloth, mop, mechanical spray device or foaming device. When applied with a mechanical spray device, surfaces must be sprayed until thoroughly wetted. For disinfection, treated surfaces must remain wet for 10 minutes. For sprayer applications, use a coarse pump or trigger sprayer. Spray 6-8 inches from surface. Rub with brush, sponge or cloth. For foaming applications, foam must be applied at a rate of 1:128. See device manufacturer for operating instructions. Allow to air dry. Do not breathe spray. Rinse with potable water after use on surfaces that come in contact with food.

NET CONTENTS: 12 X 24 fl oz/710 mL

NOTE: With spray applications or foaming device, cover or remove all food products. Prepare a fresh solution at least daily or when use solution becomes visibly dirty. For heavily soiled areas, a preliminary cleaning is required.

DISINFECTION

DRAIN-TAIN is bactericidal according to the AOAC Use Dilution Test method, on hard, inanimate surfaces, modified in the presence of 5% serum against:

- Pseudomonas aeruginosa*
- Salmonella enterica*
- Staphylococcus aureus*

PREPARATION OF USE SOLUTION: Add 1 ounce per gallon (or equivalent use dilution) (781 ppm active) of water to disinfect hard, non-porous surfaces.

This product is not for use to disinfect or clean eating utensils, glassware and dishes.

FOAMING DISINFECTANT: At 1 ounce per gallon (or equivalent) (781 ppm) this product is an effective foaming disinfectant. Using a foam generator or similar device, shoot foam onto surface. Set equipment according to manufacturers' instructions to deliver proper dilution of 1:128. Apply/shoot foam onto surface. Allow foam to sit on surface for 10 minutes, then let air dry or rinse. Do not mix other foam additives to the disinfecting solution.

Disinfection Dilution Chart	
Ounces of Product	Amount of Water
0.25 ounces	1 quart
0.5 ounces	½ gallon
1 ounce	1 gallon
2 ounces	2 gallons
5 ounces	5 gallons
10 ounces	10 gallons

FOAMING DISINFECTANT FOR MEDICAL SINK DRAINS, FLOOR DRAINS AND TRUNK LINES

Foam carries active into the drain pipes.

Prevents stoppage and odors.

Concentrated liquid foamer for effective disinfection. This product utilizes a unique foaming surfactant system which is synergistically formulated to give you long lasting foam for contact on all surfaces. May be used in all types of foaming equipment that can deliver a dilution of 1:128 product to water.

It is widely accepted that it is easier to maintain drains than to unstop clogged ones.

No additional foam booster required.

Apply foam to all surfaces of the drain.

For Floor, Sink Drains and Trough Drainage Systems.

Helps reduce the spread of bacterial contamination as a result of the blockage of drains and the splashing effect.

DRAIN-TAIN is bactericidal according to the AOAC Use Dilution Test method, on hard, inanimate surfaces, modified in the presence of 5% serum against:

- Pseudomonas aeruginosa*
- Salmonella enterica*
- Staphylococcus aureus*

FOOD PROCESSING

Before use in federally inspected meat and poultry food processing plants and dairies, egg processing plants and meat/poultry producing establishments, food products and packaging materials must be removed from the room or carefully protected. After use, all surfaces in the area must be thoroughly rinsed with potable water. Do not use this product to clean or disinfect utensils, glassware, dishes or interior surfaces of appliances.

FOOD SERVICE

This product cleans by removing dirt, grime and food soils in food preparation and processing areas. Its non-abrasive formula will not harm surfaces. It cleans, disinfects and eliminates odors, leaving surfaces smelling clean and fresh. Use where odors are a problem. Its non-abrasive formula is designed for use on hard, non-porous environmental surfaces: vinyl, painted surfaces, plastic, glazed ceramic, glazed porcelain, chrome, aluminum, stainless steel, brass, copper, laminated surfaces and baked enamel surfaces associated with floors, walls, ceiling, tables, chairs, countertops, fixtures, glazed tile toilets, toilet bowls, urinals, sinks found in food establishments, restaurants, commercial kitchens & restrooms.

TO DISINFECT FOOD SERVICE ESTABLISHMENT FOOD CONTACT SURFACES:

For countertops, exterior surfaces of appliances, and tables. Before using this product food products and packaging materials must be removed from area or carefully protected. Add 1 ounce of this product to 1 gallon of water (or equivalent use dilution) (781 ppm active quat). For heavily soiled areas, a pre-cleaning step is required. Apply solution with a mop, cloth, sponge, hand pump trigger sprayer or foaming device so as to wet all surfaces thoroughly. For sprayer applications, use a coarse spray. For foaming applications, foam must be applied at a rate of 1:128 ppm. See device manufacturer for operating instructions. Allow to remain wet for 10 minutes. Then remove excess liquid and rinse the surface with potable water.

FOR CONTROL OF SMALL FLIES IN DRAINS: For control of small flies: *Drosophila* spp. and the Phoridae family. Spray or pour solution of 3 ounces per 5 gallons of water (or equivalent use dilution) (450 ppm active quat) into drain during time of lowest level of drain use. Add 14 ounces of solution daily to each drain to maintain fly control. Apply around the edge of the drain and coat all sides of inside of drain.

SANITIZER DIRECTIONS FOR NON-FOOD CONTACT SURFACES

This product is an effective non-food contact sanitizer at 200 ppm, 1 ounce per 4 gallons of water solution (or equivalent use solution) in the presence of 5% organic soil with a contact time of 1 minute against the following:

<i>Campylobacter jejuni</i>	<i>Salmonella enteritidis</i>
<i>Escherichia coli</i> 0157:H7	<i>Shigella dysenteriae</i>
<i>Klebsiella pneumoniae</i>	<i>Staphylococcus aureus</i>
<i>Listeria monocytogenes</i>	<i>Yersinia enterocolitica</i>
<i>Salmonella enterica</i>	

PREPARATION OF SANITIZER USE SOLUTION: For floors, walls, tables, etc. At 1 ounce per 4 gallons of water use-level, this product is an effective sanitizer on hard, non-porous environmental surfaces.

Apply sanitizer use solution to pre-cleaned, hard, non-porous surfaces with a cloth, mop, sponge, sprayer or foaming device or by immersion. For sprayer applications, use a coarse pump or trigger sprayer. Spray 6-9 inches from surface. Rub with brush, sponge or cloth. Do not breathe spray.

FLOOR DRAIN AND DRAINAGE SYSTEMS FOAMING SANITIZER:

At 2 ounces per 4 gallons (or equivalent) (390 ppm) this product is an effective drain foaming sanitizer. Thoroughly pre-clean drain with brush applicator prior to sanitization. Sanitization will occur only on pre-cleaned surfaces of the drain. Using a foam generator or similar device, shoot foam into drain or drainage opening. Set equipment according to manufacturers' instructions to deliver proper dilution of 1:256. Hold foaming nozzle to drain or drainage opening. Foam for at least 10 seconds or longer depending upon length of drain pipe to sanitize. Check with foam equipment manufacturer for exact time to fill length of drain pipe requiring sanitizing. Foam will completely fill pipe and push water through the J trap or other such catch device. Allow the drain to sit for a minimum of 5 minutes before use. Drain can then be returned to service with or without rinsing. It is recommended that a small amount of water be flushed down the drain to refill the J trap. Repeat use at least weekly or as may be needed to control listed organism growth. Do not mix other foam additives to the sanitizing solution.

DEODORIZATION

DRAIN/SINK FOAM DEODORIZATION: When used as directed, this product removes and controls plugging and odors caused by accumulation of biofilm and other organic contaminants in drains. Deodorization will only occur on pre-cleaned surfaces of the drain. Thoroughly pre-clean drain with brush applicator prior to deodorization. At 1 ounce per gallon (or equivalent use dilution) (781 ppm), this product is an effective foaming deodorizer in medical facility, institutional sinks, floor drains and trunk lines. Brush applicator bristles must be one inch in diameter larger than the inner diameter of the drain pipe. Using a foam generator or similar device, shoot foam into drain or drainage opening. Set equipment according to the manufacturers' instructions in order to deliver 1:128 dilution of this product with water. Hold foaming nozzle to floor drain or into drainage opening. Hold foaming discharge nozzle against or in drain opening to assure foam does not back up out of drain. Foam for at least 10 seconds or longer depending upon length of drainpipe to deodorize. Foam must completely fill pipe and push water through the J trap or other such catch device. Allow foam to sit on drain surface for 10 minutes, then let air dry or rinse. Do not mix other foam additives to the deodorizing solution. A small amount of water must be flushed down the drain to refill the J trap. Repeat use at least weekly or as needed to control odors.

RESTROOMS

FOR USE TO CLEAN AND DISINFECT SHOWER ROOMS, LOCKER ROOMS AND OTHER LARGE, OPEN AREAS WITH FLOOR DRAINS:

- Pre-clean heavily soiled areas.
- Apply use solution to floors, walls and ceilings making sure not to over spray. To disinfect, all surfaces must remain wet for 10 minutes. **Special instructions for foam guns:** Pour concentrate into foam gun bottle and attach bottle to spray nozzle and ensure gun is attached to hose. Note: See foam gun instructions for more information. Make sure setting is set for a 1:128 dilution. Once in place, squeeze the handle to disperse foam solution. To disinfect, all surfaces must remain wet for 10 minutes. **-Foam gun use not allowed in California.**
- Scrub using a deck brush or other coarse material as necessary.
- Rinse surfaces thoroughly and let air dry.

Note: Rinsing is not necessary unless floors are to be coated with finish or restorer. All food contact surfaces, such as appliances and kitchen countertops, must be rinsed with potable water. Do not use this product to clean or disinfect glassware, utensils, dishes or interior surfaces of appliances.

MADE IN THE U.S.A.

1633CMMMA

1M305



Packed for
CHECK-MARK™
A Division of DM Resources, Inc.
1310 E. Northgate Drive, Irving, TX 75062
©2013 DM Resources, Inc.

TO REORDER, CALL TOLL-FREE:
1-800-527-9919
FAX: 1-972-438-0634