



LICENSED

12M174

PERIOD **2015-2017** LIC. NO.

9983.38

LICENSED

PERIOD **2012-2014** LIC. NO.

NEUTRAL QUATERNARY DISINFECTANT

201

**KEEP OUT OF REACH OF CHILDREN
DANGER - PELIGRO**

FIRST AID: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

See back panel for additional precautionary statements.

Net Contents: 1 US Gallon (3.78 L)

ACTIVE INGREDIENTS:

Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
dimethyl benzyl ammonium chloride	6.25%
Alkyl (68% C12, 32% C14) dimethyl	
ethylbenzyl ammonium chloride	6.25%
INERT INGREDIENTS:	87.50%
TOTAL:	100.00%

Neutral Quaternary Disinfectant

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes irreversible eye damage. Causes skin irritation. Harmful if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARD: This product is toxic to fish.

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame. Do not mix with oxidizers, anionic soaps and detergents.

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage and disposal. **CONTAINER DISPOSAL/PESTICIDE STORAGE:** Non-refillable container. Store only in original container. Do not reuse empty container. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously and dispose of rinsate. Repeat two more times. Wrap container and put in trash or offer for recycling if available. **RESIDUE REMOVAL INSTRUCTIONS:** Triple rinse container promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

This product can be used on washable hard, non-porous surfaces such as: food preparation and storage areas, countertops, sinks, glass, metal, stainless steel, glazed porcelain, glazed ceramic, sealed granite, sealed marble, and plastic such as polycarbonate, polyvinylchloride, polystyrene or polypropylene.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Before using this product, food products and packaging materials must be removed from the room or carefully protected. Do not use this product to clean or disinfect glassware, utensils, dishes or interior surfaces of appliances.

DISINFECTION PERFORMANCE IN INSTITUTIONS (Hospitals, Dental Offices, Nursing Homes, and Other Health Care Institutions) AND NON-MEDICAL FACILITIES (Schools, Restaurants, Food Services and Other Non-Medical Facilities): At ½ oz of this product per 1 gallon of water use level (or equivalent use dilution) and with a 10-minute contact time, this product exhibits effective disinfectant activity on hard non-porous surfaces against the following: *Corynebacterium ammoniagenes*; *Enterobacter aerogenes*; *Enterococcus faecalis*; *Enterococcus faecalis* Vancomycin resistant – VRE; *Escherichia coli*; *Klebsiella pneumoniae*; *Legionella pneumophila*; *Proteus mirabilis*; *Pseudomonas aeruginosa*, PRD-10; *Salmonella enterica*; *Salmonella schottmuelleri*; *Serratia marcescens*; *Shigella dysenteriae*; *Staphylococcus aureus* Methicillin resistant; *Staphylococcus aureus* Vancomycin resistant – VISA; *Staphylococcus aureus*; Community Associated Methicillin Resistant *Staphylococcus aureus* (CA-MRSA); *Streptococcus faecalis*; and *Streptococcus salivarius*.

VIROCIDAL* PERFORMANCE: At ½ ounce of this product per 1 gallon of water use level (or equivalent use dilution) this product was evaluated in the presence of 5% serum with a 10-minute contact time and found to be effective against the following viruses on hard, non-porous surfaces: *Avian Influenza A H5N1 virus*; *Adenovirus Type 2- causative agent of upper respiratory infections*; *Herpes simplex, Type 1 causative agent of fever blisters*; *Herpes simplex, Type 2*; *HIV-1 AIDS Virus*; *Human Coronavirus*; *Influenza A H1N1 virus*; *Influenza A2 /Japan representative of the common flu virus*.

NON-FOOD CONTACT SANITIZING PERFORMANCE: At ¾ oz of this product per 1 gallon of water use level (or equivalent use dilution), this product is an effective one-step sanitizer with a 60-second contact time against the following on hard non-porous surfaces: *Staphylococcus aureus*; *Klebsiella pneumoniae*

FUNGICIDAL PERFORMANCE: At ½ ounce of this product per 1 gallon of water use level (or equivalent use dilution) and with a 10-minute contact time, this product is effective against the following on pre-cleaned hard non-porous surfaces such as locker rooms, dressing rooms, shower and bath areas and exercise facilities: *Trichophyton mentagrophytes*, athlete's foot fungus

MOLD AND MILDEW PERFORMANCE: At ½ ounce of this product per 1 gallon of water use level (or equivalent use dilution) and with a 10-minute contact time, this product is effective against the following on hard non-porous surfaces such as locker rooms, dressing rooms, shower and bath areas and exercise facilities: *Aspergillus niger*

PREPARATION OF DISINFECTION/VIROCIDAL*/FUNGICIDAL USE SOLUTION: For heavily soiled areas, a preliminary cleaning is required. Pre-clean all surfaces when used as a fungicide. Mix ½ ounce of this product with 1 gallon of water (or equivalent use dilution) to disinfect hard, non-porous surfaces. Apply use solution using a brush, cloth, mop, sponge, paper towel, auto scrubber, foam gun, mechanical spray device or by immersion so as to thoroughly wet surface and rub. For sprayer applications, spray 6-8 inches from surface. Do not breathe spray. Allow surfaces to remain wet for 10 minutes. Allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. Rinse all treated surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Change cloth, sponge or towels frequently to avoid redeposition of soil. Fresh solution must be prepared at least daily or more often if use solution becomes visibly soiled.

FOR USE AS A ONE-STEP CLEANER/DISINFECTANT: (1) Pre-clean heavily soiled areas. (2) Apply use solution of ½ ounce of this product per 1 gallon (or equivalent use dilution) to hard, non-porous inanimate surfaces using a sponge, brush, cloth, mop, paper towel, auto scrubber or foam gun or mechanical spray device or by immersion and rub. For spray applications, spray 6-8 inches from surface. Do not breathe spray. (3) To disinfect, all surfaces must remain wet for 10 minutes. (4) Allow to air dry. (5) Change cloth, sponge or towels frequently to avoid redeposition of soil. Fresh solution must be prepared at least daily or more often if use solution becomes visibly soiled.

PREPARATION OF NON-FOOD CONTACT SANITIZER USE SOLUTION: For heavily soiled areas, a preliminary cleaning is required. Add ¾ ounce of this product to 1 gallon of water (or equivalent use dilution). Apply sanitizer use solution to hard, non-porous non-food contact surfaces with a brush, cloth, mop, sponge, auto scrubber, mechanical spray device or by immersion so as to thoroughly wet surface to be sanitized. For sprayer applications, spray 6-8 inches from surface. Do not breathe spray. Rub with brush, cloth, or sponge. Treated surfaces must remain wet for 60 seconds. Allow to air dry. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or when use solution becomes visibly soiled.

***FOR DISINFECTING HARD, NON-POROUS INANIMATE SURFACES AGAINST AVIAN INFLUENZA A H5N1 VIRUS:** For use in hospitals, hotels, motels, schools and other non-animal use sites, follow the **PREPARATION OF DISINFECTION/VIROCIDAL*/FUNGICIDAL USE SOLUTION** directions.

DISINFECTION/FUNGICIDAL/VIROCIDAL* DILUTION TABLE

Ounces of Product	Amount of Water
1/8 ounce	1 quart
¼ ounce	½ gallon
½ ounce	1 gallon
1 ½ ounces	3 gallons
2 ½ ounces	5 gallons
5 ounces	10 gallons

This product is not for use on Medical device surfaces.

***KILLS HIV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of hard nonporous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) associated with AIDS.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. Personal Protection: Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks and eye protection. **Cleaning Procedure:** Blood and other body fluids containing HIV-1 must be thoroughly cleaned from hard nonporous surfaces and objects before application of this product. **Disposal of Infectious Materials:** Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. **Contact Time:** Leave surfaces wet with ½ ounce of this product per 1 gallon of water solution (or equivalent use dilution) for 2 minutes for HIV. This contact time will not control other common types of viruses and bacteria.

EPA REG. NO. 10324-56-10637

EPA EST. NO. 1270-GA-1

1044951

07/11

EMERGENCY PHONE: 1-800-983-4582

(1) 12M174



Q238

Manufactured for • W.W. Grainger, Inc.,
100 Grainger Parkway • Lake Forest, Illinois 60045

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

DANGER: IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT.