

**RESTRICTED USE PESTICIDE**

Due to acute toxicity to humans, aquatic organisms, and avian species. For retail sale to and use only by certified applicators or persons under their direct supervision, and only for those uses covered by the certified applicator's certification.



**THIONEX® 3EC**  
**EPA REG. NO. 66222-63**  
**PINEAPPLE FRUIT MITE AND INSECTS ASSOCIATED WITH PINK**  
**DISEASE IN PINEAPPLES (GROWN FOR PROCESSING)**  
**IN THE STATE OF HAWAII**  
**EPA SLN NO. HI-030002**

**SUPPLEMENTAL LABELING FOR DISTRIBUTION AND USE ONLY  
IN THE STATE OF HAWAII**

**This SLN label is valid until March 11, 2013 or until otherwise revised, amended, cancelled, or suspended.**  
**Issue Date: March 12, 2008. Expiration Date: March 11, 2013.**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered product label.

Do not apply this product through any type of irrigation equipment.

This labeling must be in the possession of the user at the time of pesticide application.

<b>CROP</b>	<b>PEST</b>	<b>MAXIMUM RATE OF APPLICATION</b>
Pineapples (Grown for Processing)	Pineapple Fruit Mite and insects associated with pink disease	1 1/3 quarts per acre

For control of pineapple fruit mite and insects associated with pink disease, apply up to 1 1/3 quarts per acre in sufficient water to wet plants, leaf axils, and inflorescence. Begin applications at first flower and repeat at a 1- to 2-week interval.

**RESTRICTIONS**

- Apply using ground boom application equipment only. Do not apply using aerial or airblast spray equipment.
- Do not exceed a maximum of 1.0 lb. active ingredient (1 1/3 quarts) per acre per application
- Do not exceed a maximum of 2.0 lbs. active ingredient (2 2/3 quarts) per acre per crop year.
- Do not make more than 2 applications per crop year.
- Do not apply within 60 days of harvest.
- **Restricted Entry Interval (REI) of 10 days.** Do not enter treated areas without protective clothing for 10 days.
- A 30 foot vegetative buffer strip must be maintained between all areas treated with this product and rivers, natural ponds, lakes, streams, reservoirs, marshes, estuaries, and commercial fish ponds.
- A 100 foot spray buffer is required for ground boom applications between a treated area and water bodies. See EPA registered product label for details and limits regarding nozzle selection, nozzle height, and wind speed limitations
- This product is extremely toxic to fish and aquatic invertebrates and toxic to birds and mammals. Do not apply directly to water or to areas where surface water is present. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

**24(c) Registrant:**

Makhteshim Agan of North America, Inc.  
4515 Falls of Neuse Rd., Suite 300  
Raleigh, NC 27609

Rev. 7-30-10-HI app 1-12-11

**ACCEPTED**

---

February 9, 2011

---

Under Hawaii Pesticides Law  
as Supplement to Product No.  
8275.4