

August 18, 2011

Under Hawaii Pesticides Law
as Supplement to Product No.
9226.246

Special Local Need (SLN) Label



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

GoalTender[®]

Dow AgroSciences EPA Reg. No. 62719-447

24(c) Special Local Need Registration SLN HI-070001

For Weed Control in Non-bearing Pineapple

(For Distribution and Use Only in the State of Hawaii)

Conditions and Risks of Use for Special Local Need

USE OF GoalTender[®] HERBICIDE (THE "PRODUCT") ON PINEAPPLE (THE "CROP") FOR THIS SPECIAL LOCAL NEED MAY RESULT IN CROP INJURY, CROP YIELD REDUCTION AND/OR CROP LOSS AS FURTHER DISCUSSED BELOW. READ AND UNDERSTAND THESE CONDITIONS AND RISKS OF USE FOR SPECIAL LOCAL NEED BEFORE USING THE PRODUCT ON THE CROP.

This Product is available for use in the manner described in this Supplemental Labeling on the basis that, in the sole opinion of the user, the benefits and utility derived from the use of the Product on the Crop outweigh the potential risk of Crop injury, Crop yield reduction or Crop loss. The decision to use this Product in the manner described in this Supplemental Labeling must be made by each individual user on the basis of anticipated benefits versus (i) the potential risk of Crop injury, Crop yield reduction and Crop loss, (ii) the severity of the target pest infestation, (iii) the cost and availability of alternative pest controls and (iv) any other relevant factors.

By purchasing the Product for use, or using the Product, in the manner described in this Supplemental Labeling, you acknowledge and accept that, to the extent permitted by law:

- (1) you assume all risk of Crop injury, Crop yield reduction and Crop loss;
- (2) Dow AgroSciences does not make, and do not authorize any agent or representative to make, any representations or recommendations regarding the use of this Product on the Crop other than the statements on this Supplemental labeling;
- (3) Dow AgroSciences does not make, and do not authorize any agent or representative to make, any warranties, express or implied, with respect to the use of the Product on the Crop and disclaim all warranties, expressed or implied, including any implied warranty of merchantability;
- (4) Dow AgroSciences disclaims all liability for any damages, losses, expenses, claims or causes of actions arising out of or relating to Crop injury, Crop yield reduction and/or Crop loss;
- (5) these Conditions and Risks of Use for Special Local Need supersede any contrary representations or recommendations by Dow AgroSciences, or its respective agents or representatives, and any provisions in or on any Product literature or labeling including any provisions on the label affixed to the Product container.

If these Conditions and Risks of Use for Special Local Need are not acceptable, the unopened Product may be returned to the seller for a refund or used for a different labeled use in accordance with the label affixed to the Product container.

These Conditions and Risks of Use for Special Local Need are required by Dow AgroSciences and not specified by the US EPA or the State of Hawaii.

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This label must be in the possession of the user at the time of pesticide application.
- Read the label affixed to the container for GoalTender® herbicide before applying. All applicable use directions, restrictions and precautions on this supplemental labeling and the label affixed to the product container must be followed.

Directions for Use

General Information

Apply GoalTender® herbicide prior to transplanting pineapple as a broadcast or directed (band) application for pre- or postemergence broadleaf weed control during the establishment period of permanent pineapple plantings.

Method of Application

Apply with a low-pressure ground sprayer in a minimum spray volume of 20 gallons per acre. Minimize potential for spray drift by using nozzles that produce coarse sprays and minimum spray pressure recommended by the manufacturer. Use higher spray volumes to ensure adequate coverage if emerged weed density is high or if heavy crop residue (trash) is present.

Refer to main product label for Mixing Directions and instructions for band application.

Preemergence Weed Control Prior to Transplanting Pineapple

Apply 1 to 4 pints (0.5 to 2.0 lb active ingredient) of GoalTender per broadcast acre. Use higher rates in the rate range on medium to fine texture soils, soils containing greater than 1% organic matter, or where a longer period of residual weed control is desired.

Applications for preemergence weed control are most effective when applied to final soil surfaces that are clean and weed-free. For best preemergence weed control, apply at least one-quarter inch (1/4 inch) of water within 3 to 4 weeks after application if no rainfall occurs. Cultural practices that disturb or redistribute surface soil such as cutting water furrows or cultivation that mixes untreated and treated soil will reduce weed control. Best results are obtained when soil surface is left undisturbed.

Postemergence Weed Control Prior to Transplanting Pineapple

Apply 1 to 4 pints (0.5 to 2.0 lb active) of GoalTender per broadcast acre. Use a higher rate in rate range for heavy weed infestations, weeds in advanced stages of growth or where a longer period of residual weed control is desired. Improved postemergence weed control may be obtained when GoalTender is mixed with a registered spray adjuvant which is designed to enhance herbicidal activity. Application to weeds beyond the four-leaf stage may result in partial control.

Crop-Specific Use Restrictions:

- Follow all applicable use directions, precautions, restrictions, Worker Protection Standard requirements on the EPA registered label.
- Do not plant seed pieces within two weeks after application.
- Apply as a post-mulch, preplant treatment only.
- Do not apply after seed pieces have been planted.
- Do not use any plant material from treated fields for food or feed within one year of application.
- Do not apply more than a total of 2.0 lbs. of oxyfluorfen active ingredient per acre per year.

- **Preharvest Interval:** Do not harvest for food or feed within one year of application.
- Do not feed or graze animals on any area treated with GoalTender within one year of application.
- GoalTender is phytotoxic to plant foliage. Do not allow sprays or drift to contact pineapple foliage. Avoid drift to non-target areas.
- Do not apply GoalTender to ditch banks or waterways.
- **Chemigation:** Do not apply this product through any type of irrigation system for uses described in this supplemental labeling.

24(c) Registrant: Dow AgroSciences LLC, 9330 Zionsville Road, Indianapolis, IN 46268

Issue Date: August 18, 2011

Expiration Date: August 17, 2016

This label is valid until August 17, 2016 or until otherwise revised, amended, cancelled, or suspended.

®Trademark of Dow AgroSciences LLC

R204-075

Accepted: 08/18/11

Replaces: R204-031