

ACCEPTED

September 4, 2014

Under Hawaii Pesticides Law
as Supplement to Product No.
9512.47

RESTRICTED USE PESTICIDE

DUE TO TOXICITY TO NONTARGET ORGANISMS

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

FIFRA 24(c) Special Local Need

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF HAWAII
NOT FOR USE ON HAWAI'I ISLAND

rozol[®] Pellets

EPA SLN No. HI-080002 EPA Reg. No. 7173-151

**For control only of Norway rats (*R. norvegicus*), roof rats (*R. rattus*), Polynesian rats (*R. exulans*) and house mice (*Mus musculus*) in tropical nut and fruit orchards
Also for control of mice & rats around fields of corn or soybeans grown for seed only,
and around sugar cane fields.**

DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling. This label must be in the possession of the user at the time of pesticide application. Follow all directions, restrictions and precautions on the EPA registered label and this label.

READ THIS LABEL: Read entire label and follow all use directions and precautions. Use only for the sites, pests and application methods found on this label.

IMPORTANT: To avoid exposing children, pets and other nontarget animals to bait:

1. Store in original container in a cool, dry place inaccessible to children and pets.
2. Apply bait only in the following way: Tamper-resistant bait stations (orchards, corn/soybeans and sugarcane) or deeply in burrows (orchards, corn/soybeans). Construct stations of durable material to prevent destructions by nontarget animals and designed with internal bait chambers and/or baffling to keep bait (including crumbs) from spilling out. For stations placed in trees, only use stations that may be securely attached to the tree surface. Do not broadcast bait. Do not place bait directly on ground. Note: This station is not designed to exclude hooved livestock, raccoons, bears or vandals.
3. Dispose of product container, unused, spoiled and unconsumed bait, damaged bait stations, and dead animals found above ground according to "Pesticide Disposal" section of the Federal label.

ENVIRONMENTAL HAZARDS

- This product is toxic to fish and wildlife. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait.
- Do not apply this product where impact on listed threatened or endangered species (Including the Hawaiian hawk or 'Io) is likely. Contact the US Fish & Wildlife Service at (808) 792-9459 for information regarding threatened or endangered species.
- Do not apply this product directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.
- Do not apply within 15 feet of surface water (i.e. streams, rivers, lakes).
- Wearing waterproof gloves, collect and dispose of any dead animals found on the surface, by disposal in a sanitary landfill or by burying at least 18 inches deep and outside the crop perimeter.

GENERAL USE RESTRICTIONS (ALL SITES)

- Apply only in tamper-resistant bait stations or deeply in burrows (except sugarcane).
- Report: 1) signs of secondary poisoning to animals other than rodents, and 2) acts of vandalism to bait boxes, to the Pesticides Branch of the Hawaii Department of Agriculture within 24 hours (phone (808) 973-9401).
- Do not allow livestock to graze or clean up fruit drops in treated areas.
- Do not feed hay and grass cut from under nut and fruit orchards to livestock.

(Continued)

TROPICAL NUT AND FRUIT ORCHARDS

USE RESTRICTIONS: Use only to control Norway rats (*Rattus norvegicus*), roof rats (*R. rattus*), Polynesian rats (*R. exulans*) and house mice (*Mus musculus*) in and around tropical nut and fruit orchards (including macadamia nuts, pineapple, mango, banana, rambutan, lychee, longan, durian, citrus, star fruit, passion fruit, avocado, guava, mangosteen, plantain, papaya, sapote, soursop, cherimoya, eggfruit, jackfruit, palm nuts, pomegranate, coconut, abiu, atemoya, breadfruit, caimito, canistel, cherimoya, jaboticaba, longsat, loquat, persimmon, poha, rollina, sapodilla). This product may only be used in tamper-resistant bait stations which must be secured if used in trees, or placed deeply into rodent burrows.

APPLICATION DIRECTIONS: Place baits in tamper-resistant bait stations either 1) on the ground or 2) attached securely to lateral tree branches close to the trunk and at a minimum height of 5 feet off the ground. Use 8 to 16 stations per acre, spaced about 50 feet apart. **Bait stations may be placed around orchards (within 50 feet from the nearest tree).** Apply 4 to 16 oz. of pellets per station. **For active rat burrow**, place 4 ounces of bait deeply into opening. **For active mouse burrow**, place about 1 ounce of bait deeply into opening. Cover placement with grass or shingles to avoid exposing non-target organisms. Maintain an uninterrupted supply of fresh bait for at least 10 days or until feeding has stopped. Replace contaminate or spoiled bait immediately. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

Follow-up: The applicator must return to the site within 4 days after bait application, and at 1 to 2 day intervals, wearing waterproof gloves, dispose of any bait or dead or dying rats or mice found on the surface according to "Pesticide Disposal" section of the Federal label. If buried, the site must be outside the crop perimeter and at least 18 inches deep. Remove bait stations prior to harvest if using tree shaker.

CORN AND SOYBEANS GROWN FOR SEED

USE RESTRICTIONS: Use only to control Norway rats (*Rattus norvegicus*), roof rats (*R. rattus*), Polynesian rats (*R. exulans*) and house mice (*Mus musculus*) in and around corn or soybeans grown for seed. This product may only be used in tamper-resistant bait stations, or placed deeply into rodent burrows.

APPLICATION DIRECTIONS: Place baits in tamper-resistant bait stations either within 1) the rows of corn or soybeans grown for seed or 2) within 50 feet of such fields. **For Rats:** Space bait stations in a grid pattern at intervals of 5 to 50 meters (16 to 164 feet), fill stations with 4 to 16 oz. of pellets. **For active burrow**, place 4 ounces of bait deeply into opening. **For Mice:** Space bait stations in a grid pattern at intervals of 2 to 4 meters (6 to 12 feet), fill stations with 1 to 2 oz. of pellets. **For active burrow**, place about 1 ounce of bait deeply into opening. Cover placement with grass or shingles to avoid exposing non-target organisms.

Follow-up: The applicator must return to the site within 4 days after bait application, and at 1 to 2 day intervals, wearing waterproof gloves, dispose of any bait or dead or dying rats or mice found on the surface according to "Pesticide Disposal" section of the Federal label. If buried, the site must be outside the crop perimeter and at least 18 inches deep. Remove bait stations prior to harvest.

SUGARCANE FIELDS

USE RESTRICTIONS: Use only to control Norway rats (*Rattus norvegicus*), roof rats (*R. rattus*), Polynesian rats (*R. exulans*) and house mice (*Mus musculus*) in and around sugarcane fields. This product may only be used in tamper-resistant bait stations.

APPLICATION DIRECTIONS: Place baits in tamper-resistant bait stations either within 1) sugarcane fields or 2) within 50 feet of such fields. Maximum Rates/Frequency/Interval: one application: 10lb/acre; applications per year: 2, 30 days or more apart; and one year: 20 lb/acre. **For Rats:** Space bait stations in a grid pattern at intervals of 5 to 50 meters (16 to 164 feet), fill stations with 4 to 16 oz. of pellets. **For Mice:** Space bait stations in a grid pattern at intervals of 2 to 4 meters (6 to 12 feet), fill stations with 1 to 2 oz. of pellets.

Follow-up: The applicator must return to the site within 4 days after bait application, and at 1 to 2 day intervals, wearing waterproof gloves, dispose of any bait or dead or dying rats or mice found on the surface according to "Pesticide Disposal" section of the Federal label. If buried, the site must be outside the crop perimeter and at least 18 inches deep. Remove bait stations prior to harvest.

This label is valid until September 3, 2019. or until otherwise amended, withdrawn, cancelled or suspended. (090414)

24(c) registrant:
Liphatech, Inc.
3600 W. Elm Street
Milwaukee, WI 53209

Issue date: September 4, 2014
Expiration date: September 3, 2019