

# BSP Lime-Sulfur Solution

For Agricultural or Commercial Use Only

EPA Reg. No. 66196-2

Emergency Calls: Poison Control Center 1.800.222.1222

**EPA 24(c) SPECIAL LOCAL NEEDS REGISTRATION**

EPA SLN NO.

**HI-080003**

FOR USE AND  
DISTRIBUTION ONLY  
IN  
HAWAII

## IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

**Purpose:** Allow use of BSP Lime-Sulfur Solution post harvest on pineapple for mold control

| CROP      | PEST                                    | RATE OF APPLICATION  |
|-----------|---|--|
| Pineapple | Penicillium and other saprophytic molds | 1 gallon BSP Lime-Sulfur Solutions per 100 gallons of water (3,685 ppm solution) |

### DIRECTIONS FOR USE:

After pineapple harvest singulated pineapples will be first treated with registered postharvest fungicides followed by a directed peduncle spray with lime sulfur.

**DOSAGE** Apply BSP Lime-Sulfur Solution at a rate of up to 1 gallon per 100 gallons of water as a directed peduncle spray. (3,685 ppm solution)

### METHOD OF APPLICATION

Direct spray at pineapple peduncle. Spray to drip point, not to run-off. Excessive spray may cause corrosion to packing equipment.

### RESTRICTIONS:

- Do not more than one directed post-harvest peduncle application per fruit.
- Do not make any foliar applications with BSP Lime-Sulfur Solution
- Packers must wear long sleeved shirts and long pants with chemical resistant gloves during packing.
- ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL ARE TO BE FOLLOWED.
- THIS LABELING MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

(ADD) This label is valid until December 8, 2013 or until otherwise revised, amended, cancelled or suspended.

24(c) registrant: Ag Formulators, Inc.  
5427 E. Central Ave.  
Fresno, CA 93725

Issue Date: December 9, 2008  
Expiration Date: December 8, 2013

ACCEPTED WITH COMMENTS

DEC 11 2008

Under Hawaii Pesticides Law  
as supplement to Product No. 8066.1