

SECTION 24(c) REGISTRATION

FIRST CHOICE® SLUGGO®

SNAIL AND SLUG BAIT

**FOR CONTROL OF NON-NATIVE SLUGS AND SNAILS IN
FORESTED AREAS FOR CONSERVATION PURPOSES**

EPA Reg. No. 67702-3-34704

EPA SLN No. HI – 100004

Issue Date: 10/28/2015

Expiration Date: 10/27/2020

**LABELING INFORMATION FOR DISTRIBUTION AND USE ONLY IN
FORESTED AREAS WITHIN THE STATE OF HAWAII**

This label is valid until October 27, 2020 or until otherwise amended, withdrawn, cancelled or suspended.

DIRECTIONS FOR USE

This label and the federal label for this product must be in the possession of the user at the time of pesticide application.

Follow all application directions, restrictions, and precautions on this Supplemental label and the main EPA-registered label. It is a violation of federal law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION FOR USE IN FORESTED AREAS

PURPOSE: For the control of slugs and non-native snails in forested areas to protect native, threatened and endangered Hawaiian plants.

HOW AND WHERE TO APPLY: Scatter the slug and snail bait granules on the soil around the base of the plants to be protected. Scatter granules by hand or with a granular or broadcast spreader. Use 20 to 44 lbs. per acre (0.5 to 1 lbs per 1,000 square feet). Apply the higher rates if the infestation is severe or if the area is heavily watered or after long periods of heavy rain. Reapply as the bait is consumed or at least every two weeks. Do not place in piles. If the ground is dry, wet it before applying bait. The soil should be moist but with little or no standing water.

WHEN TO APPLY: Apply bait in the evening, as slugs travel and feed mostly by night or early morning.

ACCEPTED

October 28, 2015

Under Hawaii Pesticides Law
as Supplement to Product No.
8378.115

USE RESTRICTIONS:

- Bait must not be applied within 6.1 m (20 feet) of any body of water, including lakes, ponds or rivers.
- Area must be thoroughly searched by experienced malacologists during the day and at least one night prior to application of NEU1165M Slug and Snail Bait granules to ensure that non-target endemic Hawaiian snail species are not impacted. Do not apply within 20 m of known populations of endemic Hawaiian snail species from the following rare families or subfamilies: *Amastridae*, *Achatinellinae* and *Endodontidae*). Report any evidence of suspected poisoning of Hawaiian snails to the Pesticides Branch of the Hawaii Department of Agriculture, phone: (808) 973-9401.

24(c) Registrant:

Loveland Products Inc.
P.O. Box 1286
Greeley, CO 80632

SECTION 24(c) REGISTRATION

LEAF LIFE® SLUGGO® SNAIL AND SLUG BAIT

FOR CONTROL OF NON-NATIVE SLUGS AND SNAILS IN
FORESTED AREAS FOR CONSERVATION PURPOSES

EPA Reg. No. 67702-3-34704

EPA SLN No. HI – 100004

Issue Date: 10/28/2015

Expiration Date: 10/27/2020

LABELING INFORMATION FOR DISTRIBUTION AND USE ONLY IN FORESTED AREAS WITHIN THE STATE OF HAWAII

This label is valid until October 27, 2020 or until otherwise amended, withdrawn, cancelled or suspended.

DIRECTIONS FOR USE

This label and the federal label for this product must be in the possession of the user at the time of pesticide application.

Follow all application directions, restrictions, and precautions on this Supplemental label and the main EPA-registered label. It is a violation of federal law to use this product in a manner inconsistent with its labeling.

PURPOSE: For the control of slugs and non-native snails in forested areas to protect native, threatened and endangered Hawaiian plants.

HOW AND WHERE TO APPLY: Scatter the slug and snail bait granules on the soil around the base of the plants to be protected. Scatter granules by hand or with a granular or broadcast spreader. Use 20 to 44 lbs. per acre (0.5 to 1 lbs per 1,000 square feet). Apply the higher rates if the infestation is severe or if the area is heavily watered or after long periods of heavy rain. Reapply as the bait is consumed or at least every two weeks. Do not place in piles. If the ground is dry, wet it before applying bait. The soil should be moist but with little or no standing water.

WHEN TO APPLY: Apply bait in the evening, as slugs travel and feed mostly by night or early morning.

ACCEPTED

October 28, 2015

Under Hawaii Pesticides Law
as Supplement to Product No.
8378.129

USE RESTRICTIONS:

- Bait must not be applied within 6.1 m (20 feet) of any body of water, including lakes, ponds or rivers.
- Area must be thoroughly searched by experienced malacologists during the day and at least one night prior to application of NEU1165M Slug and Snail Bait granules to ensure that non-target endemic Hawaiian snail species are not impacted. Do not apply within 20 m of known populations of endemic Hawaiian snail species from the following rare families or subfamilies: *Amastridae*, *Achatinellinae* and *Endodontidae*). Report any evidence of suspected poisoning of Hawaiian snails to the Pesticides Branch of the Hawaii Department of Agriculture, phone: (808) 973-9401.

24(c) Registrant:

Loveland Products Inc.
P.O. Box 1286
Greeley, CO 80632