



OHP, Inc.  
 PO Box 51230  
 Mainland, PA 19451-0230  
 (800) 356-4647

**ACCEPTED**

February 12, 2016

---

**Under Hawaii Pesticides Law  
 as Supplement to Product No.  
 9836.66**

**Marathon 1% Granular** Greenhouse and Nursery Insecticide  
 For Use in Greenhouses, Lath or Shade Houses, on Containerized  
 Corn, Soybean and Sunflower Being Grown for Seed in Plant  
 Breeding Research Programs.

EPA Reg. No. 59807-15  
 SLN No. HI-160001  
 Issue Date: 2/12/2016  
 Expiration Date: 2/11/2021

FIFRA 24(c) Special Local Need Label

FOR DISTRIBUTION AND USE ONLY IN THE STATE OF HAWAII

It is a violation of Federal law to use this product in a manner inconsistent with its label. This label must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

This label is valid until February 11, 2021 or until otherwise amended, withdrawn, cancelled, or suspended.

**DIRECTIONS FOR USE**

**CORN SOYBEANS AND SUNFLOWERS GROWN FOR SEED PRODUCTION**

Pests Controlled	Container Size	Dosage per Container	Dosage per Container
Whitefly	Inches	Grams	Level Teaspoon (tsp)
Aphid	2.0 – 3.0	0.5	One-eighth tsp (1/8)
Thrips	3.5 – 5.0	1.0	One-quarter tsp (1/4)
Mealybugs	5.5 – 7.0	1.4	One-third tsp (1/3)
	7.5 – 10.0	2.0	One-half tsp (1/2)
	11.0 – 12.0	2.7	Two-thirds tsp (2/3)

**NOTE:** 1 level tsp of Marathon 1% Granular Greenhouse and Nursery Insecticide = 4.1 grams

Application can be made at transplanting, repotting, or on existing plants. Irrigate after application to move the active ingredient into the root zone. Do not apply more irrigation water than is required to saturate the potting media.

**Marathon 1% Granular** Greenhouse and Nursery Insecticide  
FIFRA 24(c) Special Local Need Label  
Page 2 of 2

Method of Application: For the purpose of this Special Local Need (SLN), Marathon 1% Granular Greenhouse and Nursery Insecticide will be applied manually into containerized plants. Personal Protective Equipment (PPE) must be worn as specified on the product label.

Timing of Application: 2 applications per crop with minimum 6 weeks between applications.

Restricted Entry Interval (REI): 12 hours

Pre-Harvest Interval (PHI): Not applicable

Additional Requirements:

- 1) Treated seed crops shall spend the entire life cycle, within a greenhouse, lath or shade house. In addition, use is limited only to seed crops listed on this label that are used within the context of a plant breeding program.
- 2) Seed and plant material from treated plants shall not be used for food or feed.
- 3) If treated plant material and potting media are discarded on site via soil incorporation into a research field, a 12-month plant back interval must be observed for crops not listed on an imidacloprid label, or for crops for which no tolerances for the active ingredient have been established.