

**DIRECTORY OF DRINKING WATER LABORATORIES**  
**CERTIFIED OR APPROVED BY THE HAWAII DEPARTMENT OF HEALTH,**  
**STATE LABORATORIES DIVISION**

**ACZ Laboratories, Inc.**

2773 Downhill Drive  
Steamboat Springs, Colorado 80487  
(970) 879-6590 x531

**AECOS Laboratory, Inc.**

45-939 Kamehameha Highway, Suite 104  
Kaneohe, Hawaii 96744  
(808) 234-7770

**Agriculture & Priority Pollutants**

Laboratories, Inc.  
908 N. Temperance Avenue  
Clovis, California 93611  
(559) 275-2175

**Alloway Marion Lab**

1776 Marion-Waldo Road  
P.O. Box 436  
Marion, Ohio 43301-0436  
(419) 223-1362

**Associated Laboratories**

806 North Batavia  
Orange, California 92868  
(714) 771-6900

**Bureau Veritas North America, Inc.**

3380 Chastain Meadows Parkway, Suite 300  
Kennesaw, Georgia 30144  
(770) 499-7500

**Calscience Environmental Laboratories, Inc.**

7440 Lincoln Way  
Garden Grove, California 92841-1427  
(714) 895-5494

**Columbia Analytical Services, Houston**

19408 Park Row, Suite 320  
Houston, Texas 77084  
(281) 994-2974

**Columbia Analytical Services, Kelso**

1317 South 13<sup>th</sup> Avenue  
Kelso, Washington 98626  
(360) 577-7222

**Eberline Services**

2030 Wright Avenue  
P.O. Box 4040  
Richmond, California 94804-0040  
(510) 235-2633

**EMAX Laboratories, Inc.**

1835 W, 205th Street  
Torrance, California 90501  
(310) 618-8889 x205

**EMSL Analytical, Inc. - California**

2235 Polvorosa Avenue, Suite 230  
San Leandro, California 94577  
(510) 895-3675

**EMSL Analytical, Inc. - New Jersey**

16 West Pulpeney Square  
Bath, New York 14810  
(607) 664-1209

**EnviroMatrix Analytical, Inc.**

4340 Viewridge Ave., Suite A  
San Diego, California 92123  
(858) 560-7717

**FGL Environmental**

853 Corporation Street  
Santa Paula, California 93060  
(805) 392-2024

**Food Quality Analysts, LLC**

3375 Koapaka Street, Suite G314  
Honolulu, Hawaii 96819  
(808) 839-9444

**GEL Laboratories, LLC**

2040 Savage Road  
Charleston, South Carolina 29407  
(843) 556-8171 x4735

County of **Hawaii Department of Water Supply**  
**Microbiology Laboratory**

25 Aupuni Street  
Hilo, Hawaii 96720

**Hawaii Food & Water Testing, LLC**

2688 B Kilihau Street  
Honolulu, Hawaii 96819  
(808) 836-5558

**HECO Chemistry Laboratory**

Environmental Department  
P.O. Box 2750  
Honolulu, Hawaii 96840  
(808) 543-4297

**Honolulu Board of Water Supply**  
Chemistry Laboratory  
630 South Beretania Street  
Honolulu, Hawaii 96843  
(808) 748-5841

**Kauai Department of Water**  
4398 Pua Loke Street  
Lihue, Hawaii 96766

**Maxxam Analytics Inc.**  
5555 North Service Road  
Burlington, Canada L7L5H-7  
(905) 817-5700

**Maui Department of Water Supply**  
614 Palapala Drive  
Kahului, Hawaii 96732  
(808) 270-7550

**MWH Laboratories**  
(A Division of MWH Americas, Inc.)  
750 Royal Oaks Drive, Suite 100  
Monrovia, California 91016-3629  
(626) 386-1170

**National Testing Laboratories, Ltd.**  
556 South Mansfield Street  
Ypsilanti, Michigan 48197  
(800) 482-8333

**Naval Facilities Engineering Command Hawaii**  
**Environmental Services Laboratory** EV11  
(NAVSAC PAC)  
400 Marshall Road  
**Pearl Harbor**, Hawaii 96860-3139  
(808) 471-0768

**NSF International**  
789 N. Dixboro Road  
Ann Arbor, Michigan 48105-9723  
(734) 769-8010 x 2257

**Pace Analytical Services, Inc., Florida**  
(f.k.a. ELAB Inc.)  
8 East Tower Circle  
Ormond Beach, Florida 32174  
(386) 672-5668

**Pace Analytical Services, Inc., Minnesota**  
1700 Elm Street, Suite 200  
Minneapolis, Minnesota 55414  
(612) 607-6352

**Pace Analytical Services, Inc., Pittsburgh**  
1638 Roseytown Road, Suites 2, 3, & 4  
Greensburg, Pennsylvania 15601  
(724) 850-5620

**TestAmerica Laboratories, Inc. Chicago**  
2417 Bond Street  
University Park, Illinois 60466-3182  
(708) 534-5200 x127

**TestAmerica Laboratories, Inc. Knoxville**  
(a.k.a., STL Knoxville)  
5815 Middlebrook Pike  
Knoxville, Tennessee 37921  
(865) 291-3000

**TestAmerica Laboratories, Inc. – Richland**  
STL Richland  
2800 George Washington Way  
Richland, WA 99352  
(509) 375-3131

**TestAmerica Honolulu**  
(f.k.a. Oceanic Analytical Laboratory)  
99-193 Aiea Heights Drive, Suite 121  
Aiea, Hawaii 96701  
(808) 486-5227 x211

**TestAmerica Laboratories, Inc., Irvine**  
17461 Derian Avenue, Suite 100  
Irvine, California 92614-5817  
(949) 261-1022

**TestAmerica Laboratories, Inc., Morgan Hill**  
(f.k.a. Sequoia Analytical)  
885 Jarvis Drive  
Morgan Hill, California 95037-2858  
(408) 782-8169

**TestAmerica Laboratories, Inc., Ontario**  
1014 East Cooley Drive, Suite A-F  
Colton, California 92324  
(909) 370-4667

**TestAmerica Laboratories, Savannah**  
5102 LaRoche Avenue  
Savannah, Georgia 31404  
(912) 354-7858

**TestAmerica Laboratories, Inc., West Sacramento**  
880 Riverside Parkway  
West Sacramento, California 95605-1500  
(916) 374-4308

**Tripler Army Medical Center**  
Preventive Medicine Services Env. Laboratory  
Attn: MCHK-PV (Maj. Stacy Mosko)  
CDR TAMC  
1 Jarrett White Road  
Tripler Army Medical Center, Hawaii 96859-5000

**Underwriters Laboratories**, Inc.

110 South Hill Street  
South Bend, Indiana 46617  
(574) 233-4777

**Weck Laboratories**, Inc.

14859 East Clark Avenue  
City of Industry, California 91745-1396  
(626) 336-2139

***\*NOTE:*** *The above listings are for informational purposes only. It does not imply that any laboratory on the list will perform analyses for any other party. Water systems or their authorized representative ("applicant") are responsible for contracting with any of the certified or approved laboratories, listed above, to perform all of the analyses required for a new source approval. It is also the "applicant's" responsibility to verify that the contracted laboratory or laboratories are currently certified when the analyses are performed. **Please note that the Department of Health does not perform analyses for prospective sources of drinking water.***

**Certified or Approved Drinking Water Laboratories**

(Hawaii Department of Health, State Laboratories Division)

**INORGANIC CHEMICALS**

April 14, 2009

CONTAMINANT	Agriculture & Priority Pollutants*	Alloway-Marion*	Associated*	Bureau Veritas North America*	Calscience Environmental*	Columbia Analytical, Keliso*	EMAX Laboratories*	EMSL Analytical, California*	EMSL Analytical, New Jersey*	EnviroMatrix Analytical, inc.	FGL Environmental*	GEL Laboratories, LLC*	HECO Chemistry	Honolulu BWS	Maui Department of Water Supply	MWH Laboratories*	National Testing Laboratories, Ltd.	Naval Facilities Environmental Services Laboratory	NSF International*	Pace Analytical, Florida*	TestAmerica - Chicago*	TestAmerica Honolulu	TestAmerica, Irvine*	TestAmerica - Morgan Hill*	TestAmerica Savannah*	Underwriters Laboratories*	Weck Laboratories*	CONTAMINANT	
Antimony	200.8	200.8	200.8		200.8	200.8				200.8	200.8	200.8				200.8	SM3113B 200.8		200.8	SM3113B 200.8	200.7, 200.8		200.8	200.8	200.8	200.8	200.8	200.8	Antimony
Arsenic	200.8 200.7	200.8	200.8 200.7		200.8	200.8 200.9				200.8	200.8	200.7 200.8	200.9			200.8	SM3113B 200.8		200.8	200.7 200.8	200.7, 200.8 200.9		200.8	200.8	200.8	200.8	200.8	200.8	Arsenic
Asbestos				100.2				100.2	100.2							100.2													Asbestos
Barium	200.8 200.7	200.7 200.8	200.7 200.8		200.7 200.8	200.7 200.8				200.7 200.8	200.8	200.7 200.8				200.8 200.7	200.7 200.8		200.8	200.7 200.8	200.7, 200.8		200.8	200.8 200.7	200.7 200.8	200.8	200.7 200.8	200.7 200.8	Barium
Beryllium	200.8 200.7	200.8	200.8 200.8		200.7 200.8	200.7 200.8				200.7 200.8	200.8	200.7 200.8				200.8 200.7	200.7 200.8		200.8	200.7 200.8	200.7, 200.8 200.8		200.8	200.8 200.7	200.7 200.8	200.8	200.8	200.8	Beryllium
Cadmium	200.8 200.7	200.8	200.8 200.7		200.7 200.8	200.7 200.8				200.7 200.8	200.8	200.7 200.8				200.8 200.7	200.7 200.8		200.8	200.7 200.8	200.7, 200.8 200.9		200.8	200.8	200.7 200.8	200.8	200.7 200.8	200.7 200.8	Cadmium
Chromium	200.8 200.7	200.8 200.7	200.8 200.7		200.7 200.8	200.7 200.8				200.7 200.8	200.8	200.7 200.8				200.8 200.7	SM3113B 200.8		200.8	200.7 200.8	200.7, 200.8 200.9		200.8	200.8 200.7	200.7 200.8	200.8	200.7 200.8	200.7 200.8	Chromium
Copper	200.8 200.7	200.8 200.7	200.8 200.7		200.7 200.8	200.7,200.8, 200.9				200.7 200.8	200.8 200.7	200.7 200.8	200.7	SM 3111B	SM3113B 200.9	200.8 200.7	200.7 200.8		200.8	200.7 200.8	200.7 200.8		200.8	200.8 200.7	200.7 200.8	200.8	200.7 200.8	200.7 200.8	Copper
Cyanide		335.4	335.4 SM4500 CN E			335.4				SM4500CN E,G	SM4500CN E					SM4500-CN F 335.4			335.4	335.4	SM4500CN-CE		SM4500-CN-E		335.4 SM 4500CN E	335.4	SM4500CN-E (Total)		Cyanide
Fluoride	300.0	SM4500F C	300.0 SM4500F C		300.0	300.0 SM4500F C	300.0			SM 4500F C	300.0	300.0	SM4500F-C	300.0 SM4500F-C	SM4500F-C	SM4500-FC	300.0	SM4500FC	SM4500FC	300.0	SM4500F-C, 300.0			300.0	300.0 SM 4500F C	Technicon 380-75 WE, SM 4500F C, 300.0	300.0		Fluoride
Lead	200.8	200.8	200.8		200.8	200.8 200.9				200.8	200.8	200.8	200.9		SM3113B 200.9	200.8	SM3113B 200.8		200.8	200.8, SM3113B	200.8, 200.9		200.8	200.8	200.8	200.8	200.8	200.8	Lead
Mercury	245.1	245.2	200.8, 245.1		245.1	245.1				245.1	245.1	245.1				245.1	200.8		200.8	245.1	245.1		245.1	245.1	200.8, 245.1	245.1	245.1	245.1	Mercury
Nickel	200.8	200.8 200.7	200.8 200.7		200.7 200.8	200.7 200.8				200.7 200.8	200.8	200.7 200.8				200.8 200.7	SM3113B 200.8		200.8	200.7 200.8	200.7, 200.8		200.8	200.8 200.7	200.7 200.8	200.8	200.7 200.8	200.7 200.8	Nickel
Nitrate	353.2 300.0	SM4500NO3 F	353.2 300.0		300.0	353.2 300.0	300.0			SM4500NO3 E	300.0	300.0	353.2	300.0		300.0 353.2	300.0	353.2	300.0	300.0 353.2	SM4500NO3 F, 300.0, 353.2	353.2		300.0	300.0 353.2	300.0 353.2	300.0 353.2	300.0 353.2	Nitrate
Nitrite	353.2 300.0	353.2	353.2 300.0		300.0	353.2 300.0	300.0			SM4500NO2 B	300.0 SM4500NO2B	300.0	353.2	300.0		300.0 353.2	300.0	353.2	300.0	300.0 353.2	SM4500NO2 B, 300.0	353.2		300.0	300.0 353.2	353.2	300.0 353.2	300.0 353.2	Nitrite
Selenium	200.8	200.8	200.8		200.8	200.8 200.9				200.8	200.8	200.8				200.8	SM3113B 200.8		200.8	SM3113B 200.8	200.8 200.9		200.8	200.8	200.8	200.8	200.8	200.8	Selenium
Thallium	200.8	200.8	200.8		200.8	200.8 200.9				200.8	200.8	200.8				200.8	200.8 200.9		200.8	200.8	200.8 200.9		200.8	200.8	200.8	200.8	200.8	200.8	Thallium
<b>Certification Expiration Date</b>	<b>09/30/09</b>	<b>12/15/09</b>	<b>10/31/09</b>	<b>05/31/09</b>	<b>05/31/09</b>	<b>07/08/09</b>	<b>08/31/09</b>	<b>09/30/09</b>	<b>06/30/09</b>	<b>09/30/09</b>	<b>01/31/10</b>	<b>06/30/09</b>	<b>04/12/09</b>	<b>01/10/10</b>	<b>03/31/09</b>	<b>01/31/10</b>	<b>11/06/09</b>	<b>03/31/10</b>	<b>11/03/09</b>	<b>06/30/09</b>	<b>04/30/09</b>	<b>06/28/09</b>	<b>01/31/10</b>	<b>06/30/09</b>	<b>06/30/09</b>	<b>06/30/09</b>	<b>10/31/09</b>	<b>Certification Expiration Date</b>	

\*Laboratories located on the continental U.S. that are approved by the Department of Health, State Laboratories Division.

\*\* provisional certification

**Certified Drinking Water Laboratories**  
(Hawaii Department of Health, State Laboratories Division)

**VOLATILE ORGANIC CHEMICALS**

April 9, 2009

CONTAMINANT	Agriculture & Priority Pollutants*	Alloway-Marion*	Associated*	Calscience Environmental*	Columbia Analytical, Kelso*	Pace Analytical Services, Florida*	EMAX Laboratories*	FGL Environmental*	GEL Laboratories, LLC*	Honolulu BWS	MWH Laboratories*	NSF International*	TestAmerica, Ontario*	TestAmerica, Savannah*	Underwriters Laboratories*	Weck Laboratories*	CONTAMINANT
Benzene	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	502.2, 524.2	524.2	524.2	524.2	524.2	Benzene
Carbon Tetrachloride	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	502.2, 524.2	524.2	524.2	524.2	524.2	Carbon Tetrachloride
Chlorobenzene	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	502.2, 524.2	524.2	524.2	524.2	524.2	Chlorobenzene
1,2-Dichlorobenzene (ortho)	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	502.2, 524.2	524.2	524.2	524.2	524.2	1,2-Dichlorobenzene (ortho)
1,4-Dichlorobenzene (para)	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	502.2, 524.2	524.2	524.2	524.2	524.2	1,4-Dichlorobenzene (para)
1,2-Dichloroethane	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	502.2, 524.2	524.2	524.2	524.2	524.2	1,2-Dichloroethane
1,1-Dichloroethylene	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	502.2, 524.2	524.2	524.2	524.2	524.2	1,1-Dichloroethylene
cis-1,2-Dichloroethylene	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	502.2, 524.2	524.2	524.2	524.2	524.2	cis-1,2-Dichloroethylene
trans-1,2-Dichloroethylene	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	502.2, 524.2	524.2	524.2	524.2	524.2	trans-1,2-Dichloroethylene
Dichloromethane	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	502.2, 524.2	524.2	524.2	524.2	524.2	Dichloromethane
1,2-Dichloropropane (DCP)	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	502.2, 524.2	524.2	524.2	524.2	524.2	1,2-Dichloropropane (DCP)
Ethylbenzene	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	502.2, 524.2	524.2	524.2	524.2	524.2	Ethylbenzene
Styrene	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	502.2, 524.2	524.2	524.2	524.2	524.2	Styrene
Tetrachloroethylene (PCE)	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	502.2, 524.2	524.2	524.2	524.2	524.2	Tetrachloroethylene (PCE)
Toluene	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	502.2, 524.2	524.2	524.2	524.2	524.2	Toluene
1,1,1 Trichloroethane	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	502.2, 524.2	524.2	524.2	524.2	524.2	1,1,1 Trichloroethane
1,1,2-Trichloroethane	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	502.2, 524.2	524.2	524.2	524.2	524.2	1,1,2-Trichloroethane
1,2,4-Trichlorobenzene	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	502.2, 524.2	524.2	524.2	524.2	524.2	1,2,4-Trichlorobenzene
Trichloroethylene (TCE)	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	502.2, 524.2	524.2	524.2	524.2	524.2	Trichloroethylene (TCE)
Vinyl Chloride	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2		524.2	502.2, 524.2	524.2	524.2	524.2	524.2	Vinyl Chloride
Xylenes (Total)	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	524.2	502.2, 524.2	524.2	524.2	524.2	524.2	Xylenes (Total)
Trihalomethanes (Total or TTHM)	524.2	524.2	524.2	524.2	524.2	524.2		524.2, 551.1	524.2		524.2, 551.1	502.2, 524.2	524.2	524.2	524.2	524.2	Trihalomethanes (Total or TTHM)
<b>Certification Expiration Date</b>	<b>09/30/09</b>	<b>12/15/09</b>	<b>10/31/09</b>	<b>05/31/09</b>	<b>07/08/09</b>	<b>06/30/09</b>	<b>08/31/09</b>	<b>01/31/10</b>	<b>06/30/09</b>	<b>01/10/10</b>	<b>01/31/10</b>	<b>11/03/09</b>	<b>04/30/08</b>	<b>06/30/09</b>	<b>06/30/09</b>	<b>10/31/08</b>	<b>Certification Expiration Date</b>

\*Laboratories located on the continental U.S. that are approved by the Department of Health, State Laboratories Division.

**Certified or Approved Drinking Water Laboratories**  
 (Hawaii Department of Health, State Laboratories Division)  
**SYNTHETIC ORGANIC CHEMICALS**

April 15, 2009

CONTAMINANT	Agriculture & Priority Pollutants*	Alloway-Marion*	Associated*	CalScience Environmental*	Columbia Analytical, Houston*	Columbia Analytical, Kelso*	EMAX Laboratories*	FGL Environmental*	GEL Laboratories, LLC*	Honolulu BWS	Maxxam Analytics*	MWH Laboratories*	National Testing Laboratories*	NSF International*	Pace Analytical, Florida*	Pace Analytical, Minnesota*	TestAmerica Knoxville*	TestAmerica, Ontario*	TestAmerica, Savannah*	TestAmerica West Sacramento*	Underwriters Laboratories*	Weck Laboratories*	CONTAMINANT
Alachlor	507	525.2				525.2		505				525.2, 505	508.1	525.2	508.1			505, 525.2	525.2		525.2	525.2	Alachlor
Aldicarb						531.1		531.1				531.1		531.2	531.1			531.1	531.1		531.1	531.1	Aldicarb
Aldicarb Sulfone						531.1		531.1				531.1		531.2	531.1			531.1	531.1		531.1	531.1	Aldicarb Sulfone
Aldicarb Sulfoxide						531.1		531.1				531.1		531.2	531.1			531.1	531.1		531.1	531.1	Aldicarb Sulfoxide
Atrazine	507	525.2				525.2		507				525.2	508.1	525.2	507, 508.1			525.2	525.2		525.2	525.2	Atrazine
Benzo(a)Pyrene	525.2	525.2		525.2		525.2		525.2				525.2		525.2	525.2			525.2	525.2		525.2	525.2	Benzo(a)Pyrene
Carbofuran						531.1		531.1				531.2		531.2	531.1			531.1	531.1		531.1	531.1	Carbofuran
Chlordane	508	508				508.1		505				525.2, 505	505	505, 508.1	508.1			505	508		505	508 (Total)	Chlordane
Dalapon	515.1	515.1				515.4		515.3				515.4	515.3	515.3, 555	515.3			515.4	515.1		515.3	515.3	Dalapon
Dieldrin	508	508				525.2, 508.1		505				525.2, 505	505	525.2	508.1			505, 525.2	508, 525.2		525.2	508, 525.2	Dieldrin
2,4-D	515.1	515.1				515.4		515.3				515.4	515.2	515.3	515.3			515.4	515.1		515.3	515.3	2,4-D
Di(ethylhexyl)-Adipate	525.2	525.2				525.2		525.2				525.2		525.2	525.2			525.2	525.2		525.2	525.2	Di(ethylhexyl)-Adipate
Di(ethylhexyl)-Phthalate	525.2	525.2				525.2		525.2				525.2		525.2	525.2			525.2	525.2		525.2	525.2	Di(ethylhexyl)-Phthalate
Dibromochloropropane (DBCP)	504.1	504.1	504.1	504.1		504.1	504.1	504.1	504.1	504.1	504.1	504.1	504.1	504.1	504.1			504.1	504.1		504.1	504.1	Dibromochloropropane (DBCP)
Dinoseb	515.1	515.1				515.4		515.3				515.4	515.2	515.3, 555	515.3			515.4	515.1		515.3	515.3	Dinoseb
Diquat		549.2				549.2		549.2				549.2		549.2	549.2			549.2	549.2		549.2	549.2	Diquat
Endothall		548.1				548.1		548.1				548.1		548.1	548.1			548.1	548.1		548.1	548.1	Endothall
Endrin	508	508				525.2, 508.1		505				525.2, 505	505	525.2	508.1			505	508, 525.2		525.2	508, 525.2	Endrin
Ethylene Dibromide (EDB)	504.1	504.1	504.1	504.1		504.1	504.1	504.1	504.1	504.1	504.1	504.1	504.1	504.1	504.1			504.1	504.1		504.1	504.1	Ethylene Dibromide (EDB)
Glyphosate		547				547		547				547		547	547			547	547		547	547	Glyphosate
Heptachlor	508	508				525.2, 508.1		505				525.2, 505	505	525.2	508.1			505	508, 525.2		525.2	508, 525.2	Heptachlor
Heptachlor Epoxide	508	508				525.2, 508.1		505				525.2, 505	505	525.2	508.1			505	508, 525.2		525.2	508, 525.2	Heptachlor Epoxide
Hexachlorobenzene	508	508, 525.2				525.2		505				525.2	505	525.2	508.1			505, 525.2	525.2		525.2	508	Hexachlorobenzene
Hexachlorocyclopentadiene		508, 525.2				525.2		505				525.2	505	525.2	508.1			505, 525.2	525.2		525.2	508	Hexachlorocyclopentadiene
Lindane	508	508				525.2, 508.1		505				525.2, 505	505	525.2	508.1			505, 525.2	508, 525.2		525.2	508, 525.2	Lindane
Methoxychlor	508	508				525.2, 508.1		505				525.2, 505	505	525.2	508.1			505, 525.2	508, 525.2		525.2	508, 525.2	Methoxychlor
Oxamyl						531.1		531.1				531.2		531.2	531.1			531.1	531.1		531.1	531.1	Oxamyl
Pentachlorophenol	515.1	515.1				515.4		515.3				515.4, 525.2	515.2	515.3, 555	515.3			515.4	515.1		515.3	515.3	Pentachlorophenol
Picloram	515.1	515.1				515.4		515.3				515.4	515.2	515.3	515.3			515.4	515.1		515.3	515.3	Picloram
Polychlorinated biphenyls (PCB)	as aro 508 (screen)					as aro 508.1		as aro 505 (screen)				aroclor screen 505	aroclor screen 505	screen only 505	aro 508.1			aro identity 505	as aro 508		505	as aro (screen) 508	Polychlorinated biphenyls (PCB)
Simazine	507	525.2				525.2		507				525.2	508.1	525.2	507, 508.1			525.2	525.2		525.2	525.2	Simazine
2,3,7,8-Tetrachlorodibenzo-p-dioxin					1613B					1613B				1613		1613	1613B			1613B	1613B		2,3,7,8-Tetrachlorodibenzo-p-dioxin
Toxaphene	508	508				508.1		505				505	505	505, 508.1	508.1			505	508		505	508	Toxaphene
1,2,3-Trichloropropane (TCP)	504.1					504.1		504.1		504.1		504.1										504.1	1,2,3-Trichloropropane (TCP)
2,4,5-TP (Silvex)	515.1	515.1				515.4		515.3				515.4		515.3	515.3			515.4	515.1		515.3	515.3	2,4,5-TP (Silvex)
<b>Certification Expiration Date</b>	<b>09/30/09</b>	<b>04/24/09</b>	<b>10/31/09</b>	<b>05/31/09</b>	<b>06/30/09</b>	<b>07/08/09</b>	<b>08/31/09</b>	<b>01/31/10</b>	<b>06/30/09</b>	<b>01/10/10</b>	<b>06/30/09</b>	<b>01/31/10</b>	<b>11/06/09</b>	<b>11/03/09</b>	<b>06/30/09</b>	<b>06/30/09</b>	<b>04/13/10</b>	<b>01/31/10</b>	<b>06/30/09</b>	<b>01/31/10</b>	<b>06/30/09</b>	<b>10/31/09</b>	<b>Certification Expiration Date</b>

\*Laboratories located on the continental U.S. that are approved by the Department of Health, State Laboratories Division.

**Certified or Approved Drinking Water Laboratories**  
**(Hawaii Department of Health, State Laboratories Division)**  
**RADIOCHEMISTRY MONITORING**  
 April 8, 2009

<b>CONTAMINANT</b>	<b>ACZ Laboratories, Inc.*</b>	<b>Eberline Services*</b>	<b>Gel Laboratories, LLC*</b>	<b>MWH Laboratories*</b>	<b>Pace Analytical Services, Inc. - Pittsburgh*</b>	<b>TestAmerica Laboratories, Inc. - Richland*</b>	<b>Underwriters Laboratories, Inc.</b>	<b>Weck Laboratories, Inc.*</b>	<b>CONTAMINANT</b>
Gross Alpha	900.0	900.0	900.0	900.0	900.0, SM 7110 C	900.0	SM 7110 B SM 7110 C	900.0, SM 7110 C	Gross Alpha
Gross Beta	900.0	900.0	900.0	900.0	900.0	900.0	SM 7110 B	900.0	Gross Beta
Radium - 226	903.1	903.1	903.1		903.1	903.0 903.1	SM 7500-Ra B		Radium - 226
Radium - 228	904.0	904.0	904.0	904.0	904.0	904.0	SM 7500-Ra D		Radium - 228
Uranium	200.8	ASTM D5174-91	ASTM D5174-91	200.8	908.0, ASTM D5174-97	ASTM D5174-91	200.8	200.8	Uranium
<b>Certification Expiration Date</b>	<b>08/31/09</b>	<b>01/31/10</b>	<b>06/30/09</b>	<b>01/31/10</b>	<b>03/31/10</b>	<b>01/09/10</b>	<b>06/30/09</b>	<b>10/31/09</b>	<b>Certification Expiration Date</b>

\*Laboratories located on the continental U.S. that are approved by the Department of Health, State Laboratories Division.

**Certified Drinking Water Laboratories**  
(Hawaii Department of Health, State Laboratories Division)

**MICROBIOLOGICAL ANALYSIS**

April 14, 2009

LABORATORY NAME	EXPIRATION DATE	CERTIFIED LABORATORY METHOD			
		TOTAL COLIFORMS	FECAL COLIFORMS	E-COLI	HPC
AECOS	10/31/09	SM 9223 Colilert SM 9223 Colisure SM 9223 Colilert (LT2)		SM 9223 Colilert SM 9223 Colisure SM 9223 Colilert (LT2)	SM 9215 (Pour Plate) SM 9215 Idexx SimPlate
Food Quality Analysts, LLC	6/30/09	SM 9222 Membrane Filtration SM 9223 Colilert SM 9223 Colilert (LT2)	SM 9222 Membrane Filtration	SM 9223 Colilert SM 9223 Colilert (LT2)	SM 9215 (Pour Plate) SM 9215 Idexx SimPlate
County of Hawaii, Dept. of Water Supply Microbiology Laboratory	8/31/09	SM 9223 Colisure		SM 9223 Colisure	SM 9215 Idexx SimPlate
DOH Hawaii District Health Laboratory - Hilo	3/31/10	SM 9223 Colisure		SM 9223 Colisure	
Hawaii Food & Water Testing	7/31/09	SM 9223 Colilert SM 9223 Colilert (LT2)		SM 9223 Colilert SM 9223 Colilert (LT2)	SM 9215 (Pour Plate)
Honolulu BWS	8/31/10	SM 9223 Colisure		SM 9223 Colisure	SM 9215 (Pour Plate)
County of Kauai, Department of Water	9/30/09	SM 9223 Colisure SM Colilert (LT2)		SM 9223 Colisure SM 9223 Colilert (LT2)	SM 9215 Idexx SimPlate
DOH Kauai District Health Laboratory - Lihue	9/30/10	SM 9223 Colisure		SM 9223 Colisure	
County of Maui, Department of Water Supply	3/31/11	SM 9223 Colisure		SM 9223 Colisure	SM 9215 (Pour Plate)
DOH Maui District Health Laboratory	4/30/09	SM 9223 Colisure SM 9222 Membrane Filtration	SM 9222 Membrane Filtration	SM 9223 Colisure	SM 9215 (Pour Plate)
Naval Facilities Environmental Services Laboratory	4/30/10	SM 9223 Colisure SM 9222 Membrane Filtration SM 9221 Multiple Tube Fermentation	SM 9222 Membrane Filtration SM 9221 Multiple Tube Fermentation	SM 9223 Colisure	SM 9215 (Pour Plate)
Tripler Army Medical Center	5/31/09	SM 9223 Colilert		SM 9223 Colilert	