

**State of Hawaii
Department of Health
Indoor and Radiological Health Branch**

**GUIDE FOR FILING COMMUNITY NOISE PERMIT APPLICATIONS
(CONSTRUCTION ACTIVITIES)**

General Information

1. Every application for permit shall be submitted on forms furnished by the Department of Health.
2. Submit information on attachments, if necessary.
3. Every applicant shall pay the applicable *annual* fees as follows:

Specific Information

All sections of the permit application must be filled out completely in order for your application to be processed. An incomplete application shall not be considered or acted upon.

I. Applicant Information

This section shall include the company's or individual's name, mailing address and telephone number. In addition, the authorized individual, title and telephone number shall be included. The authorized individual shall be responsible for the Community Noise Permit and shall be the respondent to all permit matters. The authorized individual shall sign the *certification section* of the permit application.

II. Community Noise Permit Fee Schedule (Annual)

\$25 per year for activities involving demolition, construction, extension, additions or renovation of a *single family dwelling*.

\$50 per year for all other activities, including but not limited to demolition of building structures, construction of buildings, residential subdivisions, shopping centers, bridges, reservoirs, utilities, roadway (including improvements), site work for subdivisions and golf courses.

Fees shall not be refunded or applied to any subsequent application.

Fees shall be made payable to the *State of Hawaii*.

The assessment of appropriate fees shall be based upon the estimated duration of the construction project, as indicated on the application. For example, the estimated duration for construction of a commercial complex is submitted as April 1, 1997 through May 1, 1998. A total permit application fee of \$100.00 (\$50.00 for the first year; and \$50.00 for the second year) shall be assessed. The estimated duration should, therefore, be