

DIRECTORY OF DRINKING WATER LABORATORIES
CERTIFIED OR APPROVED BY THE HAWAII DEPARTMENT OF HEALTH,
STATE LABORATORIES DIVISION

ACZ Laboratories, Inc.

2773 Downhill Drive
Steamboat Springs, Colorado 80487
(970) 879-6590 x531
(800) 334-5493

AECOS Laboratory, Inc.

45-939 Kamehameha Highway, Suite 104
Kaneohe, Hawaii 96744
(808) 234-7770

**Agriculture & Priority Pollutants
Laboratories, Inc.**

908 N. Temperance Avenue
Clovis, California 93611
(559) 275-2175

Alloway Marion Laboratory

1776 Marion-Waldo Road
Marion, Ohio 43302
(419) 223-1362

Associated Laboratories

806 North Batavia
Orange, California 92868-1225
(714) 771-6900

BSK Analytical Laboratories

1414 Stanislaus Street
Fresno, California 93706
(559) 497-2888

Bureau Veritas North America, Inc.

3380 Chastain Meadows Parkway, Suite 300
Kennesaw, Georgia 30144
(770) 499-7500

Calscience Environmental Laboratories, Inc.

7440 Lincoln Way
Garden Grove, California 92841
(714) 895-5494

Columbia Analytical Services, Houston

19408 Park Row, Suite 320
Houston, Texas 77084-4949
(800) 695-7222

Columbia Analytical Services, Kelso

1317 South 13th Avenue
Kelso, Washington 98626
(360) 577-7222

Edge Analytical, Incorporated

1620 South Walnut Street
Burlington, Washington 98233
(360) 757-1400

Eberline Analytical Corp, Richmond

2030 Wright Avenue
Richmond, California 94804
(510) 235-2633

EMAX Laboratories, Inc.

1835 W, 205th Street
Torrance, California 90501
(310) 618-8889

EMSL Analytical, Inc. - California

2235 Polvorosa Avenue, Suite 230
San Leandro, California 94577
(510) 895-3675

EMSL Analytical, Inc. - New Jersey

200 Route 130 North
Cinnaminson, New Jersey 08077
(800) 220-3675

EnviroMatrix Analytical, Inc.

4340 Viewridge Ave., Suite A
San Diego, California 92123
(858) 560-7717

FGL Environmental

853 Corporation Street
Santa Paula, California 93060
(805) 392-2024

Food Quality Analysts, LLC

3375 Koapaka Street, Suite G314
Honolulu, Hawaii 96819
(808) 839-9444

GEL Laboratories, LLC

2040 Savage Road
Charleston, South Carolina 29407
(843) 556-8171

**County of Hawaii Department of Water Supply
Microbiology Laboratory**

25 Aupuni Street
Hilo, Hawaii 96720

Hawaii Food & Water Testing, LLC

2688 B Kilihau Street
Honolulu, Hawaii 96819
(808) 836-5558

HECO Chemistry Laboratory

Environmental Department
P.O. Box 2750
Honolulu, Hawaii 96840
(808) 543-4297

Honolulu Board of Water Supply

Chemistry Laboratory
630 Beretania Street
Honolulu, Hawaii 96813
(808) 748-5840

Kauai Department of Water

4398 Pua Loke Street
Lihue, Hawaii 96766

LABCOR, Inc.

7619 Sixth Avenue NW
Seattle, Washington 98117-4037
(206) 781-0155

Maxxam Analytics Inc.

6740 Campobello Road
Mississauga, Ontario L5N2L8
(905) 817-5700

Maui Department of Water Supply

614 Palapala Drive
Kahului, Hawaii 96732
(808) 270-7816

MWH Laboratories

(A Division of MWH Americas, Inc.)
750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
(626) 386-1170
(626) 386-1125

National Testing Laboratories, Ltd.

556 South Mansfield Street
Ypsilanti, Michigan 48197
(734) 483-8333

Naval Facilities Engineering Command Hawaii

Environmental Services Laboratory EV11

(NAVSAC PAC)
400 Marshall Road
Pearl Harbor, Hawaii 96860-3139
(808) 471-0768

NSF International

789 N. Dixboro Road
Ann Arbor, Michigan 48105-9723
(734) 827-6837

Pace Analytical Services, Inc., Florida

8 East Tower Circle
Ormond Beach, Florida 32174
(386) 672-5668

Pace Analytical Services, Inc., Minnesota

1700 Elm Street, Suite 200
Minneapolis, Minnesota 55414
(612) 607-6352

Pace Analytical Services, Inc., Pittsburgh

1638 Roseytown Road, Suites 2, 3, & 4
Greensburg, Pennsylvania 15601
(724) 850-5600

TestAmerica Laboratories, Inc., Chicago

2417 Bond Street
University Park, Illinois 60484
(708) 534-5200

TestAmerica Laboratories, Inc., Knoxville

5815 Middlebrook Pike
Knoxville, Tennessee 37921
(865) 291-3000

TestAmerica Laboratories, Inc. – Richland

2800 George Washington Way
Richland, WA 99354
(509) 375-3131

TestAmerica Honolulu

99-193 Aiea Heights Drive, Suite 121
Aiea, Hawaii 96701
(808) 486-5227

TestAmerica Laboratories, Inc., Irvine

17461 Derian Avenue, Suite 100
Irvine, California 92614
(949) 261-1022

TestAmerica Laboratories, Savannah

5102 LaRoche Avenue
Savannah, Georgia 31404
(912) 354-7858

TestAmerica Laboratories, Inc.,

West Sacramento

880 Riverside Parkway
West Sacramento, California 95605
(916) 374-4308

Tripler Army Medical Center

Preventive Medicine Services Env. Laboratory
Attn: MCHK-PV (Maj. Stacy Mosko)
CDR TAMC
1 Jarrett White Road
Tripler Army Medical Center, Hawaii 96859-5000

Underwriters Laboratories, Inc.

110 South Hill Street
South Bend, Indiana 46617
(574) 233-4777

Weck Laboratories, Inc.

14859 East Clark Avenue
City of Industry, California 91745-1396
(626) 336-2139

****NOTE: The above listings are for informational purposes only. It does not imply that any laboratory on the list will perform analyses for any other party. Water systems or their authorized representative ("applicant") are responsible for contracting with any of the certified or approved laboratories, listed above, to perform all of the analyses required for a new source approval. It is also the "applicant's" responsibility to verify that the contracted laboratory or laboratories are currently certified when the analyses are performed. Please note that the Department of Health does not perform analyses for prospective sources of drinking water.***

**Certified or Approved Drinking Water Laboratories
(Hawaii Department of Health, State Laboratories Division)**

INORGANIC CHEMICALS

November 22, 2011

| CONTAMINANT | Agriculture & Priority Pollutants * | Alloway-Marion * | Associated * | BSK Analytical Laboratories * | Bureau Veritas North America * | CalScience Environmental* | Columbia Analytical, Kelso* | Edge Analytical Incorporated * | EMAX Laboratories * | EMSL Analytical, California * | EMSL Analytical, New Jersey * | EnviroMatrix Analytical, Inc. * | FGL Environmental * | GEL Laboratories, LLC* | HECO Chemistry | LABCOR, INC * | Maui Department of Water Supply | MWH Laboratories * | National Testing Laboratories, Ltd. * | Naval Facilities Environmental Services Laboratory | NSF International * | Pace Analytical, Florida * | Pace Analytical-Minnesota * | TestAmerica - Chicago * | TestAmerica Irvine * | TestAmerica Honolulu | TestAmerica Savannah * | Underwriters Laboratories * | Weck Laboratories * | CONTAMINANT | |
|---------------------------------------------------------------------------------------------------------------------------|-------------------------------------|----------------------|-------------------------|-------------------------------|--------------------------------|---------------------------|-----------------------------|--------------------------------|---------------------|-------------------------------|-------------------------------|---------------------------------|--------------------------|------------------------|-----------------|-----------------|---------------------------------|---------------------------|---------------------------------------|----------------------------------------------------|---------------------|----------------------------|-----------------------------|-------------------------|----------------------|-------------------------------------|---------------------------|-----------------------------|----------------------------------------|--------------------------------------|----------|
| Antimony | 200.8 | 200.8 | 200.8 | 200.8 | | 200.8 | 200.8 | 200.8 | | | | 200.8 | 200.8 | 200.8 | | | | 200.8 | 200.8 SM3113B | | 200.8 | 200.8 | 200.8 | 200.8 | 200.8 | | 200.8 | 200.8 | 200.8 | Antimony | |
| Arsenic | 200.8 200.7 | 200.8 | 200.8 200.7 | 200.8 | | 200.8 | 200.8 200.9 | 200.8 | | | | 200.8 | 200.8 | 200.7 200.8 | 200.9 | | | 200.8 | 200.8 SM3113B | | 200.8 | 200.7 200.8 | 200.8 | 200.7, 200.8 | 200.8 | | 200.8 | 200.8 | 200.8 | Arsenic | |
| Barium | 200.8 200.7 | 200.7 200.8 | 200.7 200.8 | 200.7 200.8 | | 200.7 200.8 | 200.7 200.8 | 200.7, 200.8 | | | | 200.7 200.8 | 200.8 | 200.7 200.8 | | | | 200.8 | 200.8 200.7 | | 200.8 | 200.7 200.8 | 200.8 | 200.7, 200.8 | 200.7, 200.8 | | 200.7 200.8 | 200.8 | 200.7 200.8 | Barium | |
| Beryllium | 200.8 200.7 | 200.8 | 200.7 200.8 | 200.8 | | 200.7 200.8 | 200.7 200.8 | 200.7, 200.8 | | | | 200.7 200.8 | 200.8 | 200.7 200.8 | | | | 200.8 | 200.8 200.7 | | 200.8 | 200.7 200.8 | 200.8 | 200.7, 200.8 | 200.7, 200.8 | | 200.7 200.8 | 200.8 | 200.7 200.8 | Beryllium | |
| Cadmium | 200.8 200.7 | 200.8 | 200.8 200.7 | 200.8 | | 200.7 200.8 | 200.7 200.8 | 200.7, 200.8 | | | | 200.7 200.8 | 200.8 | 200.7 200.8 | | | | 200.8 | 200.8 200.7 | | 200.8 | 200.7 200.8 | 200.8 | 200.7, 200.8 | 200.7, 200.8 | | 200.7 200.8 | 200.8 | 200.7 200.8 | Cadmium | |
| Chromium | 200.8 200.7 | 200.8 200.7 | 200.8 200.7 | 200.8 200.7 | | 200.7 200.8 | 200.7 200.8 | 200.7, 200.8 | | | | 200.7 200.8 | 200.8 | 200.7 200.8 | | | | 200.8 | 200.8 200.7 SM3113B | | 200.8 | 200.7 200.8 | 200.8 | 200.7, 200.8 | 200.7, 200.8 | | 200.7 200.8 | 200.8 | 200.7 200.8 | Chromium | |
| Copper | 200.8 200.7 | 200.8 200.7 | 200.8 200.7 | 200.8 200.7 | | 200.7 200.8 | 200.7, 200.8, 200.9 | 200.7, 200.8 | | | | 200.7 200.8 | 200.8 | 200.7 200.8 | 200.7 | | | SM3113B 200.9 | 200.8 200.7 | | 200.8 | 200.7 200.8 | 200.8 | 200.7, 200.8 | 200.7, 200.8 | | 200.7 200.8 | 200.8 | 200.7 200.8 | Copper | |
| Lead | 200.8 | 200.8 | 200.8 | 200.8 | | 200.8 | 200.8 200.9 | 200.8 | | | | 200.8 | 200.8 | 200.8 | 200.9 | | | SM3113B 200.9 | 200.8 SM3113B | | 200.8 | 200.8 | 200.8 | 200.8 | 200.8 | | 200.8 | 200.8 | 200.8 | Lead | |
| Mercury | 245.1 | 245.1 | 200.8, 245.1 | 200.8 | | 245.1 | 245.1 | 245.1 | | | | | 245.1 | 245.1 | | | | 245.1 | 200.8 | | 200.8 | 245.1 | 200.8 | 245.1 | 245.1 | | 200.8, 245.1 | 245.1 | 245.1 | Mercury | |
| Nickel | 200.8 | 200.8 200.7 | 200.8 200.7 | 200.8 200.7 | | 200.7 200.8 | 200.7 200.8 | 200.7, 200.8 | | | | 200.7 200.8 | 200.8 | 200.7 200.8 | | | | 200.8 200.7 | 200.8 200.7 SM3113B | | 200.8 | 200.7 200.8 | 200.8 | 200.7, 200.8 | 200.7, 200.8 | | 200.7 200.8 | 200.8 | 200.7 200.8 | Nickel | |
| Selenium | 200.8 | 200.8 | 200.8 | 200.8 | | 200.8 | 200.8 200.9 | 200.8 | | | | 200.8 | 200.8 | 200.8 | | | | 200.8 | 200.8 SM3113B | | 200.8 | 200.8 | 200.8 | 200.8 | 200.8 | | 200.8 | 200.8 | 200.8 | Selenium | |
| Thallium | 200.8 | 200.8 | 200.8 | 200.8 | | 200.8 | 200.8 200.9 | 200.8 | | | | 200.8 | 200.8 | 200.8 | | | | 200.8 | 200.8 200.9 | | 200.8 | 200.8 | 200.8 | 200.8 | 200.8 | | 200.8 | 200.8 | 200.8 | Thallium | |
| Asbestos | | | | | 100.2 | | | | | 100.2 | 100.2 | | | | | | | 100.2 | | | | | | | | | | | | Asbestos | |
| Cyanide | | 335.4 | 335.4 SM4500 CN E | SM4500 CN E F | | SM4500 CN E | 335.4 | SM4500 CN F | | | | SM4500 CN E | SM4500 CN E | | | | | SM4500- CN F, 335.4 | | | 335.4 | 335.4 | | SM4500 CN-CE | SM4500 CN E | | 335.4, SM 4500 CN E | 335.4, Lachat 10-204-00-1-x | 335.4 | Cyanide | |
| Fluoride | 300.0 | SM4500F C | 300.0, SM4500 F C | 300.0, SM4500 F C | | 300.0 | 300.0 SM4500F C | 300.0 | 300.0 | | | SM 4500F C | 300.0 | 300.0 | SM 4500F-C | | | SM4500 F-C, 300.0 | SM4500- FC, 300.0 | 300.0 | SM4500 FC | SM4500 FC | 300.0 | | SM4500F-C, 300.0 | SM4500F-C, 300.0 | | 300.0 SM 4500F C | Technicon 380-75WE, SM4500FC, 300.0 | 300.0 | Fluoride |
| Nitrate | 353.2 300.0 | 353.2, SM4500NO3F | 353.2 300.0 | 300.0, SM4500N O2 B | | 300.0 | 353.2 300.0 | 300.0, SM4500NO3 F | 300.0 | | | SM4500 NO3 E | 300.0 | 300.0 | 353.2 | | | 300.0 | 353.2 calc | 300.0 | 353.2 | 300.0 | 300.0 | 353.2 | | SM4500 NO3 F, 300.0, 353.2 | 300.0 | 353.2 | 300.0 353.2 | 300.0 353.2 | Nitrate |
| Nitrite | 353.2 300.0 | 353.2, SM4500NO3F | 353.2 300.0 | 300.0, SM4500N O2 B | | 300.0 | 353.2 300.0 | 300.0, SM4500NO3 F | 300.0 | | | SM4500 NO2 B | 300.0, SM4500 NO2B | 300.0 | 353.2 | | | 300.0 | 353.2 | 300.0 | 353.2 | 300.0 | 300.0 | 353.2 | | SM4500 NO2 B, 300.0 | 300.0 | 353.2 | 300.0 353.2 | 300.0 353.2 | Nitrite |
| Certification Expiration Date | 09/30/12 | 12/15/12 | 10/31/12 | 07/31/12 | 05/31/12 | 09/30/12 | 07/08/12 | 01/18/12 | 08/31/12 | 09/30/12 | 06/30/12 | 09/30/12 | 01/31/12 | 06/30/12 | 04/12/12 | 04/01/12 | 03/31/12 | 01/31/12 | 12/31/11 | 03/21/12 | 11/03/11 | 06/30/12 | 12/31/11 | 04/30/12 | 01/31/12 | 06/28/12 | 06/30/12 | 06/30/12 | 10/31/12 | Certification Expiration Date | |
| *Laboratories located on the continental U.S. that are approved by the Department of Health, State Laboratories Division. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ** provisional certification | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

**Certified or Approved Drinking Water Laboratories
(Hawaii Department of Health, State Laboratories Division)
EPA REGULATED ORGANIC COMPOUNDS
November 22, 2011**

| CONTAMINANT | Agriculture & Priority Pollutants* | Alloway-Marion* | Associated* | BSK Analytical Laboratories | CalScience Environmental* | Columbia Analytical, Houston* | Columbia Analytical, Kelso* | Edge Analytical Incorporated* | EMAX Laboratories* | FGL Environmental* | GEL Laboratories, LLC* | Maxxam Analytics* | MWH Laboratories* | National Testing Laboratories* | NSF International* | Pace Analytical, Florida* | Pace Analytical, Minnesota* | TestAmerica Knoxville* | TestAmerica, Irvine* | TestAmerica, Savannah* | TestAmerica West Sacramento* | Underwriters Laboratories* | Weck Laboratories* | CONTAMINANT | |
|-------------------------------------------------------|------------------------------------|-----------------|-----------------|-----------------------------|---------------------------|-------------------------------|-----------------------------|-------------------------------|--------------------|--------------------|------------------------|-------------------|---------------------|--------------------------------|--------------------|---------------------------|-----------------------------|------------------------|---------------------------|------------------------|------------------------------|----------------------------|--------------------|--------------------------------------|-------------------------------------------------------|
| Alachlor | | 525.2 | | 525.2 | | | 525.2 | 525.2 | | 505 | | | 525.2, 505 | 508.1, 525.2 | 525.2 | 508.1 | | 508.1, 525.2, 505 | 525.2 | | | 525.2 | 525.2 | Alachlor | |
| Atrazine | | 525.2 | | 525.2 | | | 525.2 | 525.2 | | 507 | | | 525.2 | 508.1, 525.2 | 525.2 | 508.1 | | | 525.2 | 525.2 | | | 525.2 | 525.2 | Atrazine |
| Chlordane | | 508 | | 505 | | | 508.1 | 508.1 | | 505 | | | 525.2, 505 | 505 | 505, 508.1 | 508.1 | | | 508.1, 505 | 508 | | | 505 | 508 | Chlordane |
| Dieldrin | 508 | 508 | | 505 | | | 508.1 | 508.1, 525.2 | | 505 | | | 525.2, 505 | 505, 525.2 | 525.2 | 508.1 | | | 508.1, 525.2 | 508, 525.2 | | | 525.2 | 508, 525.2 | Dieldrin |
| Endrin | 508 | 508 | | 505 | | | 508.1 | 508.1, 525.2 | | 505 | | | 525.2, 505 | 505, 525.2 | 525.2 | 508.1 | | | 508.1, 505 | 508, 525.2 | | | 525.2 | 508, 525.2 | Endrin |
| Heptachlor | 508 | 508 | | 505 | | | 508.1 | 508.1, 525.2 | | 505 | | | 525.2, 505 | 505, 525.2 | 525.2 | 508.1 | | | 508.1, 505 | 508, 525.2 | | | 525.2 | 508, 525.2 | Heptachlor |
| Heptachlor Epoxide | 508 | 508 | | 505 | | | 508.1 | 508.1, 525.2 | | 505 | | | 525.2, 505 | 505, 525.2 | 525.2 | 508.1 | | | 508.1, 505 | 508, 525.2 | | | 525.2 | 508, 525.2 | Heptachlor Epoxide |
| Hexachlorobenzene | 508 | 508, 525.2 | | 505 | | | 525.2 | 525.2 | | 505 | | | 525.2 | 505, 525.2 | 525.2 | 508.1 | | | 508.1, 525.2, 505 | 525.2 | | | 525.2 | 508 | Hexachlorobenzene |
| Hexachlorocyclopentadiene | | 508, 525.2 | | 505 | | | 525.2 | 525.2 | | 505 | | | 525.2 | 505, 525.2 | 525.2 | 508.1 | | | 508.1, 525.2, 505 | 525.2 | | | 525.2 | 508 | Hexachlorocyclopentadiene |
| Lindane | 508 | 508 | | 505 | | | 508.1 | 508.1, 525.2 | | 505 | | | 525.2, 505 | 505, 525.2 | 525.2 | 508.1 | | | 508.1, 505 | 508, 525.2 | | | 525.2 | 508, 525.2 | Lindane |
| Methoxychlor | 508 | 508 | | 505 | | | 508.1 | 508.1, 525.2 | | 505 | | | 525.2, 505 | 505, 525.2 | 525.2 | 508.1 | | | 508.1, 525.2, 505 | 508, 525.2 | | | 525.2 | 508, 525.2 | Methoxychlor |
| Simazine | | 525.2 | | 525.2 | | | 525.2 | 525.2 | | 507 | | | 525.2 | 508.1, 525.2 | 525.2 | 508.1 | | | 525.2 | 525.2 | | | 525.2 | 525.2 | Simazine |
| Toxaphene | 508 | 508 | | 505 | | | 508.1 | 508.1 | | 505 | | | 505 | 505 | 505, 508.1 | 508.1 | | | 505 | 508 | | | 505 | 508 | Toxaphene |
| Polychlorinated Biphenyls (PCB) Screen | aroclor screen 508 | | | aroclor screen 505 | | | aroclor screen 508.1 | aroclor screen 508.1 | | aroclor screen 505 | | | aroclor screen 505 | aroclor screen 505 | 505 | aroclor screen 508.1 | | | aroclor screen 508.1, 505 | aroclor screen 508 | | | aroclor screen 505 | 508 | Polychlorinated Biphenyls (PCB) Screen |
| Polychlorinated Biphenyls (PCB) as Decachlorobiphenyl | | | | | | | | | | | | | | | | | | | | | | | | | Polychlorinated Biphenyls (PCB) as Decachlorobiphenyl |
| Aldicarb | | | | 531.1 | | | 531.1 | 531.2 | | 531.1 | | | 531.2 | 531.2 | 531.2 | 531.1 | | | 531.1 | 531.1 | | | 531.1 | 531.1 | Aldicarb |
| Aldicarb Sulfone | | | | 531.1 | | | 531.1 | 531.2 | | 531.1 | | | 531.2 | 531.2 | 531.2 | 531.1 | | | 531.1 | 531.1 | | | 531.1 | 531.1 | Aldicarb Sulfone |
| Aldicarb Sulfoxide | | | | 531.1 | | | 531.1 | 531.2 | | 531.1 | | | 531.2 | 531.2 | 531.2 | 531.1 | | | 531.1 | 531.1 | | | 531.1 | 531.1 | Aldicarb Sulfoxide |
| Carbofuran | | | | 531.1 | | | 531.1 | 531.2 | | 531.1 | | | 531.2 | 531.2 | 531.2 | 531.1 | | | 531.1 | 531.1 | | | 531.1 | 531.1 | Carbofuran |
| Oxamyl | | | | 531.1 | | | 531.1 | 531.2 | | 531.1 | | | 531.2 | 531.2 | 531.2 | 531.1 | | | 531.1 | 531.1 | | | 531.1 | 531.1 | Oxamyl |
| Benzo(a)Pyrene | 525.2 | 525.2 | | 525.2 | | | 525.2 | 525.2 | | 525.2 | | | 525.2 | 525.2 | 525.2 | 525.2 | | | 525.2 | 525.2 | | | 525.2 | 525.2 | Benzo(a)Pyrene |
| Di(2-ethylhexyl)Adipate | 525.2 | 525.2 | | 525.2 | | | 525.2 | 525.2 | | 525.2 | | | 525.2 | 525.2 | 525.2 | 525.2 | | | 525.2 | 525.2 | | | 525.2 | 525.2 | Di(2-ethylhexyl)-Adipate |
| Bis(2-ethylhexyl)Phthalate | 525.2 | 525.2 | | 525.2 | | | 525.2 | 525.2 | | 525.2 | | | 525.2 | 525.2 | 525.2 | 525.2 | | | 525.2 | 525.2 | | | 525.2 | 525.2 | Bis(2-ethylhexyl)-Phthalate |
| Dalapon | 515.1 | 515.1 | | 515.3 | | | 515.4 | 515.1, 515.4 | | 515.3 | | | 515.4, 552.3 | 515.3, 552.2 | 515.3 | 515.3 | | | 515.4 | 515.1 | | | 515.3 | 515.3 | Dalapon |
| 2,4-D | 515.1 | 515.1 | | 515.3 | | | 515.4 | 515.1, 515.4 | | 515.3 | | | 515.4 | 515.2 | 515.3, 555 | 515.3 | | | 515.4 | 515.1 | | | 515.3 | 515.3 | 2,4-D |
| Dinoseb | 515.1 | 515.1 | | 515.3 | | | 515.4 | 515.1, 515.4 | | 515.3 | | | 515.4 | 515.2 | 515.3, 555 | 515.3 | | | 515.4 | 515.1 | | | 515.3 | 515.3 | Dinoseb |
| Pentachlorophenol | 515.1 | 515.1 | | 515.3 | | | 515.4 | 515.1, 515.4 | | 515.3 | | | 515.4, 525.2 | 515.2 | 515.3, 555 | 515.3 | | | 515.4 | 515.1 | | | 515.3 | 515.3 | Pentachlorophenol |
| Picloram | 515.1 | 515.1 | | 515.3 | | | 515.4 | 515.1, 515.4 | | 515.3 | | | 515.4 | 515.2 | 515.3 | 515.3 | | | 515.4 | 515.1 | | | 515.3 | 515.3 | Picloram |
| 2,4,5-TP (Silvex) | 515.1 | 515.1 | | 515.3 | | | 515.4 | 515.1, 515.4 | | 515.3 | | | 515.4 | 515.2 | 515.3 | 515.3 | | | 515.4 | 515.1 | | | 515.3 | 515.3 | 2,4,5-TP (Silvex) |
| Diquat | | 549.2 | | 549.2 | | | 549.2 | 549.2 | | 549.2 | | | 549.2 | 549.2 | 549.2 | 549.2 | | | 549.2 | 549.2 | | | 549.2 | 549.2 | Diquat |
| Endothall | | 548.1 | | 548.1 | | | 548.1 | 548.1 | | 548.1 | | | 548.1 | 548.1 | 548.1 | 548.1 | | | 548.1 | 548.1 | | | 548.1 | 548.1 | Endothall |
| Glyphosate | | 547 | | 547 | | | 547 | 547 | | 547 | | | 547 | 547 | 547 | 547 | | | 547 | 547 | | | 547 | 547 | Glyphosate |
| 1,2-dibromo-3-chloropropane (DBCP) | 504.1 | 504.1 | 504.1 | 504.1 | 504.1 | | 504.1 | 504.1 | 504.1 | 504.1 | 504.1 | | 504.1, 551.1, 524.3 | 504.1 | 504.1 | 504.1 | | | 504.1 | 504.1 | | | 504.1 | 504.1 | 1,2-dibromo-3-chloropropane (DBCP) |
| 1,2-dibromoethane (EDB) | 504.1 | 504.1 | 504.1 | 504.1 | 504.1 | | 504.1 | 504.1 | 504.1 | 504.1 | 504.1 | | 504.1, 551.1, 524.3 | 504.1 | 504.1 | 504.1 | | | 504.1 | 504.1 | | | 504.1 | 504.1 | 1,2-dibromoethane (EDB) |
| 1,2,3-Trichloropropane (TCP) | 504.1 | | | | | | 504.1 | 504.1 | | 504.1 | | | 504.1 | | | | | | | | | | | | 1,2,3-Trichloropropane (TCP) |
| Regulated Volatile Organic Compounds | 524.2 | 524.2 | 524.2 | 524.2 | 524.2 | | 524.2 | 524.2 | 524.2 | 524.2 | 524.2 | | 524.2, 524.3 | 524.2 | 524.2 | 524.2 | | | 524.2 | 524.2 | | | 524.2 | 524.2 | Regulated Volatile Organic Compounds |
| Vinyl Chloride | 524.2 | 524.2 | 524.2 | 524.2 | 524.2 | | 524.2 | 524.2 | 524.2 | 524.2 | 524.2 | | 524.2, 524.3 | 524.2 | 524.2 | 524.2 | | | 524.2 | 524.2 | | | 524.2 | 524.2 | Vinyl Chloride |
| Trihalomethanes | | 524.2 | 524.2 | 524.2 | 524.2 | | 524.2 | 524.2 | | 524.2, 551.1 | 524.2 | | 524.2, 551.1, 524.3 | 524.2 | 524.2 | 524.2 | | | 524.2 | 524.2 | | | 524.2 | 524.2 | Trihalomethanes |
| Haloacetic Acids | | 552.2 | | 552.2 | | | 552.2 | 552.2, 552.3 | | 552.2 | | | SM6251B, 552.3 | 552.2 | 552.2 | 552.2 | | | 552.2 | 552.2 | | | 552.2 | 552.2 | Haloacetic Acids |
| 2,3,7,8-Tetrachlorodibenzo-p-dioxin (Dioxin) | | | | | | 1613 | | | | | | 1613 | 1613 | | 1613 | | 1613 | 1613 | | | 1613 | 1613 | | | 2,3,7,8-Tetrachlorodibenzo-p-dioxin |
| Certification Expiration Date | 09/30/12 | 04/24/12 | 10/31/12 | 07/31/12 | 09/30/12 | 06/30/12 | 07/08/12 | 01/18/12 | 08/31/12 | 01/31/12 | 06/30/12 | 06/30/12 | 01/31/12 | 12/31/11 | 11/03/11 | 06/30/12 | 12/31/11 | 04/13/12 | 01/31/12 | 06/30/12 | 01/31/12 | 06/30/12 | 10/31/12 | Certification Expiration Date | |

*Laboratories located on the continental U.S. that are approved by the Department of Health, State Laboratories Division.

Certified or Approved Drinking Water Laboratories
 (Hawaii Department of Health, State Laboratories Division)
RADIOCHEMISTRY MONITORING
 November 22, 2011

| CONTAMINANT | ACZ Laboratories, Inc. * | Edge Analytical Incorporated * | Eberline Analytical Corp., Richmond Lab * | FGL Environmental * | Gel Laboratories, LLC * | MWH Laboratories * | National Testing Laboratories * | Pace Analytical Services, Inc. - Pittsburgh * | Testamerica Irvine * | TestAmerica Laboratories, Inc. - Richland * | Underwriters Laboratories, Inc. * | Weck Laboratories, Inc. * | CONTAMINANT |
|------------------------------------------|--------------------------|--------------------------------|----------------------------------------------|---------------------|-------------------------|---------------------|---------------------------------|--------------------------------------------------|----------------------|------------------------------------------------|-----------------------------------|---------------------------|------------------------------------------|
| Gross Alpha | 900.0 | | 900.0 | 900.0 | 900.0 | 900.0 | | 900.0, SM 7110 C | | 900.0, EPA 00- 02 | SM 7110 B SM 7110 C | 900.0, SM 7110 C | Gross Alpha |
| Gross Beta | 900.0 | | 900.0 | 900.0 | 900.0 | 900.0 | | 900.0 | | 900.0 | SM 7110 B | 900.0 | Gross Beta |
| Radium - 226 | 903.1 | | 903.1 | 903.1 | 903.1 | GA Ra-226 | | 903.1 | | 903.0 903.1 | SM 7500-Ra B | | Radium - 226 |
| Radium - 228 | 904.0 | | 904.0 | EPA Ra-05 | 904.0 | 904.0, GA Ra-228 | | 904.0 | | 904.0 | SM 7500-Ra D | | Radium - 228 |
| Uranium | 200.8 | 200.8 | ASTM D5174-91 | 200.8, 908.0 | ASTM D5174-97 | 200.8 | 200.8 | 908.0, ASTM D5174-97 | 200.8 | ASTM D5174-91 | 200.8 | 200.8 | Uranium |
| Certification Expiration Date | 08/31/12 | 01/18/12 | 01/31/12 | 01/31/12 | 06/30/12 | 01/31/12 | 12/31/11 | 03/31/12 | 01/31/12 | 01/09/12 | 06/30/12 | 10/31/12 | Certification Expiration Date |

*Laboratories located on the continental U.S. that are approved by the Department of Health, State Laboratories Division.

Certified Drinking Water Laboratories
(Hawaii Department of Health, State Laboratories Division)
MICROBIOLOGICAL ANALYSIS
October 1, 2011

| | EXPIRATION DATE | CERTIFIED LABORATORY METHOD | | | |
|-----------------------------------------------------------------|-----------------|---------------------------------------------------------------------------------------|-------------------------------------|-------------------------------------------------------------------|------------------------------------------------|
| | | TOTAL COLIFORMS | FECAL COLIFORMS | E-COLI | HPC |
| AECOS | 10/31/11 | SM 9223 Colilert SM 9223 Colilert (LT2) | | SM 9223 Colilert SM 9223 Colilert (LT2) | SM 9215 (Pour Plate) SM 9215 Idexx SimPlate |
| Food Quality Analysts, LLC | 6/30/12 | SM 9221 Multiple Tube Fermentation SM 9222 Membrane Filtration SM 9223 Colilert | SM 9221E | SM 9223 Colilert | SM 9215 (Pour Plate) SM 9215 Idexx SimPlate |
| County of Hawaii, Dept. of Water Supply Microbiology Laboratory | 8/31/13 | SM 9223 Colisure SM 9223 Colilert (LT2) | | SM 9223 Colisure SM 9223 Colilert (LT2) | SM 9215 Idexx SimPlate |
| DOH Hawaii District Health Laboratory - Hilo | 3/31/12 | SM 9223 Colisure | | SM 9223 Colisure | |
| Hawaii Food & Water Testing | 7/31/12 | SM 9223 Colilert SM 9223 Colilert (LT2) | | SM 9223 Colilert SM 9223 Colilert (LT2) | SM 9215 (Pour Plate) |
| Honolulu BWS | 8/31/12 | SM 9223 Colisure | | SM 9223 Colisure | SM 9215 (Pour Plate) SM 9215 Idexx SimPlate |
| County of Kauai, Department of Water | 2/28/12 | SM 9223 Colisure SM 9223 Colilert (LT2) | | SM 9223 Colisure SM 9223 Colilert (LT2) | SM 9215 Idexx SimPlate |
| DOH Kauai District Health Laboratory - Lihue | 9/30/12 | SM 9223 Colisure | | SM 9223 Colisure | |
| County of Maui, Department of Water Supply | 3/31/13 | SM 9223 Colisure SM 9223 Colilert-18 SM 9223 Colilert (LT2) | | SM 9223 Colisure SM 9223 Colilert-18 SM 9223 Colilert (LT2) | SM 9215 (Pour Plate) |
| DOH Maui District Health Laboratory | 4/30/13 | SM 9223 Colisure | | SM 9223 Colisure | SM 9215 (Pour Plate) |
| Naval Facilities Environmental Services Laboratory | 4/30/12 | SM 9223 Colisure SM 9222 Membrane Filtration SM 9221 Multiple Tube Fermentation | SM 9221E Multiple Tube Fermentation | SM 9223 Colisure SM9221F | SM 9215 (Pour Plate) |
| Tripler Army Medical Center | 11/16/11 | SM 9223 Colilert | | SM 9223 Colilert | |