



STATE OF HAWAII
Department of Agriculture

ACCEPTED

LICENSE NO.
8017.107

Sealed Air
Food Care

Diversey™

Dusan™/MC

Low foam iodophor

For Industry Use

ACTIVE INGREDIENT:

Iodine*..... 1.6%

OTHER INGREDIENTS:.....98.4%

Total:.....100.0%

*From Butoxy polypropoxy polyethoxy ethanol-iodine complex and Polyethoxy polypropoxy polyethoxy ethanol-iodine complex.

FIRST AID

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.



**KEEP OUT OF REACH OF
CHILDREN
CAUTION**

IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.

1-800-851-7145

Have the product container or label with you when calling a
Poison Control Center or doctor or going in for treatment.

See additional precautionary statements on side panel.

Net Contents:

3.78 L / 1 U.S. Gal.

Product No:

01833276

Manufactured for: ©2015 Diversey, Inc., PO Box 19747, Charlotte, NC 28219-0747 Phone: 800 233 1000

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Recommended for use in sanitizing, operations in food plants, dairies, restaurants, beverage and brewery operations, hospitals and nursing homes.

For Sanitizing Utensils and Glasses in Hand Washing Operations

1. Scrape and pre-wash utensils and glasses whenever possible.
2. Wash with recommended detergent.
3. Rinse with potable water.
4. Sanitize in a solution of 1 ounce of Dusan to 5 gallons of water (25 ppm titratable iodine). Immerse all utensils for at least 2 minutes or for contact time specified by governing sanitary code.
5. Place sanitized utensils on a rack or drainboard to air dry.

NOTE: A clean, potable water rinse following sanitation is not permitted under section HFS 196, Appendix 7-204.11 of the Wisconsin Administrative Code [reference 21 CFR § 178.1010 (a)].

Approved under the regulations of the Wisconsin State Board of Health. Dusan is authorized for final spray or soak sanitizing of utensils and equipment in dairies and/or dairy farms under Section 7, Items 11r and 14r, Grade "A" Pasteurized Milk Ordinance (2003). Use one (1) ounce of Dusan per 5 gallons of water (25 ppm titratable iodine) for these usages.

This product may be sprayed at 10 ppm titratable iodine for sanitizing bells on filling machines and crowns on capping machines in brewery and soft drink operations. Use two (2) ounces of this product to 25 gallons or water for 10 ppm titratable iodine.

Use one (1) ounce of this product for 5 gallons or water (25 ppm titratable iodine) for final sanitizing of bottles and all other utensils and equipment in breweries and soft drink plants, by spraying or soaking.

12 ½ to 25 ppm available iodine for sanitizing is equivalent to 100 to 200 ppm available chlorine in accordance with the AOAC Chlorine Germicidal Concentration Test.

Dusan is a low foam iodophor authorized under 21 CFR § 178.1010, Sanitizing Solutions, FDA Food Additive Law for final sanitizing rinsing.

One ounce of Dusan per 5 gallons of water (25 ppm titratable iodine) is authorized for final sanitizing rinsing of previously cleaned and rinsed food contact utensils and equipment in all types of food plants, meat and poultry plants, dairies, dairy farms, brewery and soft drink plants, restaurants, hospitals and nursing homes. The rinse may be a spray or soak.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: This product is corrosive to mild steel. Do not store or transport in unlined metal containers. Do not store on side. Avoid creasing of side walls. Keep from freezing. If frozen, thaw and mix to make usable.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of all excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container $\frac{1}{4}$ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer container for recycling, if available.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Do not mix with soap or alkaline material.

MS0800619

EPA Registration No. 875-188

EPA Establishment No.

3635-OH-1[SV]; 10508-PA-1[SB]; 875-WI-1[EC]; 0312-WI-3[NW]; 13938-CAN-1[LD];
10508-TX-1[RD]; 10508-TN-1[RC]

Lot code letters indicate establishment number.



SKU #:

01833276

LOT #:

6036282 (15/243)

