



BUTCHERS®
Transformer

Tracer™/MC Acid Free Disinfectant Washroom Cleaner

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not store near heat or open flame.

PESTICIDE STORAGE: Store only in tightly closed, original container in a secure area inaccessible to children and persons unfamiliar with the use of the product.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Wrap empty container and put in trash.

ENVIRONMENTAL HAZARDS:
This product is toxic to fish and aquatic invertebrates.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage. Causes skin irritation. Do not get in eyes, on skin or on clothing. Wear protective eyewear (goggles, face shield or safety glasses). Harmful if swallowed, absorbed through the skin or inhaled. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

See SDS # MS0800627



8 07174 51872 6



STATE OF HAWAII
Department of Agriculture

ACCEPTED

LICENSE NO. **8017.154**

BUTCHERS®
Transformer



Tracer™/MC Acid Free Disinfectant Washroom Cleaner Cleans Disinfects Deodorizes Mildewstatic

ACTIVE INGREDIENTS:

n-Alkyl (50% C₁₄, 40% C₁₂, 10% C₁₆)
dimethyl benzyl ammonium chloride.....0.78%
Didecyl dimethyl ammonium chloride0.26%

OTHER INGREDIENTS:98.96%

TOTAL:100.00%

Net Contents:

3.78 L / 1 U.S. Gal.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.
IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

**IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER
OR DOCTOR FOR TREATMENT ADVICE.**

1-800-851-7145

Have the product container or label with you when calling a
Poison Control Center or doctor or going in for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

KEEP OUT OF REACH OF CHILDREN DANGER

See additional Precautionary Statements on side panel.



BUTCHERS[®]
Transformer

5848001

Tracer^{™/MC}
Acid Free
Disinfectant
Washroom
Cleaner

BUTCHERS[®]
TECHSERVICE
800-225-9475

EPA Reg. No. 70627-68
EPA Est. No. 0312-WI-3 (NW);
7546-WI-1 (WT); 13938-CAN-1 (LD)
*Lot code letters indicate
establishment number.*

Net Contents:
3.78 L /
1 U.S. Gal.

Cleans, disinfects and deodorizes toilet bowls, urinals, tubs, showers and other hard, non-porous washroom surfaces. Use on glazed porcelain, glazed ceramic, sealed grout, stainless steel, Formica, Plexiglass, fiberglass sinks, bathtubs or shower stalls and chrome.

An effective one-step cleaner disinfectant in the presence of organic soil load. For daily washroom cleaning in hospitals, motels, hotels, nursing homes, business and industrial buildings, restaurants and food plants. Non-acid formula with a fresh floral fragrance.

Manufactured for:
©2015 Diversey, Inc.,
PO Box 19747,
Charlotte, NC 28219-0747



BUTCHERS[®]
Transformer

Tracer^{™/MC}
Acid Free Disinfectant
Washroom Cleaner

Kills *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella enterica*, (formerly known as *Salmonella choleraesuis*), *Staphylococcus aureus* (Methicillin resistant (MRSA)), Influenza A/Hong Kong, Herpes Simplex Type 1 and Type 2, *Trichophyton mentagrophytes* (athlete's foot fungus) and *Chlamydia trachomatis* on hard, non-porous environmental surfaces in the presence of organic soil (5% blood serum) at 1 part product to 12 parts of 400 ppm hard water (1:12) (calculated as CaCO₃).

Kills *HIV-1 (Human Immunodeficiency Virus Type 1) which causes AIDS (Acquired Immunodeficiency Syndrome) and *Hepatitis B Virus. This product is virucidal against HIV-1 after 1 minute contact time and HBV after 5 minutes in the presence of organic soils (5% blood serum).

*Kills Pandemic 2009 H1N1 Influenza A virus.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To Prepare Cleaner Disinfectant Use Solution: Prepare a 1 part product to 12 parts water (1:12) solution by mixing the product 32 oz. to 3 gallons of water. Fresh solution should be prepared daily or when the use solution becomes visibly dirty.

Cleaning, Disinfecting and Deodorizing Toilet Bowls and Urinals:

1. Flush toilet or urinal. Lower the water level in the bowl by forcing water over trap with a bowl swab.
2. Remove excess water from bowl swab.
3. Apply 2 oz. of disinfectant solution to the bowl swab.
4. Swab all surfaces. Start under the rim and work down.
5. Leave treatment on surfaces for at least 10 minutes.
6. Flush toilet or urinal. Rinse bowl swab.

Preliminary cleaning is required for heavily soiled surfaces.

Cleaning, Disinfecting and Deodorizing Sinks, Tubs and Other Hard Non-Porous Surfaces:

1. Apply use solution with a cloth, sponge, mop or spray applicator to wet all surfaces thoroughly.
2. For heavier soils, agitate with a hand pad or brush if necessary.
3. Let treated surfaces remain wet for 10 minutes and rinse thoroughly.

Pre-clean heavily soiled surfaces before disinfecting.

To Control Mold and Mildew:

Apply Use Solution to pre-cleaned hard, non-porous environmental surfaces. Allow to air dry. Repeat application weekly or when growth reappears.

***KILLS HIV-1 AND HBV ON PRE-CLEANED INANIMATE SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS**

in health care settings and other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) and Hepatitis B Virus (HBV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 AND HBV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Disposable latex or vinyl gloves, gowns, face masks, and eye coverings as appropriate, must be worn during all cleaning of body fluids, blood and decontamination procedures.

Cleaning Procedures: Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

Contact Time: Allow surface to remain wet for 1 minute to kill HIV-1 and 5 minutes to kill HBV. For other organisms allow surface to remain wet for 10 minutes.

Disposal of Infectious Material: Blood and other body fluids must be autoclaved and disposed of according to Federal, State and local regulations for infectious waste disposal.